

Pediatric Hypertension: PBL

Laura N. Hodo, MD, FAAFP



ACTIVITY DISCLAIMER

The material presented here is being made available by the American Academy of Family Physicians for educational purposes only. This material is not intended to represent the only, nor necessarily best, methods or procedures appropriate for the medical situations discussed. Rather, it is intended to present an approach, view, statement, or opinion of the faculty, which may be helpful to others who face similar situations.

The AAFP disclaims any and all liability for injury or other damages resulting to any individual using this material and for all claims that might arise out of the use of the techniques demonstrated therein by such individuals, whether these claims shall be asserted by a physician or any other person. Every effort has been made to ensure the accuracy of the data presented here. Physicians may care to check specific details such as drug doses and contraindications, etc., in standard sources prior to clinical application. This material might contain recommendations/guidelines developed by other organizations. Please note that although these guidelines might be included, this does not necessarily imply the endorsement by the AAFP.



DISCLOSURE

It is the policy of the AAFP that all individuals in a position to control content disclose any relationships with commercial interests upon nomination/invitation of participation. Disclosure documents are reviewed for potential conflict of interest (COI), and if identified, conflicts are resolved prior to confirmation of participation. Only those participants who had no conflict of interest or who agreed to an identified resolution process prior to their participation were involved in this CME activity.

All individuals in a position to control content for this activity have indicated they have no relevant financial relationships to disclose.

The content of my material/presentation in this CME activity will not include discussion of unapproved or investigational uses of products or devices.



Laura N. Hodo, MD, FAAFP

Assistant Professor, Department of Pediatrics; Adjunct Instructor, Department of Family and Preventive Medicine, University of Utah, Salt Lake City.

Dr. Hodo is a graduate of Harvard Medical School in Boston, Massachusetts, and completed her residency at the University of Utah in Salt Lake City. She completed her a Master's degree in economic and social history/history of medicine at Oxford University as a Rhodes scholar. Dr. Hodo trained in family medicine and worked at a federally qualified health center, practicing full-spectrum family medicine, including obstetrics for seven years before becoming a pediatric hospitalist. She directs the family medicine team at Primary Children's Hospital, which is the core inpatient pediatrics rotation for three different family medicine residency programs. She also serves as course director for the pediatric practice management elective and the pediatric admitting resident rotation. Her interests include medical student and resident education, quality improvement, reducing disparities in medicine, care of underserved communities, and adolescent health care.



Learning Objectives

1. Practice applying new knowledge and competencies gained from pediatric hypertension sessions, and receive feedback from expert faculty.
2. Interact collaboratively with peers to solve complex and challenging case-study scenarios.
3. Develop problem-solving skills that promote effective reasoning to manage hypertension within the context of professional practice.



Audience Engagement System

The image shows three sequential screenshots of a mobile application interface for an audience engagement system. Step 1 shows a home screen with various icons and a search bar. Step 2 shows a list of CME activities with details like title, date, and duration. Step 3 shows a detailed view of a specific CME activity, including a title, description, and a list of speakers.



History of Present Illness

- 13 year old female, appointment for well child exam. Mother has no concerns, child states she feels “fine”.

FMX

Past Medical History

- Term birth
- No major illnesses
- Appendectomy at 6yo
- No medications except occasional Tylenol for headache
- NKDA
- Immunizations up to date

FMX

Family History

- Mother (who is your patient) with obesity, type 2 DM, and pre-hypertension
- Father with probable obesity, knee pain, but “he hasn’t seen a doctor in years” so no formal diagnoses
- Paternal grandparents deceased, both from cancers, unknown type
- Maternal grandparents alive, grandfather with hypertension and dementia

FMX

Social History

- In 8th grade and does well in school.
- Plays softball in the summer, no formal athletic activity the rest of the year.
- 2 younger siblings, 5 year old twin boys.
- With mother outside the room, she denies smoking, drinking, drug use, or sexual activity.

FMX

What risk factors does this patient have for hypertension?

FMX

Review of Systems

- General: Has gained about 5lb in the last year
- HEENT: Negative
- CV: Negative
- Resp: Negative
- GI: Occasional heartburn, otherwise negative
- GU: Negative
- Gyn: Menarche at 12y, periods initially irregular, now about every month
- MSK: Negative
- Skin: Occasional dry skin, uses lotion when she remembers, no rash, otherwise negative
- Neuro: Headaches about once a week, takes Tylenol and resolve. Cannot think of any inciting features.
- Psych: Negative

FMX

What additional questions do you have for the patient/her mother?

FMX

Would you screen her for hypertension?

Why or why not?
Are there circumstances that would alter your choice?

FMX

Physical Examination

- T 37.4C/98.9F, HR 75, BP 122/82, RR 16, O2 sat 97% RA
- Weight 60kg/132lb (85%), Height 157cm/62 in (50%), BMI 25 (92%)
- General: No distress, awake, alert teen
- HEENT: Normal
- Skin: Slightly dry on extremities, multiple open and closed comedones on face, no nodules
- Neck: Normal
- CV: RRR, no murmurs
- Pulm: CTAB
- Abd: Soft, NTND, no masses
- Ext: No edema, normal appearing joints
- Neuro: Normal

FMX

Does the patient have hypertension?

What do you do next?

FMX

2 months later

- Your patient has followed up for BP recheck 4 times. Numbers are as follows:
 - 115/78
 - 121/65
 - 123/80
 - 130/79

FMX

Does this patient have hypertension?

What are your next steps?

FMX

Laboratory/Radiology

- Patient has normal BMP, CBC, UA, fasting glucose, lipid panel

FMX

Assessment

- She has multiple SBP and DBP at 90% or greater, but only a single reading >95%
 - Pre-hypertension
 - Negative workup, so possibly weight-related

FMX

What is your recommended treatment?

FMX

Plan

- You provide dietary counseling, and recommend decreased salt intake, more fruits and vegetables – for patient and the rest of the family too!
- You encourage 60 minutes of physical activity a day
- You ask her to return in 2 months for follow-up.

FMX

6 months later...

- Your patient has followed up for BP recheck with your MA on 3 occasions, and comes to an office visit. Numbers are as follows:
 - 122/82
 - 125/80
 - 129/84
 - 128/84 (today's visit)

FMX

Does this patient have hypertension?

FMX

Would you do more workup at this stage?

What tests would you consider?

FMX

Laboratory/Radiology

- Echocardiogram is normal
- Renal ultrasound is normal

FMX

Assessment

- She has multiple SBP or DBP >95% but none >99% + 5 points
 - Stage 1 hypertension
- Her workup is negative, so most likely this is essential HTN
 - likely related to her weight
 - Possibly familial

FMX

What is your recommended treatment?

FMX

Follow-up visit

- Patient returns 6 months later for her 14y well check. She states she has felt well.
- Mother says that the patient and family are not really eating very differently, because "it is too hard". She has stopped putting a salt shaker on the table, though.
- Patient says she is exercising maybe 4 days a week, maybe 20 minutes a day. Softball season has ended and so she says this is less exercise than before.

FMX

Follow-up exam

- Temperature, HR, RR all normal.
- Weight is 63kg/138.6lb (6.6 lb increase)
- Height is increased at 160cm/63in (50%)
- BMI is 24.6 (90%)
- BP is checked twice with good technique and is 135/90, then 133/88.
- Exam is normal.

FMX

How do you classify her BP now?

What do you do now?

FMX

If you elect to initiate medication,
which class would you choose?

FMX

Plan

- Mother and patient are willing to try to increase exercise time.
- Neither is convinced that it is possible to change dietary practices but state they will try.
- Neither is willing to consider medication at this time.
- Both commit to attending follow-up appointments.

FMX

Key Concepts

- Screening should be performed in children with risk factors; you can consider universal screening
- Elevated BP on at least 3 occasions is required to make a diagnosis of prehypertension or hypertension
- Ambulatory monitoring may help you make the diagnosis
- Workup for HTN should include UA, electrolytes, renal function, CBC, and usually echo and renal ultrasound.
- Lifestyle change is always recommended as first-line therapy for prehypertension and grade 1 hypertension
- Meds are reserved for those for whom lifestyle change is not sufficient, grade 2 hypertension, those with symptoms, those with end-organ involvement.

FMX

Contact Information

- laura.hodo@hsc.utah.edu

FMX

Associated Session

- Pediatric Hypertension: The Pressure's On!

FMX

Interested in More CME on this topic?
aafp.org/fmx-kids

FMX

Blood Pressure Levels for Boys by Age and Height Percentile

Age (Year)	BP Percentile ↓	Systolic BP (mmHg)							Diastolic BP (mmHg)						
		← Percentile of Height →							← Percentile of Height →						
		5th	10th	25th	50th	75th	90th	95th	5th	10th	25th	50th	75th	90th	95th
1	50th	80	81	83	85	87	88	89	34	35	36	37	38	39	39
	90th	94	95	97	99	100	102	103	49	50	51	52	53	53	54
	95th	98	99	101	103	104	106	106	54	54	55	56	57	58	58
	99th	105	106	108	110	112	113	114	61	62	63	64	65	66	66
2	50th	84	85	87	88	90	92	92	39	40	41	42	43	44	44
	90th	97	99	100	102	104	105	106	54	55	56	57	58	58	59
	95th	101	102	104	106	108	109	110	59	59	60	61	62	63	63
	99th	109	110	111	113	115	117	117	66	67	68	69	70	71	71
3	50th	86	87	89	91	93	94	95	44	44	45	46	47	48	48
	90th	100	101	103	105	107	108	109	59	59	60	61	62	63	63
	95th	104	105	107	109	110	112	113	63	63	64	65	66	67	67
	99th	111	112	114	116	118	119	120	71	71	72	73	74	75	75
4	50th	88	89	91	93	95	96	97	47	48	49	50	51	51	52
	90th	102	103	105	107	109	110	111	62	63	64	65	66	66	67
	95th	106	107	109	111	112	114	115	66	67	68	69	70	71	71
	99th	113	114	116	118	120	121	122	74	75	76	77	78	78	79
5	50th	90	91	93	95	96	98	98	50	51	52	53	54	55	55
	90th	104	105	106	108	110	111	112	65	66	67	68	69	69	70
	95th	108	109	110	112	114	115	116	69	70	71	72	73	74	74
	99th	115	116	118	120	121	123	123	77	78	79	80	81	81	82
6	50th	91	92	94	96	98	99	100	53	53	54	55	56	57	57
	90th	105	106	108	110	111	113	113	68	68	69	70	71	72	72
	95th	109	110	112	114	115	117	117	72	72	73	74	75	76	76
	99th	116	117	119	121	123	124	125	80	80	81	82	83	84	84
7	50th	92	94	95	97	99	100	101	55	55	56	57	58	59	59
	90th	106	107	109	111	113	114	115	70	70	71	72	73	74	74
	95th	110	111	113	115	117	118	119	74	74	75	76	77	78	78
	99th	117	118	120	122	124	125	126	82	82	83	84	85	86	86
8	50th	94	95	97	99	100	102	102	56	57	58	59	60	60	61
	90th	107	109	110	112	114	115	116	71	72	72	73	74	75	76
	95th	111	112	114	116	118	119	120	75	76	77	78	79	79	80
	99th	119	120	122	123	125	127	127	83	84	85	86	87	87	88
9	50th	95	96	98	100	102	103	104	57	58	59	60	61	61	62
	90th	109	110	112	114	115	117	118	72	73	74	75	76	76	77
	95th	113	114	116	118	119	121	121	76	77	78	79	80	81	81
	99th	120	121	123	125	127	128	129	84	85	86	87	88	88	89
10	50th	97	98	100	102	103	105	106	58	59	60	61	61	62	63
	90th	111	112	114	115	117	119	119	73	73	74	75	76	77	78
	95th	115	116	117	119	121	122	123	77	78	79	80	81	81	82
	99th	122	123	125	127	128	130	130	85	86	86	88	88	89	90

Blood Pressure Levels for Boys by Age and Height Percentile (Continued)

Age (Year)	BP Percentile ↓	Systolic BP (mmHg)							Diastolic BP (mmHg)						
		← Percentile of Height →							← Percentile of Height →						
		5th	10th	25th	50th	75th	90th	95th	5th	10th	25th	50th	75th	90th	95th
11	50th	99	100	102	104	105	107	107	59	59	60	61	62	63	63
	90th	113	114	115	117	119	120	121	74	74	75	76	77	78	78
	95th	117	118	119	121	123	124	125	78	78	79	80	81	82	82
	99th	124	125	127	129	130	132	132	86	86	87	88	89	90	90
12	50th	101	102	104	106	108	109	110	59	60	61	62	63	63	64
	90th	115	116	118	120	121	123	123	74	75	75	76	77	78	79
	95th	119	120	122	123	125	127	127	78	79	80	81	82	82	83
	99th	126	127	129	131	133	134	135	86	87	88	89	90	90	91
13	50th	104	105	106	108	110	111	112	60	60	61	62	63	64	64
	90th	117	118	120	122	124	125	126	75	75	76	77	78	79	79
	95th	121	122	124	126	128	129	130	79	79	80	81	82	83	83
	99th	128	130	131	133	135	136	137	87	87	88	89	90	91	91
14	50th	106	107	109	111	113	114	115	60	61	62	63	64	65	65
	90th	120	121	123	125	126	128	128	75	76	77	78	79	79	80
	95th	124	125	127	128	130	132	132	80	80	81	82	83	84	84
	99th	131	132	134	136	138	139	140	87	88	89	90	91	92	92
15	50th	109	110	112	113	115	117	117	61	62	63	64	65	66	66
	90th	122	124	125	127	129	130	131	76	77	78	79	80	80	81
	95th	126	127	129	131	133	134	135	81	81	82	83	84	85	85
	99th	134	135	136	138	140	142	142	88	89	90	91	92	93	93
16	50th	111	112	114	116	118	119	120	63	63	64	65	66	67	67
	90th	125	126	128	130	131	133	134	78	78	79	80	81	82	82
	95th	129	130	132	134	135	137	137	82	83	83	84	85	86	87
	99th	136	137	139	141	143	144	145	90	90	91	92	93	94	94
17	50th	114	115	116	118	120	121	122	65	66	66	67	68	69	70
	90th	127	128	130	132	134	135	136	80	80	81	82	83	84	84
	95th	131	132	134	136	138	139	140	84	85	86	87	87	88	89
	99th	139	140	141	143	145	146	147	92	93	93	94	95	96	97

BP, blood pressure

* The 90th percentile is 1.28 SD, 95th percentile is 1.645 SD, and the 99th percentile is 2.326 SD over the mean.

For research purposes, the standard deviations in Appendix Table B-1 allow one to compute BP Z-scores and percentiles for boys with height percentiles given in Table 3 (i.e., the 5th, 10th, 25th, 50th, 75th, 90th, and 95th percentiles). These height percentiles must be converted to height Z-scores given by (5% = -1.645; 10% = -1.28; 25% = -0.68; 50% = 0; 75% = 0.68; 90% = 1.28; 95% = 1.645) and then computed according to the methodology in steps 2-4 described in Appendix B. For children with height percentiles other than these, follow steps 1-4 as described in Appendix B.

Blood Pressure Levels for Girls by Age and Height Percentile

Age (Year)	BP Percentile ↓	Systolic BP (mmHg)							Diastolic BP (mmHg)						
		← Percentile of Height →							← Percentile of Height →						
		5th	10th	25th	50th	75th	90th	95th	5th	10th	25th	50th	75th	90th	95th
1	50th	83	84	85	86	88	89	90	38	39	39	40	41	41	42
	90th	97	97	98	100	101	102	103	52	53	53	54	55	55	56
	95th	100	101	102	104	105	106	107	56	57	57	58	59	59	60
	99th	108	108	109	111	112	113	114	64	64	65	65	66	67	67
2	50th	85	85	87	88	89	91	91	43	44	44	45	46	46	47
	90th	98	99	100	101	103	104	105	57	58	58	59	60	61	61
	95th	102	103	104	105	107	108	109	61	62	62	63	64	65	65
	99th	109	110	111	112	114	115	116	69	69	70	70	71	72	72
3	50th	86	87	88	89	91	92	93	47	48	48	49	50	50	51
	90th	100	100	102	103	104	106	106	61	62	62	63	64	64	65
	95th	104	104	105	107	108	109	110	65	66	66	67	68	68	69
	99th	111	111	113	114	115	116	117	73	73	74	74	75	76	76
4	50th	88	88	90	91	92	94	94	50	50	51	52	52	53	54
	90th	101	102	103	104	106	107	108	64	64	65	66	67	67	68
	95th	105	106	107	108	110	111	112	68	68	69	70	71	71	72
	99th	112	113	114	115	117	118	119	76	76	76	77	78	79	79
5	50th	89	90	91	93	94	95	96	52	53	53	54	55	55	56
	90th	103	103	105	106	107	109	109	66	67	67	68	69	69	70
	95th	107	107	108	110	111	112	113	70	71	71	72	73	73	74
	99th	114	114	116	117	118	120	120	78	78	79	79	80	81	81
6	50th	91	92	93	94	96	97	98	54	54	55	56	56	57	58
	90th	104	105	106	108	109	110	111	68	68	69	70	70	71	72
	95th	108	109	110	111	113	114	115	72	72	73	74	74	75	76
	99th	115	116	117	119	120	121	122	80	80	80	81	82	83	83
7	50th	93	93	95	96	97	99	99	55	56	56	57	58	58	59
	90th	106	107	108	109	111	112	113	69	70	70	71	72	72	73
	95th	110	111	112	113	115	116	116	73	74	74	75	76	76	77
	99th	117	118	119	120	122	123	124	81	81	82	82	83	84	84
8	50th	95	95	96	98	99	100	101	57	57	57	58	59	60	60
	90th	108	109	110	111	113	114	114	71	71	71	72	73	74	74
	95th	112	112	114	115	116	118	118	75	75	75	76	77	78	78
	99th	119	120	121	122	123	125	125	82	82	83	83	84	85	86
9	50th	96	97	98	100	101	102	103	58	58	58	59	60	61	61
	90th	110	110	112	113	114	116	116	72	72	72	73	74	75	75
	95th	114	114	115	117	118	119	120	76	76	76	77	78	79	79
	99th	121	121	123	124	125	127	127	83	83	84	84	85	86	87
10	50th	98	99	100	102	103	104	105	59	59	59	60	61	62	62
	90th	112	112	114	115	116	118	118	73	73	73	74	75	76	76
	95th	116	116	117	119	120	121	122	77	77	77	78	79	80	80
	99th	123	123	125	126	127	129	129	84	84	85	86	86	87	88

Blood Pressure Levels for Girls by Age and Height Percentile (Continued)

Age (Year)	BP Percentile ↓	Systolic BP (mmHg)							Diastolic BP (mmHg)						
		← Percentile of Height →							← Percentile of Height →						
		5th	10th	25th	50th	75th	90th	95th	5th	10th	25th	50th	75th	90th	95th
11	50th	100	101	102	103	105	106	107	60	60	60	61	62	63	63
	90th	114	114	116	117	118	119	120	74	74	74	75	76	77	77
	95th	118	118	119	121	122	123	124	78	78	78	79	80	81	81
	99th	125	125	126	128	129	130	131	85	85	86	87	87	88	89
12	50th	102	103	104	105	107	108	109	61	61	61	62	63	64	64
	90th	116	116	117	119	120	121	122	75	75	75	76	77	78	78
	95th	119	120	121	123	124	125	126	79	79	79	80	81	82	82
	99th	127	127	128	130	131	132	133	86	86	87	88	88	89	90
13	50th	104	105	106	107	109	110	110	62	62	62	63	64	65	65
	90th	117	118	119	121	122	123	124	76	76	76	77	78	79	79
	95th	121	122	123	124	126	127	128	80	80	80	81	82	83	83
	99th	128	129	130	132	133	134	135	87	87	88	89	89	90	91
14	50th	106	106	107	109	110	111	112	63	63	63	64	65	66	66
	90th	119	120	121	122	124	125	125	77	77	77	78	79	80	80
	95th	123	123	125	126	127	129	129	81	81	81	82	83	84	84
	99th	130	131	132	133	135	136	136	88	88	89	90	90	91	92
15	50th	107	108	109	110	111	113	113	64	64	64	65	66	67	67
	90th	120	121	122	123	125	126	127	78	78	78	79	80	81	81
	95th	124	125	126	127	129	130	131	82	82	82	83	84	85	85
	99th	131	132	133	134	136	137	138	89	89	90	91	91	92	93
16	50th	108	108	110	111	112	114	114	64	64	65	66	66	67	68
	90th	121	122	123	124	126	127	128	78	78	79	80	81	81	82
	95th	125	126	127	128	130	131	132	82	82	83	84	85	85	86
	99th	132	133	134	135	137	138	139	90	90	90	91	92	93	93
17	50th	108	109	110	111	113	114	115	64	65	65	66	67	67	68
	90th	122	122	123	125	126	127	128	78	79	79	80	81	81	82
	95th	125	126	127	129	130	131	132	82	83	83	84	85	85	86
	99th	133	133	134	136	137	138	139	90	90	91	91	92	93	93

BP, blood pressure

* The 90th percentile is 1.28 SD, 95th percentile is 1.645 SD, and the 99th percentile is 2.326 SD over the mean.

For research purposes, the standard deviations in Appendix Table B-1 allow one to compute BP Z-scores and percentiles for girls with height percentiles given in Table 4 (i.e., the 5th, 10th, 25th, 50th, 75th, 90th, and 95th percentiles). These height percentiles must be converted to height Z-scores given by (5% = -1.645; 10% = -1.28; 25% = -0.68; 50% = 0; 75% = 0.68; 90% = 1.28%; 95% = 1.645) and then computed according to the methodology in steps 2-4 described in Appendix B. For children with height percentiles other than these, follow steps 1-4 as described in Appendix B.