


Management of Chronic Nonmalignant Pain by Mechanism



Online Figure A. Algorithm for the management of chronic nonmalignant pain by mechanism. (NSAID = nonsteroidal anti-inflammatory drug; TENS = transcutaneous electric nerve stimulation.)

Information from Argoff C. Tailoring chronic pain treatment to the patient: long-acting, short-acting and rapid-onset opioids. *Medscape Neurology & Neurosurgery*. March 26, 2007. <http://www.medscape.com/viewarticle/554015> [log-in required]. Accessed May 15, 2008; Institute for Clinical Systems Improvement. *Assessment and Management of Chronic Pain*. 2nd ed.; March 2007. http://www.icsi.org/pain__chronic__assessment_and_management_of_14399/pain__chronic__assessment_and_management_of__guideline_.html. Accessed May 22, 2008; Trescot AM, Boswell MV, Atluri SL, et al. Opioid guidelines in the management of chronic non-cancer pain. *Pain Physician*. 2006;9(1):1-39; Schnitzer TJ. Update on guidelines for the treatment of chronic musculoskeletal pain. *Clin Rheumatol*. 2006;25(suppl 1):S22-S29; Koes BW, van Tulder MW, Ostelo R, Kim Burton A, Waddell G. *Clinical guidelines for the management of low back pain in primary care: an international comparison*. *Spine*. 2001;26(22):2504-2513; Stanos S. Appropriate use of opioid analgesics in chronic pain. *J Fam Pract*. 2007;56(2):23-32; Cramp F, Daniel J. Exercise for the management of cancer-related fatigue in adults. *Cochrane Database Syst Rev*. 2008;(2):CD006145; Bronfort G, Nilsson N, Haas M, et al. Non-invasive physical treatments for chronic/recurrent headache. *Cochrane Database Syst Rev*. 2004;(3):CD001878; Eccleston C, Yorke L, Morley S, Williams AC, Mastroyannopoulou K. Psychological therapies for the management of chronic and recurrent pain in children and adolescents. *Cochrane Database Syst Rev*. 2003;(1):CD003968; Cepeda MS, Carr DB, Lau J, Alvarez H. Music for pain relief. *Cochrane Database Syst Rev*. 2006;(1):CD004843; Eisenberg E, McNicol ED, Carr DB. Opioids for neuropathic pain. *Cochrane Database Syst Rev*. 2006;(3):CD006146; Ballantyne JC. Opioids for chronic nonterminal pain. *South Med J*. 2006;99(11):1245-1255; Quigley C. Hydromorphone for acute and chronic pain. *Cochrane Database Syst Rev*. 2002;(1):CD003447; Wiffen P, Collins S, McQuay H, Carroll D, Jadad A, Moore A. Anticonvulsant drugs for acute and chronic pain. *Cochrane Database Syst Rev*. 2005;(2):CD001133; Saarto T, Wiffen PJ. Antidepressants for neuropathic pain. *Cochrane Database Syst Rev*. 2007;(3):CD005454; Khaliq W, Alam S, Puri N. Topical lidocaine for the treatment of postherpetic neuralgia. *Cochrane Database Syst Rev*. 2007;(2):CD004846; Portnoy RK, Payne R, Passik SD. Acute and chronic pain. In: Lowinson JH, ed. Substance Abuse: A Comprehensive Textbook. 4th ed., Baltimore, Md.: Williams & Wilkins; 2005:863-904; Wisconsin Medical Society Task Force on Pain Management. *Guidelines for the assessment and management of chronic pain*. *WJM*. 2004;103(3):13-42; Glajchen M. Chronic pain: treatment barriers and strategies for clinical practice. *J Am Board Fam Pract*. 2001;14(3):211-218; American Medical Association. *Pain management: the online series*. http://www.ama-cmeonline.com/pain_mgmt/. Accessed May 22, 2008; Pottter M, Schafer S, Gonzalez-Mendez E, et al. Opioids for chronic nonmalignant pain. Attitudes and practices of primary care physicians in the UCSF/Stanford Collaborative Research Network. *University of California, San Francisco. J Fam Pract*. 2001;50(2):145-151; Furlan AD, Sandoval JA, Mailis-Gagnon A, Tunks E. Opioids for chronic noncancer pain: a meta-analysis of effectiveness and side effects. *CMAJ*. 2006;174(11):1589-1594; Dworkin RH, O'Connor AB, Backonja M, et al. Pharmacologic management of neuropathic pain; evidence-based recommendations. *Pain*. 2007;132(3):237-251.