



AMERICAN ACADEMY OF
FAMILY PHYSICIANS

AAFP Reprint No. 270

Recommended Curriculum Guidelines for Family Medicine Residents

Human Behavior and Mental Health

This document was endorsed by the American Academy of Family Physicians (AAFP).

Introduction

This Curriculum Guideline defines a recommended training strategy for family medicine residents. Attitudes, behaviors, knowledge, and skills that are critical to family medicine should be attained through longitudinal experience that promotes educational competencies defined by the Accreditation Council for Graduate Medical Education (ACGME), www.acgme.org. The family medicine curriculum must include structured experience in several specified areas. Much of the resident's knowledge will be gained by caring for ambulatory patients who visit the family medicine center, although additional experience gained in various other settings (e.g., an inpatient setting, a patient's home, a long-term care facility, the emergency department, the community) is critical for well-rounded residency training. The residents should be able to develop a skillset and apply their skills appropriately to all patient care settings.

Structured didactic lectures, conferences, journal clubs, and workshops must be included in the curriculum to supplement experiential learning, with an emphasis on outcomes-oriented, evidence-based studies that delineate common diseases affecting patients of all ages. Patient-centered care, and targeted techniques of health promotion and disease prevention are hallmarks of family medicine and should be integrated in all settings. Appropriate referral patterns, transitions of care, and the provision of cost-effective care should also be part of the curriculum.

Program requirements specific to family medicine residencies may be found on the ACGME website. Current AAFP Curriculum Guidelines may be found online at www.aafp.org/cg. These guidelines are periodically updated and endorsed by the AAFP and, in many instances, other specialty societies, as indicated on each guideline.

Each residency program is responsible for its own curriculum. **This guideline provides a useful strategy to help residency programs form their curricula for educating family physicians.**

Preamble

Family physicians incorporate knowledge of human behavior, mental health, and mental disorders into their everyday practice of medicine. This Curriculum Guideline provides suggestions for appropriate curricula in human behavior and mental health for family medicine residents.

The relationship between the patient and the patient's family is considered basic to an understanding of human behavior and mental health throughout the curriculum. The family medicine resident should have sensitivity to and knowledge of the mind-body connection that comes into play in every aspect of wellness, illness, and family and individual stress, as well as how the mind-body connection may influence a patient's presentation at any given time. Additionally, residents should learn to recognize the effect of their medical practice on their own wellness so that they can develop coping and self-care strategies in order to commit not only to their patients' lifelong health and well-being, but also to their own. It is suggested that residencies develop a curriculum regarding physician wellness.

Family physicians must be able to recognize interrelationships among biologic, psychologic, and social factors in all patients. It is important that the ethical dimensions of patient care be considered among these interrelationships. To facilitate learning, attention must be paid to these principles as a continuum throughout the family medicine residency training period.

Competencies

At the completion of residency training, a family medicine resident should:

- Understand normal and abnormal psychosocial growth and development across the life span and be able to apply this knowledge to the care of the individual patient (Medical Knowledge, Patient Care)
- Have sensitivity to and knowledge of the emotional aspects of illness (Patient Care, Professionalism)

- Recognize the stages and impact of stress in the typical/atypical family life cycle (Medical Knowledge, Interpersonal and Communication Skills)
- Understand the impact of mental health disorders on the family unit (Medical Knowledge, Systems-based Practice)
- Elicit information pertaining to cultural values and beliefs, family systems, and relevant social history to best understand what drives patient behavior (Interpersonal and Communication Skills)
- Master a variety of motivational interviewing techniques to enhance the physician-patient relationship and motivate the patient to change behavior (Interpersonal and Communication Skills, Practice-based Learning and Improvement)
- Demonstrate the ability to effectively interview and evaluate patients for mental health disorders using appropriate techniques and skills to enhance the physician-patient relationship (Interpersonal and Communication Skills, Patient Care)
- Be able to recognize, initiate treatment for, and utilize appropriate referrals for mental health disorders to optimize patient care (Systems-based Practice, Practice-based Learning and Improvement)
- Assess patient's risk for abuse, neglect, and family and community violence (Medical Knowledge, Interpersonal and Communication Skills)
- Screen for prior trauma in a sensitive and effective manner, and be able to intervene effectively and professionally in emergent psychiatric, domestic violence, child abuse, and disaster situations (Professionalism, Systems-based Practice)

Attitudes

The resident should demonstrate attitudes that encompass:

- Awareness of and willingness to overcome his or her own biases, attitudes, and stereotypes regarding mental illness and social diversity, as well as recognition of how attitudes and stereotypes affect patient care
- Recognition of the complex bidirectional interaction between family/social factors and individual health
- Acceptance of the patient's right to self-determination
- Sensitivity to gender, race, age, cultural, and other differences among people
- Respect and compassion for the psychosocial dynamics that influence human behavior and the physician-patient relationship
- Recognition of the prevalence of abuse in society and willingness to support patients who are in abusive situations
- Understanding of the importance of a multidisciplinary approach to the enhancement of individualized care

- Commitment to lifelong learning about the dynamic interaction of the biological, social, and psychological aspects of the human life cycle
- Willingness to explore individual and family motivators that play a role in patient's medical decision making

Knowledge

In the appropriate setting, the resident should demonstrate the ability to apply knowledge of:

1. Basic human behavior
 - a. Normal, abnormal, and variant psychosocial growth and development across the life span
 - b. Interrelationships among biologic, psychologic, and social factors in all patients
 - c. Reciprocal effects of acute and chronic illnesses on patients and their families
 - d. Factors that influence adherence to a treatment plan
 - e. Family functions and common interactional patterns in coping with stress
 - f. Awareness of his or her own attitudes and values that influence effectiveness and satisfaction as a physician
 - g. Stressors on physicians, and approaches to effective coping and wellness
 - h. Ethical issues in medical practice, including informed consent, patient autonomy, confidentiality, and quality of life
 - i. Differential diagnosis of common mental health disorders
 - j. Familiarity with *Diagnostic and Statistical Manual of Mental Disorders*, 5th edition (DSM-5) nomenclature of mental health disorders
2. Mental health disorders
 - a. Neurodevelopmental disorders
 - i. Intellectual disability (intellectual developmental disorder)
 - ii. Specific learning disorders
 - iii. Motor disorders
 - iv. Communication disorders
 - v. Autism spectrum disorder
 - vi. Attention deficit/hyperactivity disorder (ADHD)
 - vii. Tic disorder
 - b. Feeding and eating disorders
 - i. Avoidant/restrictive food intake disorder
 - ii. Anorexia nervosa
 - iii. Bulimia nervosa
 - iv. Binge eating disorder

- c. Elimination disorders
- d. Sleep-wake disorders
 - i. Insomnia disorder
 - ii. Hypersomnolence disorder
 - iii. Narcolepsy
 - iv. Breathing-related sleep disorders
 - v. Circadian rhythm sleep disorder
 - vi. Restless leg syndrome
- e. Neurocognitive disorders
 - i. Major neurocognitive disorder (NCD) (dementia)
 - ii. Major or mild NCD due to: Alzheimer disease, frontotemporal lobar degeneration, Lewy body disease, vascular disease, traumatic brain injury, substance/medication use, HIV infection, prion disease, Parkinson disease, Huntington disease, multiple etiologies unspecified
 - iii. Mild NCD
 - iv. Delirium
 - v. Cognitive disorder not otherwise specified
- f. Substance-related and addictive disorders
 - i. Substance use disorder
 - ii. Gambling disorder
- g. Schizophrenia spectrum and other psychotic disorders
 - i. Schizophrenia
 - ii. Schizoaffective disorder
 - iii. Delusional disorder
 - iv. Catatonia
 - v. Brief psychotic disorder
 - vi. Psychotic disorder due to another medical condition
 - vii. Substance-/medication-induced psychotic disorder
- h. Bipolar and related disorders
 - i. Bipolar disorders (including hypomanic, manic, mixed, and depressed)
- i. Depressive disorders
 - i. Major depressive disorder
 - ii. Persistent depressive disorder
 - iii. Disruptive mood dysregulation disorder
 - iv. Premenstrual dysphoric disorder
- j. Anxiety disorders
 - i. Panic attack
 - ii. Panic disorder
 - iii. Phobias (agoraphobia, specific phobia, and social anxiety disorder [social phobia])
 - iv. Generalized anxiety disorder
 - v. Separation anxiety disorder
 - vi. Selective mutism

- k. Somatic symptom and related disorders
 - i. Conversion disorder (functional neurological symptom disorder)
 - ii. Illness anxiety disorder
 - iii. Somatic symptom disorder
- l. Sexual dysfunctions
 - i. Sexual interest/arousal disorder
 - ii. Orgasmic disorders
 - iii. Genito-pelvic pain/penetration disorder
 - iv. Sexual pain disorders
 - v. Sexual dysfunction related to a general medical condition
- m. Gender dysphoria
- n. Personality disorders
 - i. Paranoid
 - ii. Schizoid
 - iii. Schizotypal
 - iv. Antisocial
 - v. Borderline
 - vi. Histrionic
 - vii. Narcissistic
 - viii. Avoidant
 - ix. Dependent
 - x. Obsessive-compulsive
- o. Trauma- and stressor-related disorders
 - i. Acute stress disorder
 - ii. Adjustment disorders
 - iii. Post-traumatic stress disorder
 - iv. Reactive attachment disorder
 - v. Disinhibited social engagement disorder
- p. Dissociative disorders
 - i. Dissociative identity disorder
 - ii. Disruptive, impulse-control, and conduct disorders
 - iii. Oppositional defiant disorder
 - iv. Conduct disorder
 - v. Intermittent explosive disorder
- q. Additional conditions
 - i. Problems related to family upbringing
 - ii. Other problems related to primary support group
 - iii. Child maltreatment and neglect problems
 - iv. Adult maltreatment and neglect problems
 - v. Academic or educational problems
 - vi. Occupational problems
 - vii. Housing problems
 - viii. Economic problems

- ix. Circumstances of personal history (other personal history of psychological trauma; personal history of self-harm; personal history of military deployment; other personal risk factors; problem related to lifestyle; adult antisocial behavior; child or adolescent antisocial behavior)
- x. Problems related to access to medical and other health care
- xi. Nonadherence to medical treatment
- xii. Overweight or obesity
- xiii. Malingering
- xiv. Borderline intellectual functioning
- xv. Problems related to crime or interaction with the legal system
- xvi. Other health service encounters for counseling and medical advice
- xvii. Religious or spiritual problem
- xviii. Acculturation problem
- xix. Phase-of-life problem
- xx. Problems related to other psychosocial, personal, and environmental circumstances (e.g., unwanted pregnancy; victim of terrorism or torture; exposure to disaster, war, or other hostilities)

Skills

In the appropriate setting, the resident should demonstrate the ability to independently perform or appropriately refer the following skills:

1. Use evaluation tools and interviewing skills to enhance data collection in short periods of time and optimize the physician-patient relationship
 - a. Understand that the nature of questioning influences patient responses (e.g., open ended, nonjudgmental)
 - b. Create an environment that allows for honest patient responses
2. Elicit the context of the visit using BATHE (Background, Affect, Trouble, Handling, Empathy) or other techniques
3. Perform a mental status examination
4. Use special procedures in psychiatric disorder diagnosis, including psychological testing, laboratory testing, and brain imaging
5. Elicit and recognize the common signs and symptoms of the disorders listed under "Knowledge"
6. Teach patients methods for evaluating and selecting reliable websites for medical information
7. Screen for depression using the Patient Health Questionnaire (PHQ-9), Beck Depression Inventory, Zung Self-Rating Depression Scale, Hamilton Rating Scale

for Depression, and SIG-E-CAPS mnemonic (Sleep, Interest, Guilt, Energy, Concentration, Appetite, Psychomotor, and Suicidal ideation)

8. Refer appropriately to cognitive behavioral therapy and psychiatric consultation
 - a. Understand the central therapeutic role of the primary care provider
 - b. Utilize team-based collaborative care, such as the IMPACT model of evidence-based depression care
9. Manage emotional aspects of nonpsychiatric disorders
10. Apply techniques to enhance compliance with medical treatment regimens
11. Initiate management of psychiatric emergencies (e.g., the suicidal patient, the acutely psychotic patient)
12. Properly use psychopharmacologic agents, taking into consideration the following:
 - a. Diagnostic indications and contraindications
 - b. Dosage; length of use; monitoring of response, side effects, and compliance
 - c. Drug interactions
13. Establish and use the connection in the physician-patient relationship as a tool to manage mental health disorders
14. Utilize motivational interviewing to support behavioral and lifestyle changes (e.g., smoking cessation, obesity management, medication adherence)
 - a. Assess the patient's "Stage of Change"
 - b. Assess the patient's "Life Goal/What is Important"
 - c. Assess the patient's "Confidence in Achievement"
15. Apply motivational interviewing techniques
 - a. Ask, tell/teach, ask
 - b. Suggest
 - c. Develop discrepancy between life goal and behavior
 - d. Use patient-centered language
 - e. Build efficacy
16. Teach and support stress management techniques
 - a. Breathing
 - b. Muscle relaxation
 - c. Imagery

- d. Cognitive restructuring (cognitive behavioral therapy [CBT])
17. Manage chronic pain
 18. Perform crisis counseling
 - a. Complete safety assessment
 - b. Complete safety plan
 19. Utilize community resources
 - a. Family resources, family meetings
 - b. Patient care team of other mental health professionals
 - c. Other community resources
 20. Practice patient-centered variations in treatment based on the patient's personality, lifestyle, and family setting
 21. Identify and address drug and alcohol dependency and abuse
 22. Provide appropriate care of health disorders listed under psychopathology
 23. Refer appropriately to ensure continuity of care, provide optimal information sharing, and enhance patient compliance

Implementation

Training in human behavior and mental health should be accomplished in outpatient, inpatient, home-based, nursing home, emergency, and other settings appropriate to residents' future practice needs. This occurs through a combination of longitudinal experience, supervised experiences, and didactic teaching. This combination should include experience in diagnostic assessment, psychotherapeutic techniques (cognitive behavioral therapy, motivational interviewing, self-reflection, narrative medicine, wellness interventions), and psychopharmacologic management. Learning tools such as Balint groups, video review of resident interviews with actual or standardized patients, direct observation, feedback, didactics, community-based experiences, and role playing are useful and recommended. Collaborating with multiple mental health professionals and community-based individuals/agencies (e.g., schools, nursing homes/home visits, substance abuse programs, shelters) to work as a team is often essential to providing the most effective, comprehensive, and long-lasting care.

Resources

Anxiety Disorders

Kavan MG, Elsasser GN, Barone EJ. The physician's role in managing acute stress disorder. *Am Fam Physician*. 2012;86(7):643-649.

Locke AB, Kirst N, Shultz CG. Diagnosis and management of generalized anxiety disorder and panic disorder in adults. *Am Fam Physician*. 2015;91(9):617-624.

Bipolar and Related Disorders

Price AL, Marzani-Nissen GR. Bipolar disorders: a review. *Am Fam Physician*. 2012;85(5):483-493.

Depressive Disorders

Adams S, Miller KE, Zylstra RG. Pharmacologic management of adult depression. *Am Fam Physician*. 2008;77(6):785-792.

Ebell MH. Screening instruments for depression. *Am Fam Physician*. 2008;78(2):244-246.

Mabry-Hernandez IR, Koenig HC. Screening and treatment for major depressive disorder in children and adolescents. *Am Fam Physician*. 2010;82(2):185-186.

Maurer DM. Screening for depression. *Am Fam Physician*. 2012;85(2):139-144.

Norris D, Clark MS. Evaluation and treatment of the suicidal patient. *Am Fam Physician*. 2012;85(6):602-605.

Disorders Principally Diagnosed in Infancy, Childhood, or Adolescence

Daughton JM, Kratochvil CJ. Review of ADHD pharmacotherapies: advantages, disadvantages, and clinical pearls. *J Am Acad Child Adolesc Psychiatry*. 2009;48(3):240-248.

Kenney C, Kuo SH, Jimenez-Shahed J. Tourette's syndrome. *Am Fam Physician*. 2008;77(5):651-658.

Feeding and Eating Disorders

Harrington BC, Jimerson M, Haxton C, Jimerson DC. Initial evaluation, diagnosis, and treatment of anorexia nervosa and bulimia nervosa. *Am Fam Physician*. 2015;91(1):46-52.

Williams PM, Goodie J, Motsinger CD. Treating eating disorders in primary care. *Am Fam Physician*. 2008;77(2):187-195.

Gender Dysphoria

Samuel L, Zaritsky E. Communicating effectively with transgender patients. *Am Fam Physician*. 2008;78(5):648, 650.

Neurodevelopment Disorders

Carbone PS, Farley M, Davis T. Primary care for children with autism. *Am Fam Physician*. 2010;81(4):453-460.

Felt BT, Biermann B, Christner JG, Kochhar P, Harrison RV. Diagnosis and management of ADHD in children. *Am Fam Physician*. 2014;90(7):456-464.

Kavan MG, Elsasser G, Barone EJ. Generalized anxiety disorder: practical assessment and management. *Am Fam Physician*. 2009;79(9):785-791.

Lurio JG, Peay HL, Mathews KD. Recognition and management of motor delay and muscle weakness in children. *Am Fam Physician*. 2015;91(1):38-44.

McLaughlin MR. Speech and language delay in children. *Am Fam Physician*. 2011;83(10):1183-1188.

Post RE, Kurlansik SL. Diagnosis and management of adult attention-deficit/hyperactivity disorder. *Am Fam Physician*. 2012;85(9):890-896.

Prater CD, Zylstra RG. Autism: a medical primer. *Am Fam Physician*. 2002;66(9):1667-1675.

Personality Disorders

Angstman KB, Rasmussen NH. Personality disorders: review and clinical application in daily practice. *Am Fam Physician*. 2011;84(11):1253-1260.

Dean L, Falsetti SA. Treating patients with borderline personality disorder in the medical office. *Am Fam Physician*. 2013;88(2):140-141.

Fenske JN, Schwenk TL. Obsessive-compulsive disorder: diagnosis and management. *Am Fam Physician*. 2009;80(3):239-245.

Schultz SH, North SW, Shields CG. Schizophrenia: a review. *Am Fam Physician*. 2007;75(12):1821-1829.

Ward RK. Assessment and management of personality disorders. *Am Fam Physician*. 2004;70(8):1505-1512.

Schizophrenia Spectrum and Other Psychotic Disorders

Griswold KS, Del Regno PA, Berger RC. Recognition and differential diagnosis of psychosis in primary care. *Am Fam Physician*. 2015;91(12):856-863.

Holder SD, Wayhs A. Schizophrenia. *Am Fam Physician*. 2014;90(11):775-782.

Sexual Dysfunctions

Frank JE, Mistretta P, Will J. Diagnosis and treatment of female sexual dysfunction. *Am Fam Physician*. 2008;77(5):635-642.

Phillips NA. Female sexual dysfunction: evaluation and treatment. *Am Fam Physician*. 2000;62(1):127-136, 141-142.

Sleep-Wake Disorders

Carter KA, Hathaway NE, Lettieri CF. Common sleep disorders in children. *Am Fam Physician*. 2014;89(5):368-377.

Pagel JF. Excessive daytime sleepiness. *Am Fam Physician*. 2009;79(5):391-396.

Ramakrishnan K, Scheid DC. Treatment options for insomnia. *Am Fam Physician*. 2007;76(4):517-526.

Ramar K, Olson EJ. Management of common sleep disorders. *Am Fam Physician*. 2013;88(4):231-238.

Somatic Symptom and Related Disorders

Oyama O, Paltoo C, Greengold J. Somatoform disorders. *Am Fam Physician*. 2007;76(9):1333-1338.

Substance-Related and Addictive Disorders

Bayard M, McIntyre J, Hill KR, Woodside J Jr. Alcohol withdrawal syndrome. *Am Fam Physician*. 2004;69(6):1443-1450.

Griswold KS, Aronoff H, Kernan JB, Kahn LS. Adolescent substance use and abuse: recognition and management. *Am Fam Physician*. 2008;77(3):331-336.

Shapiro B, Coffa D, McCance-Katz EF. A primary care approach to substance misuse. *Am Fam Physician*. 2013;88(2):113-121.

Unwin BK, Davis MK, De Leeuw JB. Pathologic gambling. *Am Fam Physician*. 2000;61(3):741-748.

Trauma- and Stressor-Related Disorders

Briere J. *Trauma Symptom Checklist for Children (TSCC): Professional Manual*. Odessa, Fla: Psychological Assessment Resources; 1996.

Ebell, MH. Screening instruments for post-traumatic stress disorder. *Am Fam Physician*. 2007;76(12):1848-1849.

Hamilton SS, Armando J. Oppositional defiant disorder. *Am Fam Physician*. 2008;78(7):861-866.

Kavan MG, Elsasser GN, Barrone EJ. The physician's role in managing acute stress disorder. *Am Fam Physician*. 2012;86(7):643-649.

Searight HR, Rottnek F, Abby SL. Conduct disorder: diagnosis and treatment in primary care. *Am Fam Physician*. 2001;63(8):1579-1588.

Warner CH, Warner CM, Appenzeller GN, Hoge CW. Identifying and managing posttraumatic stress disorder. *Am Fam Physician*. 2013;88(12):827-834.

Additional Resources

American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders*. 5th ed. Arlington, Va: American Psychiatric Publishing; 2013.

American Psychiatric Association. Highlights of changes from DSM-IV-TR to DSM-5. [www.dsm5.org/documents/changes from dsm-iv-tr to dsm-5.pdf](http://www.dsm5.org/documents/changes%20from%20dsm-iv-tr%20to%20dsm-5.pdf). Accessed March 25, 2016.

Carlat DJ. The psychiatric review of symptoms: a screening tool for family physicians. *Am Fam Physician*. 1998;58(7):1617-1624.

Gillies R, Manning JS, eds. Mental health issue. *Prim Care*. 2007;34(3):445-682.

Goldman LS, Wise TN, Brody DS, eds. *Psychiatry for Primary Care Physicians*. 2nd ed. Chicago, Ill: American Medical Association; 2004.

Stuart M, Liberman JA. *The Fifteen Minute Hour: Practical Therapeutic Interventions in Primary Care*. 3rd ed. Philadelphia, Pa: Saunders; 2002.

Website Resources

Advancing Integrated Mental Health Solutions (AIMS) Center. Evidence-Based Behavioral Interventions in Primary Care. <https://aims.uw.edu/evidence-based-behavioral-interventions-primary-care>

Advancing Integrated Mental Health Solutions (AIMS) Center. IMPACT: Evidence-Based Depression Care. <http://impact-uw.org/>

American Psychiatric Association. www.psych.org

American Psychological Association. www.apa.org

Athealth.com. www.athealth.com

Center for Advancing Health (CFAH). www.cfah.org

Centers for Disease Control and Prevention, Injury Prevention & Control: Division of Violence Prevention. The Adverse Childhood Experiences (ACE) Study.
www.cdc.gov/violenceprevention/acestudy/index.html

Collaborative Family Healthcare Association (CFHA). <http://cfha.site-ym.com>

First published 9/1986

Revised/Title change 7/1994

Revised 06/2000

Revised 1/2008 by South Bend Family Medicine Residency Program

Revised 06/2011 by Rush-Copley Family Medicine Residency Program

Revised 06/2015 by Phelps Memorial Hospital, Sleepy Hollow, NY