









Calcium																									
	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Roche Cobas Integra / Roche Reagent																									
PG: OCD Vitros 250,350,400,500,750,950																									
SG: Select Roche Instruments / Roche Reagents Groups																									
SG: Abaxis Piccolo Instruments																									
SG: Select Abbott Architect Instruments																									
SG: International OCD Vitros Instruments																									
SG: International Siemens Instruments																									
SG: International Abaxis Piccolo Instruments																									
AG: All Group																									
Creatinine																									
PG: Abaxis Piccolo (Non-Waived)																									
PG: Abaxis Piccolo (Waived)																									
PG: Abbott Architect																									
PG: Alfa Was. Ace/NexCT/Alera/Axcel / Alfa Wasserman Reagent																									
PG: Clinical Data Envoy 500																									
PG: Siemens Dimension/AR/ES/RxL/Xpand																									
PG: Horiba ABX Pentra 400																									
PG: Beckman (Olympus) AU																									
PG: Roche Cobas Integra / Roche Reagent																									
PG: OCD Vitros 250,350,400,500,750,950																									
SG: Select Roche Instruments / Roche Reagents Groups																									
SG: Abaxis Piccolo Instruments																									
SG: Select Abbott Architect Instruments																									
SG: International OCD Vitros Instruments																									
SG: International Abaxis Piccolo Instruments																									
AG: All Group																									
Glucose																									
PG: Abaxis Piccolo (Non-Waived)																									
PG: Abaxis Piccolo (Waived)																									
PG: Abbott Architect																									
PG: Alfa Was. Ace/NexCT/Alera/Axcel / Alfa Wasserman Reagent																									
PG: Clinical Data Envoy 500																									
PG: Siemens Dimension/AR/ES/RxL/Xpand																									
PG: Horiba ABX Pentra 400																									
PG: Beckman (Olympus) AU																									
PG: Roche Cobas Integra / Roche Reagent																									
PG: OCD Vitros 250,350,400,500,750,950																									
SG: Select Roche Instruments / Roche Reagents Groups																									
SG: Abaxis Piccolo Instruments																									
PG: Arkray Spotchem EZ (Waived)																									
SG: Select Abbott Architect Instruments																									
SG: International OCD Vitros Instruments																									
SG: International Siemens Instruments / IFCC																									
SG: International Abaxis Piccolo Instruments																									
AG: All Group																									
Urea Nitrogen (BUN)																									
PG: Abaxis Piccolo (Non-Waived)																									
PG: Abaxis Piccolo (Waived)																									
PG: Abbott Architect																									
PG: Alfa Was. Ace/NexCT/Alera/Axcel / Alfa Wasserman Reagent																									
PG: Clinical Data Envoy 500																									





AST/SBOT																									
Labs																									
PG: Abaxis Piccolo (Non-Waived)	9	167.56	6.88	134.00-202.00	4.11	9	107.89	5.51	86.00-130.00	5.09	9	50.44	1.94	40.00-60.00	3.80	9	154.78	10.84	124.00-186.00	6.97	9	196.78	9.47	158.00-236.00	4.82
<b>AG: All Group</b>																									
204	181.58	21.34	146.00-218.00	11.70	148	106.96	10.98	86.00-128.00	10.28	138	45.57	6.67	37.00-55.00	14.57	147	169.68	17.12	136.00-204.00	10.06	145	225.55	25.99	181.00-271.00	11.50	
<b>Bilirubin Total</b>																									
Labs																									
PG: Abaxis Piccolo (Non-Waived)	9	2.92	0.25	2.30-3.50	8.62	9	1.62	0.15	1.20-2.00	9.38	9	0.60	0.07	0.20-1.00	11.67	9	2.66	0.27	2.20-3.20	10.00	9	3.50	0.35	2.80-4.20	10.00
<b>AG: All Group</b>																									
200	172.29	19.91	138.00-206.00	11.57	143	107.35	10.43	86.00-128.00	9.72	142	45.97	4.57	37.00-55.00	10.00	142	161.52	20.59	130.00-194.00	12.72	142	207.71	30.27	166.00-250.00	14.57	
<b>Total Protein</b>																									
Labs																									
PG: Abaxis Piccolo (Non-Waived)	8	8.09	0.18	7.30-8.90	2.22	8	5.58	0.05	5.00-6.20	0.89	8	3.71	0.06	3.30-4.10	1.62	8	7.46	0.09	6.80-8.30	1.20	8	9.54	0.37	8.60-10.40	3.89
<b>AG: All Group</b>																									
197	8.01	0.34	7.20-8.80	4.25	140	5.53	0.22	5.00-6.00	4.00	139	3.61	0.19	3.20-4.00	5.28	139	7.46	0.29	6.80-8.30	3.87	139	9.22	0.38	8.30-10.10	4.13	
<b>Phosphorous</b>																									
Labs																									
PG: Alfa Was. Ace/NexCT/Alera/Axcel / Alfa Wasserman Reagent	12	4.19	0.13	3.80-4.60	3.10	12	3.04	0.07	2.80-3.20	2.33	12	2.13	0.07	1.90-2.30	3.33	12	3.94	0.14	3.50-4.30	3.59	12	4.76	0.12	4.40-5.20	2.50
<b>AG: All Group</b>																									
48	4.32	0.21	3.70-4.90	4.88	48	3.06	0.16	2.60-3.60	5.16	48	2.06	0.14	1.70-2.50	6.19	48	4.06	0.23	3.40-4.80	5.61	48	4.97	0.27	4.20-5.80	5.40	
<b>Cholesterol Total</b>																									
Labs																									
PG: Abaxis Piccolo (Non-Waived)	5	196.75	1.26	177.00-217.00	0.66	5	158.25	3.69	142.00-174.00	2.34	5	125.00	1.16	113.00-138.00	0.96	5	189.50	2.65	171.00-209.00	1.37	5	215.00	3.56	194.00-237.00	1.67
<b>AG: All Group</b>																									
33	203.59	8.80	184.00-224.00	4.31	33	161.15	7.61	145.00-177.00	4.72	33	129.44	6.34	116.00-142.00	4.88	33	193.76	8.99	175.00-213.00	4.64	33	223.97	10.30	202.00-246.00	4.60	









Magnesium	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Abbott Architect	8	3.68	0.10	2.80-4.60	2.70	8	2.54	0.12	1.90-3.10	4.80	8	1.63	0.09	1.20-2.00	5.63	8	3.44	0.07	2.50-4.30	2.06	8	4.21	0.15	3.20-5.30	3.57
PG: Alfa Was. Ace/NexCT/Alera/Axcel / Alfa Wasserman Reagent	13	3.32	0.34	2.50-4.10	10.30	13	2.23	0.27	1.70-2.80	12.27	12	1.59	0.14	1.20-2.00	8.75	13	3.13	0.41	2.30-3.90	13.23	13	3.86	0.45	2.90-4.90	11.54
PG: Clinical Data Envoy 500	5	3.57	0.15	2.70-4.50	4.17	5	2.60	0.16	2.00-3.30	5.77	5	1.67	0.10	1.30-2.10	5.88	5	3.37	0.27	2.50-4.30	7.94	5	4.32	0.24	3.20-5.40	5.58
PG: Siemens Dimension/AR/ES/RxL/Xpand	6	3.73	0.15	2.80-4.60	4.05	6	2.57	0.14	2.00-3.30	5.38	6	1.66	0.13	1.30-2.10	7.65	5	3.48	0.17	2.60-4.40	4.86	6	4.30	0.20	3.20-5.40	4.65
PG: Beckman (Olympus) AU	7	3.61	0.11	2.70-4.50	3.06	7	2.54	0.08	1.90-3.10	3.20	7	1.70	0.06	1.30-2.10	3.53	7	3.39	0.15	2.50-4.30	4.41	7	4.19	0.15	3.20-5.30	3.57
PG: OCD Vitros 250,350,400,500,750,950	5	3.90	0.08	2.90-4.90	2.05	5	2.77	0.06	2.10-3.50	2.14	5	1.87	0.06	1.40-2.40	3.16	5	3.63	0.15	2.70-4.50	4.17	5	4.43	0.15	3.30-5.50	3.41
SG: Select Abbott Architect Instruments	10	3.71	0.13	2.80-4.60	3.51	10	2.57	0.12	2.00-3.30	4.62	10	1.64	0.08	1.20-2.00	5.00	10	3.47	0.09	2.60-4.40	2.57	10	4.24	0.15	3.20-5.30	3.57
SG: International OCD Vitros Instruments	5	3.91	0.09	2.90-4.90	2.31	5	2.77	0.05	2.10-3.50	1.79	5	1.88	0.04	1.40-2.40	2.11	5	3.67	0.10	2.80-4.60	2.70	5	4.48	0.13	3.40-5.60	2.89
SG: International Abaxis Piccolo Instruments	5	3.88	0.03	2.90-4.90	0.77	5	2.64	0.04	2.00-3.30	1.54	5	1.69	0.02	1.30-2.10	1.18	5	3.60	0.06	2.70-4.50	1.67	5	4.52	0.12	3.40-5.60	2.44
AG: All Group	48	3.58	0.27	2.70-4.50	7.50	48	2.48	0.24	1.90-3.10	9.60	47	1.67	0.17	1.30-2.10	10.00	47	3.35	0.29	2.50-4.10	8.79	48	4.14	0.34	3.10-5.10	8.29
Uric Acid	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Abaxis Piccolo (Waived)	7	7.73	0.17	6.40-9.00	2.21																				
PG: Abbott Architect	9	9.43	0.09	7.80-11.00	0.96	9	5.82	0.12	4.80-6.80	2.07	9	3.03	0.12	2.50-3.50	4.00	9	8.66	0.13	7.20-10.20	1.49	9	11.16	0.11	9.30-13.10	0.98
PG: Alfa Was. Ace/NexCT/Alera/Axcel / Alfa Wasserman Reagent	23	8.58	0.37	7.10-10.10	4.30	23	5.59	0.38	4.60-6.60	6.79	22	3.54	0.24	2.90-4.10	6.86	21	7.88	0.39	6.60-9.20	4.94	22	10.19	0.43	8.50-11.90	4.22
PG: Clinical Data Envoy 500	6	8.86	0.09	7.40-10.40	1.01	6	5.40	0.08	4.50-6.30	1.48	6	2.80	0.05	2.30-3.30	1.79	6	8.13	0.09	6.70-9.50	1.11	6	10.56	0.09	8.80-12.40	0.85
PG: Siemens Dimension/AR/ES/RxL/Xpand	14	8.39	0.12	7.00-9.80	1.31	14	5.15	0.08	4.30-6.10	1.54	14	2.64	0.10	2.20-3.00	3.85	14	7.68	0.14	6.40-9.00	1.82	14	9.98	0.23	8.30-11.70	2.30
PG: Horiba ABX Pentra 400	5	8.18	0.25	6.80-9.60	3.05	5	5.13	0.10	4.20-6.00	1.96	5	2.60	0.08	2.20-3.00	3.08	5	7.63	0.13	6.30-8.90	1.71	5	9.73	0.33	8.10-11.30	3.40
PG: Beckman (Olympus) AU	8	8.66	0.31	7.20-10.20	3.56	8	5.38	0.18	4.50-6.30	3.33	8	2.78	0.09	2.30-3.30	3.21	8	7.96	0.25	6.60-9.40	3.13	8	10.33	0.37	8.50-12.10	3.59
PG: Roche Cobas Integra / Roche Reagent	5	8.62	0.24	7.10-10.10	2.79	5	5.30	0.12	4.40-6.20	2.26	5	2.66	0.09	2.20-3.20	3.33	5	7.86	0.21	6.60-9.20	2.66	5	10.12	0.26	8.40-11.80	2.57
PG: OCD Vitros 250,350,400,500,750,950	7	8.60	0.13	7.10-10.10	1.51	7	5.26	0.10	4.40-6.20	1.89	7	2.61	0.09	2.20-3.00	3.46	7	7.86	0.16	6.60-9.20	2.03	7	10.33	0.10	8.50-12.10	0.97
SG: Abaxis Piccolo Instruments	8	7.68	0.22	6.40-9.00	2.86																				
SG: Select Abbott Architect Instruments	13	9.43	0.11	7.80-11.00	1.17	13	5.84	0.10	4.80-6.80	1.72	13	3.03	0.10	2.50-3.50	3.33	13	8.65	0.13	7.20-10.20	1.49	13	11.17	0.14	9.30-13.10	1.25
SG: International OCD Vitros Instruments	10	8.63	0.14	7.10-10.10	1.63	10	5.27	0.09	4.40-6.20	1.70	10	2.63	0.09	2.20-3.00	3.46	10	7.88	0.15	6.60-9.20	1.90	10	10.41	0.14	8.60-12.20	1.35
AG: All Group	92	8.63	0.50	7.10-10.10	5.81	85	5.43	0.34	4.50-6.30	6.30	84	2.95	0.44	2.50-3.50	14.67	83	7.96	0.41	6.60-9.40	5.13	84	10.31	0.55	8.50-12.10	5.34
Iron	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Abbott Architect	8	180.40	7.63	144.00-216.00	4.22	8	113.63	4.72	91.00-137.00	4.12	8	61.38	3.20	49.00-73.00	5.25	8	166.88	6.69	134.00-200.00	4.01	8	216.38	8.38	173.00-259.00	3.89
PG: Alfa Was. Ace/NexCT/Alera/Axcel / Alfa Wasserman Reagent	11	170.08	4.87	136.00-204.00	2.88	11	106.00	2.92	85.00-127.00	2.74	11	56.46	3.26	45.00-67.00	5.89	11	154.77	4.17	124.00-186.00	2.71	11	202.15	2.58	162.00-242.00	1.29
PG: Clinical Data Envoy 500	6	170.24	7.39	136.00-204.00	4.35	6	105.65	3.78	85.00-127.00	3.58	6	57.96	1.69	46.00-70.00	2.93	6	155.84	5.30	125.00-187.00	3.40	6	204.20	8.66	163.00-245.00	4.26
PG: Siemens Dimension/AR/ES/RxL/Xpand	5	177.83	3.25	142.00-214.00	1.85	5	112.33	1.63	90.00-134.00	1.43	5	60.50	1.52	49.00-73.00	2.46	5	163.33	2.25	130.00-196.00	1.41	5	211.50	3.27	170.00-254.00	1.56
PG: Beckman (Olympus) AU	5	200.20	5.54	160.00-240.00	2.75	5	122.40	3.65	98.00-146.00	2.95	5	64.60	1.34	52.00-78.00	2.00	5	181.60	4.83	146.00-218.00	2.64	5	238.40	5.68	190.00-286.00	2.39
PG: Roche Cobas Integra / Roche Reagent	5	176.33	0.58	141.00-211.00	0.34	5	110.00	2.65	88.00-132.00	2.36	5	58.33	3.79	46.00-70.00	6.55	5	165.00	3.46	132.00-198.00	2.12	5	210.00	6.93	168.00-252.00	3.29
SG: Select Abbott Architect Instruments	11	181.00	7.20	145.00-217.00	3.98	11	113.67	4.64	91.00-137.00	4.04	11	60.92	3.37	49.00-73.00	5.57	11	166.83	6.06	134.00-200.00	3.65	11	216.42	7.72	173.00-259.00	3.56
AG: All Group	46	179.80	14.65	144.00-216.00	8.17	46	111.66	8.12	90.00-134.00	7.23	46	59.71	4.58	48.00-72.00	7.67	46	165.05	13.51	132.00-198.00	8.18	46	214.78	17.57	172.00-258.00	8.19
TIBC	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Alfa Was. Ace/NexCT/Alera/Axcel / Alfa Wasserman Reagent	6	345.63	11.66	310.60-380.60	3.37	6	266.75	9.27	239.00-294.60	3.47	6	200.88	12.25	164.20-237.70	6.10	6	331.13	13.03	292.00-370.20	3.94	6	384.25	17.38	332.20-436.40	4.52
PG: Siemens Dimension/AR/ES/RxL/Xpand	5	328.83	8.01	304.80-352.80	2.44	5	210.17	6.74	190.00-230.40	3.21	5	118.00	4.86	103.40-132.60	4.12	5	300.83	4.40	287.60-314.00	1.46	5	383.00	5.29	367.10-398.90	1.38
PG: Intl OCD Vitros 250,350,400,500,750,950	5	586.00	55.30	420.10-751.90	9.44	5	390.75	29.62	301.90-479.70	7.58	5	203.00	21.26	139.20-266.80	10.47	5	569.00	41.01	446.00-692.00	7.21	5	706.50	65.24	510.80-902.20	9.23
SG: International OCD Vitros Instruments	5	586.00	55.30	420.10-751.90	9.44	5	390.75	29.62	301.90-479.70	7.58	5	203.00	21.26	139.20-266.80	10.47	5	569.00	41.01	446.00-692.00	7.21	5	706.50	65.24	510.80-902.20	9.23
AG: All Group	24	359.41	95.16	73.90-644.90	26.48	24	246.43	68.30	41.50-451.30	27.72	24	159.50	53.32	0.00-319.50	33.43	24	332.04	89.88	62.40-601.60	27.07	24	409.57	112.40	72.40-746.80	27.44
TSH	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Abbott Architect	14	7.89	0.50	6.38-9.40	6.39	14	5.23	0.37	4.11-6.35	7.13	14	2.82	0.20	2.21-3.43	7.23	14	7.26	0.58	5.52-9.00	8.00	14	8.67	0.59	6.90-10.44	6.82
PG: Beckman ACCESS	20	7.91	0.37	6.79-9.03	4.70	20	5.18	0.22	4.51-5.85	4.32	20	2.76	0.14	2.35-3.17	4.93	20	7.20	0.30	6.29-8.11	4.22	20	8.58	0.38	7.45-9.71	4.41
PG: bioMerieux Vitex, Mini Vidas	21	9.23	0.53	7.65-10.81	5.70	21	5.99	0.33	5.01-6.97	5.48	21	3.11	0.21	2.49-3.73	6.66	21	8.48	0.52	6.91-10.05	6.17	21	10.47	0.65	8.51-12.43	6.23
PG: Siemens Dimension/AR/ES/RxL/Xpand	16	3.67	0.36	2.60-4.74	9.73	16	2.38	0.24	1.67-3.09	9.96	16	1.24	0.12	0.89-1.59	9.35	16	3.41	0.34	2.38-4.44	10.03	16	4.41	0.47	3.00-5.82	10.66
PG: Qualigen FastPak Thyroid	28	6.68	0.96	3.81-9.55	14.31	28	4.44	0.66	2.45-6.43	14.95	28	2.22	0.34	1.20-3.24	15.27	28	6.23	0.85	3.69-8.77	13.61	28	7.64	0.95	4.79-10.49	12.43
PG: TOSOH AIA	19	10.47	0.85	7.93-13.01	8.08	20	6.78	0.54	5.17-8.39	7.92	20	3.62	0.23	2.93-4.31	6.33	20	9.58	0.63	7.68-11.48	6.62	20	11.78	0.82	9.33-14.23	6.93
SG: Select Beckman Coulter Instruments (Chem)	21	7.90	0.36	6.81-8.99	4.61	21	5.18	0.22	4.52-5.84	4.23	21	2.76	0.14	2.35-3.17	4.89	21	7.								



AG: All Group	103	3.84	0.81	1.39-6.29	21.23	103	3.26	0.60	1.46-5.07	18.46	103	2.74	0.58	0.99-4.50	21.34	103	3.70	0.78	1.36-6.03	21.04	103	4.08	0.93	1.29-6.86	22.78	
<b>Thyroxine (T4)</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
PG: Beckman ACCESS	6	13.80	0.91	11.00-16.60	6.59	6	10.87	0.72	8.70-13.10	6.61	6	7.93	0.73	6.30-9.50	9.24	6	13.18	1.30	10.60-15.80	9.85	6	15.48	1.45	12.40-18.60	9.35	
PG: Siemens Dimension/AR/ES/RxL/Xpand	5	15.18	0.70	12.20-18.20	4.61	5	10.35	0.48	8.30-12.50	4.62	5	6.55	0.53	5.30-7.90	8.03	5	14.15	0.70	11.40-17.00	4.93	5	17.45	0.48	14.00-21.00	2.74	
PG: TOSOH AIA	7	13.87	0.76	11.10-16.70	5.47	7	10.17	0.72	8.20-12.20	7.06	7	7.29	0.39	5.80-8.80	5.34	7	13.47	0.62	10.80-16.20	4.59	7	15.80	1.61	12.60-19.00	10.19	
SG: Select Beckman Coulter Instruments (Chem)	7	13.83	0.84	11.00-16.60	6.09	7	10.72	0.77	8.60-12.80	7.20	7	7.74	0.83	6.20-9.20	10.91	7	13.26	1.20	10.60-16.00	9.02	7	15.58	1.35	12.50-18.70	8.65	
SG: Select Abbott Architect Instruments	6	16.84	1.08	13.40-20.20	6.43	6	11.32	0.53	9.00-13.60	4.69	6	6.80	0.34	5.40-8.20	4.85	6	15.47	0.73	12.40-18.60	4.71	6	19.38	1.52	15.50-23.30	7.89	
AG: All Group	31	14.55	1.89	11.60-17.40	13.03	31	10.50	0.76	8.40-12.60	7.24	31	7.17	0.75	5.80-8.60	10.42	31	13.69	1.47	11.00-16.40	10.73	31	16.47	2.43	13.20-19.80	14.73	
<b>Triiodothyronine (T3)</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
PG: Beckman ACCESS	6	2.28	0.14	1.90-2.70	6.09	6	1.58	0.15	1.20-2.00	9.38	6	1.18	0.13	0.80-1.60	10.00	6	2.10	0.16	1.60-2.60	7.62	6	2.76	0.20	2.20-3.40	7.14	
PG: TOSOH AIA	5	4.40	0.15	4.00-4.90	3.41	5	3.49	0.02	3.40-3.60	0.57	5	2.84	0.05	2.60-2.90	1.79	5	4.18	0.11	3.90-4.50	2.62	5	4.74	0.05	4.50-4.90	1.06	
SG: Select Beckman Coulter Instruments (Chem)	8	2.33	0.18	1.80-2.80	7.83	8	1.61	0.14	1.20-2.00	8.75	8	1.20	0.11	0.90-1.50	9.17	8	2.11	0.17	1.60-2.60	8.10	8	2.75	0.20	2.10-3.30	7.41	
SG: Select Abbott Architect Instruments	5	1.55	0.13	1.20-2.00	7.50	5	1.28	0.16	0.80-1.80	12.31	5	1.22	0.21	0.60-1.80	17.50	5	1.50	0.07	1.30-1.70	4.67	5	1.63	0.13	1.20-2.00	7.50	
AG: All Group	18	1.95	0.51	0.40-3.40	26.84	18	1.48	0.27	0.70-2.30	18.00	18	1.17	0.18	0.70-1.70	15.00	18	1.81	0.41	0.60-3.00	22.78	18	2.21	0.65	0.30-4.20	29.55	
<b>T3 Uptake</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
PG: TOSOH AIA	5	0.40	0.01	0.36-0.44	3.14	5	0.44	0.02	0.39-0.49	3.90	5	0.49	0.01	0.46-0.53	2.47	5	0.41	0.01	0.38-0.43	2.05	5	0.39	0.01	0.36-0.41	1.85	
SG: Select Beckman Coulter Instruments (Chem)	5	0.46	0.05	0.30-0.62	11.63	5	0.51	0.07	0.30-0.72	13.68	5	0.54	0.07	0.33-0.74	12.99	5	0.48	0.06	0.30-0.66	12.25	5	0.44	0.03	0.34-0.54	7.67	
PG: Abbott Architect i1000 SR	5	0.01	0.00	0.01-0.01	0.00	5	0.00	0.00	0.00-0.00	0.00	5	0.00	0.00	0.00-0.00	0.00	5	0.01	0.00	0.01-0.01	0.00	5	0.01	0.00	0.01-0.01	0.00	
AG: All Group	11	0.41	0.05	0.26-0.57	12.26	11	0.45	0.06	0.28-0.63	12.62	11	0.49	0.06	0.31-0.67	12.02	11	0.42	0.06	0.26-0.59	13.06	11	0.39	0.07	0.19-0.59	17.13	
<b>Free T3</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
PG: Abbott Architect	5	5.00	0.16	4.50-5.50	3.20	5	4.40	0.17	3.90-4.90	3.86	5	4.26	0.27	3.50-5.10	6.28	5	4.88	0.29	4.00-5.80	5.92	5	5.50	0.25	4.80-6.20	4.36	
PG: Beckman ACCESS	5	5.30	0.15	4.80-5.80	2.83	5	4.45	0.12	4.00-4.80	2.73	5	3.60	0.14	3.20-4.00	3.89	5	5.08	0.17	4.60-5.60	3.33	5	5.50	0.20	4.90-6.10	3.64	
PG: TOSOH AIA	5	8.32	2.35	1.30-15.40	28.31	5	7.79	0.08	7.60-8.00	1.03	5	6.39	0.09	6.10-6.70	1.41	5	9.34	0.16	8.80-9.80	1.72	5	10.46	0.67	8.50-12.50	6.38	
SG: Select Beckman Coulter Instruments (Chem)	6	5.29	0.14	4.90-5.70	2.64	6	4.41	0.14	4.00-4.90	3.41	6	3.60	0.13	3.20-4.00	3.33	6	5.03	0.19	4.40-5.60	3.80	6	5.49	0.18	5.00-6.00	3.27	
SG: Select Abbott Architect Instruments	10	5.04	0.19	4.40-5.60	3.80	10	4.44	0.21	3.80-5.00	4.77	10	4.18	0.28	3.40-5.00	6.67	10	4.91	0.28	4.10-5.70	5.71	10	5.87	1.17	2.40-9.40	19.83	
PG: Intl OCD Vitros ECI/ECiQ	5	17.83	1.16	14.40-21.30	6.46	5	16.23	1.07	13.00-19.40	6.60	5	14.47	1.20	10.90-18.10	8.28	5	17.33	1.33	13.30-21.30	7.69	5	18.40	1.25	14.60-22.10	6.79	
AG: All Group	20	5.20	0.57	3.50-6.90	10.96	20	4.51	0.47	3.10-5.90	10.44	20	3.97	0.49	2.50-5.50	12.25	20	5.06	0.56	3.40-6.80	10.98	20	5.83	0.99	2.80-8.80	17.07	
<b>Cortisol</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
AG: All Group	10	26.36	2.69	19.80-33.00	10.19	10	17.40	1.43	13.00-21.80	8.22	10	8.72	0.70	6.50-10.90	8.05	10	24.57	2.12	18.50-30.80	8.62	10	31.46	2.64	23.60-39.40	8.38	
<b>UIBC</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
AG: All Group	5	230.00	12.12	193.60-266.40	5.27	5	158.00	10.58	126.30-189.70	6.70	5	104.00	1.00	101.00-107.00	0.96	5	215.33	7.51	192.80-237.80	3.49	5	266.00	8.89	239.30-292.70	3.34	
<b>Digoxin</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
AG: All Group	5	2.18	0.21	1.80-2.60	9.55	5	1.42	0.16	1.10-1.70	10.71	5	1.01	0.15	0.80-1.20	15.00	5	1.98	0.22	1.60-2.40	11.00	5	2.45	0.42	1.90-2.90	17.50	
<b>Phenytoin</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
AG: All Group	5	25.28	2.28	19.00-31.60	9.01	5	15.54	1.76	11.60-19.40	11.35	5	9.20	1.14	6.90-11.50	12.39	5	23.10	2.49	17.30-28.90	10.78	5	29.40	4.39	22.00-36.80	14.93	
<b>Valproic Acid</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
AG: All Group	5	116.92	7.55	88.00-146.00	6.50	5	81.99	4.46	62.00-103.00	5.49	5	55.85	4.19	42.00-70.00	7.50	5	108.06	4.65	81.00-135.00	4.35	5	131.83	9.80	99.00-165.00	7.42	
746 - Auto Diff 6 (5-Part Diff)		CL-6					CL-7					CL-8					CL-9					CL-10				
<b>White Blood Cell Count</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
SG: Select Abbott Cell Dyn Instruments (5-part Diff)	8	21.66	0.46	18.40-25.00	2.12	8	3.28	0.09	2.80-3.80	2.73	8	8.09	0.16	6.90-9.30	1.98	8	8.11	0.18	6.90-9.30	2.22	8	21.45	0.46	18.30-24.70	2.14	
PG: Abbott Cell-Dyn Ruby	7	21.71	0.47	18.40-25.00	2.17	7	3.29	0.09	2.80-3.80	2.73	7	8.07	0.16	6.90-9.30	1.98	7	8.10	0.19	6.90-9.30	2.35	7	21.44	0.50	18.20-24.60	2.34	
<b>Lymphocyte</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	
SG: Select Abbott Cell Dyn Instruments (5-part Diff)	8	17.96	0.77	15.70-																						



672 - Glycohemoglobin																									
GH-3																									
	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Hypoguard (ARKRAY) Dispette 2 (Labsco)	13	11.50	1.35	8.00-16.00	10.83																				
PG: Sedi-Rate (Globe Scientific)	5	11.75	2.22	5.00-19.00	18.33																				
PG: Streck ESR-10 Manual	10	11.70	1.64	7.00-17.00	13.33																				
AG: All Group	138	11.12	2.75	3.00-19.00	24.55																				
761 - HS CRP																									
HCR-2																									
	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
AG: All Group	10	0.16	0.03	0.09-0.24	15.63																				
602 - Hemoglobin and Hematocrit - Waived;614 - Auto Diff II;610 - Regular Hematology;749 - Auto Diff II w-Blood Cell Identification;601 - Waived/PPM Tests II;609 - Waived/PPM Tests I																									
	HD-6					HD-7					HD-8					HD-9					HD-10				
	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
Granulocyte																									
PG: Abbott Cell-Dyn 1700	19	82.21	1.01	79.20-85.20	1.23	19	36.00	2.53	28.40-43.60	7.03	19	64.54	1.34	60.50-68.50	2.08	19	64.70	1.46	60.30-69.10	2.26	19	82.11	1.02	79.00-85.20	1.24
PG: Abbott Cell-Dyn 1800	53	82.17	2.22	75.50-88.90	2.70	53	35.98	1.80	30.60-41.40	5.00	53	65.44	1.41	61.20-69.60	2.16	53	65.58	1.42	61.30-69.90	2.16	53	82.33	2.31	75.40-89.20	2.81
PG: CDS Medonic 620	6	79.32	1.86	73.70-84.90	2.35	6	32.42	4.01	20.40-44.40	12.38	6	60.27	2.04	54.20-66.40	3.38	6	59.22	2.43	51.90-66.50	4.10	6	80.30	2.83	71.80-88.80	3.52
PG: Beckman Coulter AcT Diff/Diff 2	220	80.30	6.00	62.30-98.30	7.47	220	32.74	2.66	24.70-40.70	8.13	220	62.22	5.50	45.70-78.70	8.84	220	62.34	4.44	49.00-75.60	7.13	219	80.53	4.31	67.60-93.40	5.35
PG: Horiba ABX Diag. Micros/45/60	74	84.62	1.21	81.00-88.20	1.43	73	37.83	1.97	31.90-43.70	5.21	74	68.31	1.32	64.30-72.30	1.93	74	68.20	1.40	64.00-72.40	2.04	74	84.36	2.51	76.90-91.90	2.97
PG: None	5	85.60	0.00	85.60-85.60	0.00	5	37.90	0.00	37.90-37.90	0.00	5	69.20	0.00	69.20-69.20	0.00	5	69.40	0.00	69.40-69.40	0.00	5	85.40	0.00	85.40-85.40	0.00
SG: Select Abbott Cell Dyn Instruments (3-part Diff)	232	82.36	6.25	63.70-101.20	7.58	235	36.30	4.07	24.10-48.50	11.21	233	65.73	6.90	45.00-86.40	10.50	233	66.22	4.16	53.70-78.70	6.28	233	82.69	4.63	68.80-96.60	5.60
SG: Select Beckman Coulter Instruments (3-part Diff)	221	80.30	5.98	62.40-98.20	7.45	221	32.74	2.65	24.80-40.70	8.10	221	62.22	5.49	45.70-78.70	8.83	221	62.34	4.43	49.00-75.60	7.11	220	80.53	4.30	67.60-93.40	5.34
SG: Select Drew Scientific Instruments	25	82.72	1.96	76.80-88.60	2.37	25	34.47	1.93	28.70-40.30	5.59	25	65.81	1.30	61.90-69.70	1.98	25	65.74	1.88	60.10-71.30	2.86	25	83.21	1.32	79.20-87.20	1.59
PG: Drew Scientific D3	25	82.72	1.96	76.80-88.60	2.37	25	34.47	1.93	28.70-40.30	5.59	25	65.81	1.30	61.90-69.70	1.98	25	65.74	1.88	60.10-71.30	2.86	25	83.21	1.32	79.20-87.20	1.59
PG: Abbott Cell-Dyn Emerald	159	82.44	7.40	60.20-104.60	8.98	162	36.43	4.68	22.40-50.40	12.86	160	65.97	8.21	41.40-90.60	12.44	160	66.61	4.84	52.10-81.10	7.27	160	82.86	5.38	66.80-99.00	6.49
PG: CDS M Series	186	78.93	6.44	59.60-98.20	8.16	185	30.80	3.65	19.90-41.80	11.85	186	61.04	7.24	39.30-82.70	11.87	186	61.24	6.37	42.10-80.30	10.41	186	79.01	5.89	61.30-96.70	7.46
SG: CDS Hematology Instruments	192	78.95	6.35	59.90-98.00	8.05	191	30.85	3.66	19.80-41.80	11.88	192	61.02	7.13	39.60-82.40	11.69	192	61.18	6.29	42.30-80.10	10.28	192	79.05	5.82	61.60-96.60	7.36
AG: All Group	746	81.11	6.05	62.90-99.30	7.46	747	33.95	4.17	21.50-46.50	12.24	747	63.75	6.57	44.00-83.40	10.31	747	63.97	5.28	48.20-79.80	8.25	746	81.30	4.96	66.40-96.20	6.10
Hematocrit																									
PG: Abbott Cell-Dyn 1700	20	53.36	1.29	50.20-56.60	2.42	20	18.04	0.50	16.90-19.10	2.78	20	38.75	0.95	36.50-41.10	2.45	20	38.70	1.15	36.40-41.00	2.97	20	53.36	1.78	50.20-56.60	3.33
PG: Abbott Cell-Dyn 1800	53	54.51	1.69	51.20-57.80	3.10	53	19.01	0.64	17.90-20.10	3.37	53	39.63	1.11	37.20-42.00	2.80	53	39.51	1.56	37.10-41.90	3.95	53	54.28	1.67	51.00-57.60	3.08
PG: CDS Medonic 620	8	51.60	2.24	48.50-54.70	4.34	8	16.49	0.44	15.50-17.50	2.67	8	36.41	1.75	34.20-38.60	4.81	8	36.31	1.19	34.10-38.50	3.28	8	51.97	1.74	48.90-55.10	3.35
PG: Beckman Coulter AcT Diff/Diff 2	231	54.20	2.06	50.90-57.50	3.80	230	18.21	0.54	17.10-19.30	2.97	230	38.92	2.88	36.60-41.20	7.40	230	38.63	2.14	36.30-40.90	5.54	230	53.75	3.68	50.60-57.00	6.84
PG: Horiba ABX Diag. Micros/45/60	72	51.45	1.91	48.30-54.50	3.72	73	16.38	0.40	15.40-17.40	2.44	74	36.34	1.02	34.10-38.50	2.81	74	36.23	1.19	34.00-38.40	3.29	74	51.37	2.56	48.30-54.50	4.98
PG: None	5	50.20	0.00	47.20-53.20	0.00	5	16.40	0.00	15.40-17.40	0.00	5	36.20	0.00	34.00-38.40	0.00	5	35.70	0.00	33.60-37.80	0.00	5	50.40	0.00	47.40-53.40	0.00
SG: Select Abbott Cell Dyn Instruments (3-part Diff)	236	53.38	2.09	50.20-56.60	3.91	235	18.23	0.77	17.10-19.30	4.23	236	38.47	1.41	36.20-40.80	3.66	236	38.51	1.53	36.20-40.80	3.97	236	53.30	2.01	50.10-56.50	3.77
SG: Select Beckman Coulter Instruments (3-part Diff)	233	54.19	2.05	50.90-57.50	3.78	232	18.20	0.54	17.10-19.30	2.97	232	38.91	2.87	36.60-41.20	7.38	232	38.62	2.13	36.30-40.90	5.52	232	53.74	3.67	50.50-56.90	6.82
PG: Drew Scientific D3	25	53.53	1.74	50.30-56.70	3.25	25	18.31	0.61	17.20-19.40	3.33	25	38.54	1.29	36.20-40.80	3.35	25	38.50	2.28	36.20-40.80	5.92	25	53.10	2.70	49.90-56.30	5.08
PG: Abbott Cell-Dyn Emerald	162	53.04	2.17	49.80-56.20	4.09	161	18.02	0.68	16.90-19.10	3.78	162	38.08	1.34	35.80-40.40	3.52	162	38.19	1.43	35.90-40.50	3.74	162	52.99	2.05	49.80-56.20	3.87
PG: CDS M Series	187	53.37	1.72	50.20-56.60	3.22	185	16.68	0.46	15.70-17.70	2.75	187	36.86	0.88	34.70-39.10	2.38	187	36.97	0.85	34.80-39.20	2.30	185	53.20	1.43	50.00-56.40	2.69
SG: CDS Hematology Instruments	195	53.30	1.77	50.10-56.50	3.32	193	16.67	0.46	15.70-17.70	2.75	195	36.84	0.92	34.60-39.00	2.50	195	36.95	0.88	34.70-39.10	2.36	193	53.16	1.46	50.00-56.40	2.74
AG: All Group	763	53.43	2.11	50.20-56.60	3.95	667	17.82	0.83	16.70-18.90	4.66	764	37.99	2.10	35.70-40.30	5.53	764	37.93	1.84	35.60-40.20	4.85	762	53.21	2.67	50.00-56.40	5.02
Hemoglobin																									
PG: Abbott Cell-Dyn 1700	20	18.62	0.34	17.30-19.90	1.83	20	6.37	0.17	6.00-6.80	2.66	20	13.53	0.29	12.60-14.40	2.15	20	13.48	0.32	12.60-14.40	2.37	20	18.60	0.38	17.30-19.90	2.04
PG: Abbott Cell-Dyn 1800	53	18.60	0.43	17.30-19.90	2.31	53	6.23	0.28	5.80-6.60	4.52	53	13.38	0.26	12.50-14.30	1.94	53	13.37	0.47	12.50-14.30	3.51	53	18.64	0.45	17.30-19.90	2.42
PG: CDS Medonic 620	8	18.31	0.34	17.00-19.60	1.86	8	6.04	0.11	5.60-6.40	1.83	8	13.24	0.40	12.30-14.10	3.03	8	13.16	0.15	12.30-14.10	1.14	8	18.50	0.28	17.20-19.80	1.51
PG: Beckman Coulter AcT Diff/Diff 2	231	18.43	0.57	17.10-19.70	3.10	230	5.99	0.28	5.60-6.40	4.67	230	13.15	0.27	12.30-14.10	2.05	230	13.18	0.25	12.30-14.10	1.89	229	18.38	1.21	17.10-19.70	6.58
PG: Horiba ABX Diag. Micros/45/60	71	18.48	0.55	17.20-19.80	2.97	72	6.06	0.14	5.70-6.50	2.30	73	13.29	0.32	12.40-14.20	2.41	73	13.26	0.40	12.40-14.20	3.01	73	18.46	0.81	17.20-19.80	4.38
PG: None	5	18.30	0.00	17.00-19.60	0.00	5	6.00	0.00	5.60-6.40	0.00	5	13.20	0.00	12.30-14.10	0.00	5	13.20	0.00	12.30-14.10	0.00	5	18.30	0.00	17.00-19.60	0.00
SG: Select Abbott Cell Dyn Instruments (3-part Diff)	236	18.54	0.41	17.20-19.80	2.22	236	6.06	0.26	5.70-6.50	4.26	236	13.26	0.28	12.40-14.20	2.11	236	13.27	0.32	12.40-14.20	2.41	236	18.54	0.38	17.20-19.80	2.05
SG: Select Beckman Coulter Instruments (3-part Diff)	233	18.43	0.57	17.10-19.70	3.10	232	5.99	0.28	5.60-6.40	4.50	232	13.15	0.27	12.20-14.00	2.06	232	13.18	0.25	12.30-14.10	1.89	231	18.38	1.20	17.10-19.70	6.52
PG: Drew Scientific D3	25	18.47	0.60	17.20-19.80	3.24	25	6.14	0.25	5.70-6.50	4.10	25	13.26	0.50	12.40-14.20	3.76	25	13.19	0.82	12.30-14.10	6.21	25	18.27	1.01	17.00-19.60	5.52
PG: Abbott Cell-Dyn Emerald	162	18.52	0.41	17.20-19.80	2.22	162	5.96	0.19	5.60-6.40	3.17	162	13.19	0.25	12.30-14.10	1.89	162	13.22	0.24	12.30-14.10	1.82	162	18.50	0.35	17.20-19.80	1.89
PG: CDS M Series	187	18.67	0.51	17.40-20.00	2.73	186	6.10	0.14	5.70-6.50	2.13	187	13.23	0.22	12.30-14.10	1.67	187	13.23	0.22	12.30-14.10	1.67	187	18			

AG: All Group				762	18.53	0.52	17.20-19.80	2.81	761	6.05	0.23	5.70-6.50	3.77	763	13.22	0.28	12.30-14.10	2.12	763	13.23	0.32	12.30-14.10	2.42	762	18.48	0.90	17.20-19.80	4.86		
Lymphocyte	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Abbott Cell-Dyn 1700	19	11.93	0.63	10.05-13.81	5.26	19	49.98	3.06	40.81-59.15	6.12	19	26.30	1.32	22.35-30.25	5.00	19	26.10	1.44	21.78-30.42	5.52	19	12.04	0.82	9.59-14.49	6.78					
PG: Abbott Cell-Dyn 1800	52	10.74	0.62	8.88-12.60	5.78	53	45.13	2.44	37.82-52.44	5.40	53	23.43	1.48	18.98-27.88	6.33	53	23.25	1.41	19.03-27.47	6.05	52	10.72	0.63	8.82-12.62	5.90					
PG: CDS Medonic 620	6	14.45	0.35	13.40-15.50	2.43	6	58.00	2.74	49.78-66.22	4.72	6	29.95	1.30	26.04-33.87	4.36	6	31.37	1.66	26.39-36.35	5.29	6	13.92	0.87	11.32-16.52	6.22					
PG: Beckman Coulter AcT Diff/Diff 2	221	14.07	0.97	11.16-16.98	6.89	218	59.89	1.62	55.03-64.75	2.71	221	30.53	2.11	24.20-36.86	6.91	221	30.55	2.11	24.22-36.88	6.90	220	14.10	0.92	11.35-16.85	6.50					
PG: Horiba ABX Diag. Micros/45/60	72	11.74	0.77	9.42-14.06	6.58	72	43.96	3.48	33.52-54.40	7.91	73	23.26	1.85	17.70-28.82	7.97	72	23.05	1.53	18.45-27.65	6.66	72	11.63	0.73	9.44-13.82	6.28					
PG: None	5	10.90	0.00	10.90-10.90	0.00	5	42.30	0.00	42.30-42.30	0.00	5	22.40	0.00	22.40-22.40	0.00	5	21.80	0.00	21.80-21.80	0.00	5	11.10	0.00	11.10-11.10	0.00					
SG: Select Abbott Cell Dyn Instruments (3-part Diff)	226	12.82	1.43	8.53-17.11	11.15	233	49.86	3.30	39.97-59.75	6.61	230	25.72	1.75	20.46-30.98	6.82	232	25.76	1.82	20.29-31.23	7.07	224	12.74	1.44	8.42-17.06	11.30					
SG: Select Beckman Coulter Instruments (3-part Diff)	223	14.05	1.00	11.04-17.06	7.13	220	59.87	1.72	54.70-65.04	2.88	223	30.50	2.14	24.07-36.93	7.02	223	30.54	2.14	24.12-36.96	7.01	222	14.08	0.95	11.22-16.94	6.78					
PG: Drew Scientific D3	24	13.77	0.93	10.97-16.57	6.78	25	54.67	2.27	47.85-61.49	4.16	25	27.69	1.21	24.08-31.30	4.35	25	27.75	1.73	22.56-32.94	6.23	24	13.37	0.69	11.30-15.44	5.16					
PG: Abbott Cell-Dyn Emerald	154	13.58	0.87	10.98-16.18	6.38	160	51.30	1.93	45.52-57.08	3.75	157	26.36	1.19	22.78-29.94	4.52	159	26.48	1.17	22.98-29.98	4.40	152	13.47	0.95	10.62-16.32	7.05					
PG: CDS M Series	186	13.99	0.95	11.14-16.84	6.79	184	58.59	2.05	52.44-64.74	3.50	186	29.21	2.22	22.55-35.87	7.60	186	29.26	2.21	22.62-35.90	7.56	184	14.04	0.56	12.35-15.73	4.00					
SG: CDS Hematology Instruments	192	14.00	0.94	11.18-16.82	6.72	190	58.57	2.07	52.36-64.78	3.53	192	29.23	2.20	22.64-35.82	7.52	192	29.32	2.22	22.65-35.99	7.59	190	14.04	0.57	12.33-15.75	4.07					
AG: All Group	739	13.42	1.36	9.34-17.50	10.13	742	54.63	6.08	36.39-72.87	11.13	745	27.87	3.16	18.39-37.35	11.33	746	27.90	3.20	18.29-37.51	11.48	734	13.39	1.32	9.42-17.36	9.89					
MCV	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Abbott Cell-Dyn 1700	20	91.76	1.94	86.00-97.60	2.11	20	72.99	1.45	68.70-77.30	1.99	20	83.13	1.72	77.90-88.30	2.07	20	83.21	1.68	78.20-88.20	2.02	20	91.85	2.02	85.80-98.00	2.20					
PG: Abbott Cell-Dyn 1800	52	96.13	2.19	89.50-102.70	2.28	53	75.43	1.66	70.40-80.40	2.20	53	86.37	1.76	81.10-91.70	2.04	53	86.34	1.76	81.00-91.60	2.04	52	95.83	2.02	89.70-101.90	2.11					
PG: CDS Medonic 620	6	88.60	3.27	78.80-98.40	3.69	6	69.80	2.25	63.00-76.50	3.22	6	79.03	2.61	71.20-86.80	3.30	6	79.40	2.53	71.80-87.00	3.19	6	88.58	3.06	79.40-97.80	3.45					
PG: Beckman Coulter AcT Diff/Diff 2	228	90.76	5.49	74.30-107.30	6.05	227	73.62	3.41	63.40-83.80	4.63	227	82.77	1.05	79.60-86.00	1.27	227	82.50	3.86	70.90-94.10	4.68	227	90.89	4.06	78.70-103.10	4.47					
PG: Horiba ABX Diag. Micros/45/60	66	89.03	0.99	86.00-92.00	1.11	66	70.17	2.60	62.40-78.00	3.70	66	80.11	0.84	77.60-82.60	1.05	66	80.02	0.79	77.60-82.40	0.99	66	88.89	0.86	86.30-91.50	0.97					
PG: None	5	89.00	0.00	89.00-89.00	0.00	5	70.00	0.00	70.00-70.00	0.00	5	80.00	0.00	80.00-80.00	0.00	5	80.00	0.00	80.00-80.00	0.00	5	89.00	0.00	89.00-89.00	0.00					
SG: Select Abbott Cell Dyn Instruments (3-part Diff)	234	96.91	2.50	89.40-104.40	2.58	236	77.74	2.77	69.40-86.00	3.56	235	87.53	2.18	81.00-94.00	2.49	235	87.31	4.19	74.70-99.90	4.80	234	96.81	2.40	89.60-104.00	2.48					
SG: Select Beckman Coulter Instruments (3-part Diff)	229	90.76	5.48	74.40-107.20	6.04	228	73.62	3.40	63.40-83.80	4.62	228	82.77	1.04	79.70-85.90	1.26	228	82.50	3.85	71.00-94.00	4.67	228	90.88	4.05	78.80-103.10	4.46					
PG: Drew Scientific D3	25	93.87	1.18	90.40-97.40	1.26	25	76.64	0.94	73.80-79.40	1.23	25	85.31	1.00	82.30-88.30	1.17	25	85.43	1.05	82.30-88.60	1.23	25	94.07	1.19	90.50-97.70	1.26					
PG: Abbott Cell-Dyn Emerald	161	97.85	1.51	93.30-102.30	1.54	162	79.08	1.87	73.50-84.70	2.36	161	88.49	1.23	84.80-92.20	1.38	161	88.16	4.54	74.60-101.80	5.15	161	97.78	1.38	93.70-101.90	1.41					
PG: CDS M Series	186	90.87	1.46	86.50-95.30	1.61	186	71.11	1.80	65.70-76.50	2.53	186	80.76	1.20	77.20-84.40	1.49	186	80.44	5.46	64.00-96.80	6.79	186	90.72	2.01	84.70-96.70	2.22					
SG: CDS Hematology Instruments	192	90.80	1.58	86.10-95.50	1.74	192	71.07	1.82	65.60-76.60	2.56	192	80.71	1.29	76.80-84.60	1.60	192	80.41	5.39	64.20-96.60	6.70	192	90.65	2.07	84.50-96.90	2.28					
AG: All Group	748	92.70	4.57	79.00-106.40	4.93	749	74.11	3.96	62.20-86.00	5.34	748	83.64	3.30	73.70-93.50	3.95	748	83.41	5.12	68.00-98.80	6.14	747	92.67	4.10	80.40-105.00	4.42					
Monocyte/Mixed	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Abbott Cell-Dyn 1700	19	5.86	0.58	4.20-7.60	9.83	19	14.03	1.97	8.10-19.90	14.07	19	9.16	0.88	6.60-11.80	9.57	19	9.20	0.70	7.10-11.30	7.72	19	5.85	0.48	4.40-7.20	8.28					
PG: Abbott Cell-Dyn 1800	51	6.80	0.45	5.40-8.20	6.62	51	18.85	1.57	14.10-23.50	8.35	51	11.10	0.71	9.00-13.20	6.40	51	11.17	0.65	9.30-13.10	5.80	51	6.67	0.41	5.50-7.90	6.12					
PG: CDS Medonic 620	6	6.23	1.59	1.40-11.00	25.65	6	9.58	1.81	4.20-15.00	18.85	6	9.78	0.89	7.10-12.50	9.08	6	9.42	1.03	6.30-12.50	10.96	6	5.78	2.11	0.00-12.10	36.38					
PG: Beckman Coulter AcT Diff/Diff 2	220	5.04	0.57	3.30-6.70	11.40	220	7.26	1.40	3.10-11.50	19.18	220	6.57	0.89	3.90-9.30	13.48	220	6.58	0.74	4.40-8.80	11.21	219	5.02	0.57	3.30-6.70	11.40					
PG: Horiba ABX Diag. Micros/45/60	73	3.63	0.30	2.70-4.50	8.33	74	18.08	2.80	9.70-26.50	15.47	74	8.46	0.79	6.10-10.90	9.29	74	8.57	0.81	6.20-11.00	9.42	74	3.64	0.23	2.90-4.30	6.39					
PG: None	5	3.50	0.00	3.50-3.50	0.00	5	19.80	0.00	19.80-19.80	0.00	5	8.40	0.00	8.40-8.40	0.00	5	8.80	0.00	8.80-8.80	0.00	5	3.50	0.00	3.50-3.50	0.00					
SG: Select Beckman Coulter Instruments (3-part Diff)	221	5.04	0.57	3.30-6.70	11.40	221	7.24	1.41	3.00-11.40	19.58	221	6.57	0.90	3.90-9.30	13.48	221	6.57	0.75	4.30-8.80	11.36	220	5.02	0.58	3.30-6.70	11.60					
PG: Drew Scientific D3	25	3.20	0.20	2.60-3.80	6.25	25	10.87	1.13	7.50-14.30	10.37	25	6.50	0.53	4.90-8.10	8.15	25	6.51	0.52	4.90-8.10	8.00	25	3.20	0.15	2.80-3.70	4.69					
PG: Abbott Cell-Dyn Emerald	160	2.99	0.28	2.20-3.80	9.33	162	12.20	1.81	6.80-17.60	14.84	158	6.56	0.67	4.60-8.60	10.15	160	6.52	0.79	4.10-8.90	12.15	160	3.03	0.29	2.10-3.90	9.67					
PG: CDS M Series	186	6.34	0.79	3.90-8.70	12.54	183	10.41	2.06	4.20-16.60	19.81	186	8.68	1.20	5.10-12.30	13.68	186	8.55	1.14	5.20-12.00	13.26	186	6.36	0.86	3.80-9.00	13.44					
SG: CDS Hematology Instruments	192	6.34	0.82	3.80-8.80	13.02	189	10.39	2.06	4.20-16.60	19.81	192	8.72	1.20	5.10-12.30	13.79	192	8.58	1.15	5.20-12.00	13.37	192	6.34	0.92	3.50-9.10	14.60					
AG: All Group	735	4.84	1.46	0.40-9.20	30.42	737	11.25	4.04	0.00-23.40	35.84	738	7.64	1.60	2.80-12.40	21.05	741	7.63	1.57	2.90-12.30	20.66	741	4.85	1.46	0.40-9.20	30.42					
Platelet Count	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%
PG: Abbott Cell-Dyn 1700	20	582.45	42.09	437.00-728.00	7.23	20	60.95	4.11	46.00-76.00	6.72	20	267.59	20.23	201.00-335.00	7.54	20	265.73	19.95	200.00-333.00	7.48	20	583.59	44.02	438.00-730.00	7.53					
PG: Abbott Cell-Dyn 1800	52	585.08	33.29	439.00-731.00	5.69	53	63.60	4.98	48.00-80.00	7.81	53	263.47	15.66	197.00-329.00	5.97	53	264.19	17.55	198.00-330.00	6.67	53	583.66	29.03	438.00-730.00	4.97					
PG: CDS Medonic 620	8	499.63	40.97	375.00-625.00	8.20	8	57.38	4.53	43.00-71.00	7.																				



AG: All Group	732	13.60	1.16	10.20-17.10	8.46	731	15.27	1.33	11.30-19.30	8.69	731	14.54	1.46	10.10-18.90	10.07	731	14.58	1.38	10.50-18.70	9.45	730	13.55	1.25	9.80-17.40	9.19						
<b>Red Blood Cell Count</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>						
PG: Abbott Cell-Dyn 1700	20	5.81	0.14	5.46-6.16	2.46	20	2.47	0.07	2.32-2.62	2.71	20	4.66	0.12	4.38-4.94	2.51	20	4.65	0.14	4.37-4.93	2.97	20	5.81	0.20	5.46-6.16	3.51						
PG: Abbott Cell-Dyn 1800	52	5.67	0.13	5.33-6.01	2.29	53	2.52	0.07	2.37-2.67	2.74	53	4.59	0.12	4.31-4.87	2.51	53	4.58	0.17	4.31-4.85	3.65	53	5.67	0.16	5.33-6.01	2.73						
PG: CDS Medonic 620	8	5.80	0.06	5.45-6.15	1.09	8	2.35	0.06	2.21-2.49	2.43	8	4.58	0.13	4.31-4.85	2.75	8	4.55	0.07	4.28-4.82	1.45	8	5.84	0.13	5.49-6.19	2.16						
PG: Beckman Coulter AcT Diff/Diff 2	231	5.95	0.22	5.59-6.31	3.70	230	2.46	0.10	2.31-2.61	4.02	230	4.68	0.11	4.40-4.96	2.33	230	4.69	0.12	4.41-4.97	2.54	230	5.90	0.40	5.55-6.25	6.75						
PG: Horiba ABX Diag. Micros/45/60	72	5.78	0.20	5.43-6.13	3.51	73	2.35	0.05	2.21-2.49	2.30	73	4.54	0.12	4.27-4.81	2.73	74	4.53	0.15	4.26-4.80	3.22	74	5.78	0.27	5.43-6.13	4.74						
PG: None	5	5.62	0.00	5.28-5.96	0.00	5	2.33	0.00	2.19-2.47	0.00	5	4.52	0.00	4.25-4.79	0.00	5	4.44	0.00	4.17-4.71	0.00	5	5.66	0.00	5.32-6.00	0.00						
SG: Select Abbott Cell Dyn Instruments (3-part Diff)	235	5.51	0.26	5.18-5.84	4.63						234	4.40	0.19	4.14-4.66	4.39	236	4.40	0.21	4.14-4.66	4.84	236	5.51	0.25	5.18-5.84	4.59						
SG: Select Beckman Coulter Instruments (3-part Diff)	233	5.95	0.22	5.59-6.31	3.70	232	2.46	0.10	2.31-2.61	4.02	232	4.68	0.11	4.40-4.96	2.33	232	4.68	0.12	4.40-4.96	2.54	232	5.90	0.40	5.55-6.25	6.73						
PG: Drew Scientific D3	25	5.70	0.20	5.36-6.04	3.42	25	2.39	0.08	2.25-2.53	3.51	25	4.52	0.18	4.25-4.79	3.89	25	4.51	0.29	4.24-4.78	6.36	25	5.64	0.32	5.30-5.98	5.59						
PG: Abbott Cell-Dyn Emerald	162	5.42	0.24	5.09-5.75	4.43	161	2.28	0.08	2.14-2.42	3.68	160	4.31	0.14	4.05-4.57	3.23	162	4.32	0.17	4.06-4.58	4.00	162	5.42	0.23	5.09-5.75	4.21						
PG: CDS M Series	187	5.87	0.17	5.52-6.22	2.88	186	2.35	0.06	2.21-2.49	2.51	187	4.55	0.20	4.28-4.82	4.29	187	4.56	0.08	4.29-4.83	1.73	187	5.84	0.28	5.49-6.19	4.81						
SG: CDS Hematology Instruments	195	5.87	0.17	5.52-6.22	2.83	194	2.35	0.06	2.21-2.49	2.47	195	4.55	0.19	4.28-4.82	4.22	195	4.56	0.08	4.29-4.83	1.73	195	5.84	0.28	5.49-6.19	4.74						
AG: All Group	762	5.77	0.28	5.42-6.12	4.94	753	2.38	0.11	2.24-2.52	4.54	761	4.54	0.20	4.27-4.81	4.34	764	4.54	0.19	4.27-4.81	4.25	764	5.74	0.35	5.40-6.08	6.13						
<b>White Blood Cell Count</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>						
PG: Abbott Cell-Dyn 1700	20	21.00	1.07	17.90-24.10	5.10	20	2.17	0.12	1.90-2.50	5.45	20	8.55	0.36	7.20-9.80	4.24	20	8.57	0.39	7.30-9.90	4.53	20	20.90	1.09	17.80-24.00	5.22						
PG: Abbott Cell-Dyn 1800	53	20.89	1.16	17.80-24.00	5.55	53	2.03	0.12	1.70-2.30	6.00	53	8.15	0.46	7.00-9.40	5.61	53	8.16	0.51	7.00-9.40	6.22	53	20.97	1.20	17.90-24.10	5.67						
PG: CDS Medonic 620	8	21.51	0.40	18.30-24.70	1.86	8	1.95	0.14	1.70-2.30	7.00	8	8.41	0.37	7.10-9.70	4.40	8	8.25	0.38	7.10-9.50	4.58	8	22.09	1.29	18.80-25.40	5.84						
PG: Beckman Coulter AcT Diff/Diff 2	231	21.77	1.19	18.50-25.10	5.46	230	2.20	0.13	1.90-2.50	5.91	230	8.61	0.36	7.30-9.90	4.19	230	8.63	0.29	7.30-9.90	3.37	230	21.64	1.46	18.40-24.80	6.76						
PG: Horiba ABX Diag. Micros/45/60	73	20.74	1.73	17.60-23.80	8.36	73	1.92	0.10	1.60-2.20	5.26	74	7.97	0.25	6.80-9.20	3.13	74	7.94	0.27	6.70-9.10	3.42	74	20.31	1.26	17.30-23.30	6.21						
PG: None	5	20.00	0.00	17.00-23.00	0.00	5	1.90	0.00	1.60-2.20	0.00	5	7.90	0.00	6.70-9.10	0.00	5	7.70	0.00	6.50-8.90	0.00	5	20.00	0.00	17.00-23.00	0.00						
SG: Select Abbott Cell Dyn Instruments (3-part Diff)	236	20.00	1.07	17.00-23.00	5.35	236	2.05	0.12	1.80-2.40	5.71	236	8.08	0.37	6.90-9.30	4.57	236	8.09	0.37	6.90-9.30	4.57	236	19.97	1.07	17.00-23.00	5.35						
SG: Select Beckman Coulter Instruments (3-part Diff)	233	21.76	1.19	18.50-25.10	5.46	232	2.20	0.13	1.90-2.50	5.91	232	8.61	0.35	7.30-9.90	4.07	232	8.63	0.29	7.30-9.90	3.37	232	21.64	1.46	18.40-24.80	6.76						
PG: Drew Scientific D3	25	20.35	0.72	17.30-23.50	3.53	25	2.11	0.15	1.80-2.40	7.14	25	8.02	0.90	6.80-9.20	11.25	25	8.12	0.58	6.90-9.30	7.16	25	20.00	1.10	17.00-23.00	5.50						
PG: Abbott Cell-Dyn Emerald	162	19.60	0.76	16.70-22.50	3.88	162	2.04	0.11	1.70-2.30	5.50	162	7.99	0.27	6.80-9.20	3.38	162	8.01	0.25	6.80-9.20	3.13	162	19.54	0.68	16.60-22.40	3.49						
PG: CDS M Series	187	21.03	0.85	17.90-24.10	4.05	186	1.82	0.09	1.50-2.10	5.00	187	8.01	0.23	6.80-9.20	2.88	187	8.04	0.24	6.80-9.20	3.00	187	20.82	1.52	17.70-23.90	7.31						
SG: CDS Hematology Instruments	195	21.05	0.84	17.90-24.10	4.00	194	1.82	0.10	1.50-2.10	5.56	195	8.03	0.25	6.80-9.20	3.13	195	8.04	0.25	6.80-9.20	3.13	195	20.87	1.53	17.80-24.00	7.32						
SG: Select ABX Micros Instruments	73	20.74	1.73	17.60-23.80	8.36	73	1.92	0.10	1.60-2.20	5.26	74	7.97	0.25	6.80-9.20	3.13	74	7.94	0.27	6.70-9.10	3.42	74	20.31	1.26	17.30-23.30	6.21						
AG: All Group	764	20.88	1.33	17.80-24.00	6.36	762	2.03	0.19	1.70-2.30	9.50	764	8.21	0.44	7.00-9.40	5.37	764	8.23	0.41	7.00-9.40	5.12	764	20.74	1.50	17.60-23.80	7.25						
<b>Hematocrit (Waived)</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>						
PG: Microhematocrit, Spun	22	47.05	5.45	30.60-63.40	11.60	12	16.00	1.41	11.80-20.20	8.81																					
PG: ST Hematastat	5	48.00	2.55	40.40-55.60	5.31																										
AG: All Group	30	48.40	3.33	38.40-58.40	6.88																										
<b>Hemoglobin (Waived)</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV.%</b>						
PG: HemoCue	50	17.32	0.81	14.90-19.70	4.68																										
PG: HemoCue 201	95	17.26	1.46	12.90-21.70	8.44																										
PG: Alere HemoPoint H2	35	17.46	2.07	11.30-23.70	11.83																										
SG: Select Waived Hemoglobin Instruments	182	17.28	1.50	12.80-21.80	8.67																										
AG: All Group	184	17.29	1.50	12.80-21.80	8.67	5	6.28	0.16	5.80-6.80	2.54																					
608 - Hemocue Glucose/Hgb:628 - AFC Waived/PPM	HQ-2																														
Glucose Whole Blood (Hemocue)	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%						
PG: HemoCue	38	105.85	10.85	74.00-138.00	10.19																										
PG: HemoCue 201	136	106.72	8.09	83.00-131.00	7.57																										
Hemoglobin (Hemocue)	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%						
PG: HemoCue	27	12.63	1.17	9.10-16.10	9.29																										
PG: HemoCue 201	73	13.17	0.66	11.30-15.10	4.92																										
606 - Hemocue WBC	HQW-6									HQW-7						HQW-8					HQW-9					HQW-10					
White Blood Cell Count	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	
PG: Hemocue WBC System	17	21.59	0.72	18.40-24.80	3.33	16	2.91	0.15	2.50-3.30	5.17	17	7.64	0.38	6.50-8.70	5.00	17	7.76	0.27	6.60-9.00	3.46	17	21.76	0.75	18.50-25.10	3.44						
700 - I-Stat Chemistry;721 - i-Stat Chemistry & Blood Gases;722 - i-Stat Chemistry - Waived;723 - i-Stat Blood Gases	IST-6						IST-7					IST-8					IST-9					IST-10									
Blood Gas - pCO2	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	Labs	Mean	SD	Range	CV.%	
PG: Abbott i-Stat	9	59.88	2.97	55.00-65.00	5.00	9	50.62	1.90	46.00-56.00	3.73	9	69.89	4.00	64.00-76.00	5.71	9	45.70	2.01	41.00-51.00	4.35	9	35.38	1.01	30.00-40.00	2.86						
SG: International Abbott i-Stat Instruments	1																														



Method	Labs	Mean	SD	Range	CV, %	Labs	Mean	SD	Range	CV, %	Labs	Mean	SD	Range	CV, %	Labs	Mean	SD	Range	CV, %	Labs	Mean	SD	Range	CV, %
PG: Abbott i-Stat / Thermal	8	22.88	0.64	21.00-24.80	2.79	8	22.25	0.71	20.20-24.40	3.18	8	17.63	0.74	15.40-19.80	4.20	8	22.38	0.92	19.60-25.20	4.11	8	18.63	0.92	15.80-21.40	4.95
SG: International Abbott i-Stat Instruments / Thermal	41	22.88	1.19	19.30-26.50	5.20	13	22.38	0.65	20.40-24.30	2.90	13	17.69	0.63	15.80-19.60	3.56	13	22.54	0.78	20.20-24.80	3.47	13	18.85	0.80	16.40-21.20	4.26
PG: Abbott i-Stat (Waived) / Thermal	28	22.83	1.37	18.70-26.90	5.96																				
SG: Select Abbott i-Stat Instruments / Thermal	36	22.84	1.24	19.10-26.50	5.44	8	22.25	0.71	20.20-24.40	3.18	8	17.63	0.74	15.40-19.80	4.20	8	22.38	0.92	19.60-25.20	4.11	8	18.63	0.92	15.80-21.40	4.95
<b>Creatinine</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>
PG: Abbott i-Stat / Thermal	18	3.85	0.10	3.30-4.50	2.56	17	2.68	0.10	2.30-3.10	3.70	17	6.59	0.30	5.60-7.60	4.55	17	4.78	0.16	4.10-5.50	3.33	16	0.34	0.05	0.00-0.60	16.67
SG: International Abbott i-Stat Instruments / Thermal	55	3.82	0.14	3.20-4.40	3.42	23	2.69	0.09	2.30-3.10	3.33	23	6.63	0.28	5.60-7.60	4.24	23	4.76	0.16	4.10-5.50	3.33	22	0.33	0.05	0.00-0.60	16.67
PG: Abbott i-Stat (Waived) / Thermal	31	3.81	0.15	3.20-4.40	3.95																				
SG: Select Abbott i-Stat Instruments / Thermal	49	3.82	0.14	3.20-4.40	3.68	17	2.68	0.10	2.30-3.10	3.70	17	6.59	0.30	5.60-7.60	4.55	17	4.78	0.16	4.10-5.50	3.33	16	0.34	0.05	0.00-0.60	16.67
<b>Glucose</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>
PG: Abbott i-Stat / Thermal	10	186.60	1.43	167.90-205.30	0.77	10	241.50	2.01	217.30-265.60	0.83	10	37.80	0.79	32.00-44.00	2.11	10	193.50	1.43	174.20-212.80	0.74	10	50.80	0.63	45.00-57.00	1.24
SG: International Abbott i-Stat Instruments / Thermal	44	186.44	1.26	167.80-205.00	0.70	15	241.25	1.74	217.10-265.30	0.72	15	37.69	0.78	32.00-44.00	2.11	15	193.27	1.38	174.00-212.60	0.73	15	50.69	0.53	45.00-57.00	1.05
PG: Abbott i-Stat (Waived) / Thermal	29	186.40	1.28	167.80-205.00	0.70																				
SG: Select Abbott i-Stat Instruments / Thermal	39	186.45	1.30	167.80-205.00	0.70	10	241.50	2.01	217.30-265.60	0.83	10	37.80	0.79	32.00-44.00	2.11	10	193.50	1.43	174.20-212.80	0.74	10	50.80	0.63	45.00-57.00	1.24
<b>Hematocrit</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>
PG: Abbott i-Stat / Thermal	6	20.50	0.55	19.30-21.70	2.68	6	30.00	0.63	28.20-31.80	2.10	6	20.33	0.52	19.10-21.50	2.56	6	32.83	0.75	30.80-34.80	2.29	6	13.00	0.00	12.20-13.80	0.00
SG: International Abbott i-Stat Instruments / Thermal	18	20.28	0.46	19.10-21.50	2.27	11	29.91	0.54	28.10-31.70	1.81	11	20.18	0.41	19.00-21.40	1.98	11	32.55	0.69	30.60-34.50	2.12	11	12.82	0.41	12.00-13.60	3.13
PG: Abbott i-Stat (Waived) / Thermal	7	20.14	0.38	18.90-21.30	1.89																				
SG: Select Abbott i-Stat Instruments / Thermal	13	20.31	0.48	19.10-21.50	2.36	6	30.00	0.63	28.20-31.80	2.10	6	20.33	0.52	19.10-21.50	2.56	6	32.83	0.75	30.80-34.80	2.29	6	13.00	0.00	12.20-13.80	0.00
<b>Hemoglobin</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>
PG: Abbott i-Stat / Thermal	5	6.96	0.15	6.50-7.50	2.14	5	10.16	0.09	9.50-10.90	0.88	5	6.90	0.14	6.40-7.40	2.03	5	11.18	0.27	10.40-12.00	2.41	5	4.32	0.18	4.00-4.60	4.19
SG: International Abbott i-Stat Instruments / Thermal	17	6.88	0.13	6.40-7.40	1.88	10	10.15	0.11	9.50-10.90	1.08	10	6.85	0.11	6.40-7.40	1.59	10	11.07	0.23	10.30-11.90	2.07	10	4.30	0.16	4.00-4.60	3.72
PG: Abbott i-Stat (Waived) / Thermal	7	6.84	0.11	6.30-7.30	1.62																				
SG: Select Abbott i-Stat Instruments / Thermal	12	6.89	0.14	6.40-7.40	2.03	5	10.16	0.09	9.50-10.90	0.88	5	6.90	0.14	6.40-7.40	2.03	5	11.18	0.27	10.40-12.00	2.41	5	4.32	0.18	4.00-4.60	4.19
<b>Ionized Calcium</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>
PG: Abbott i-Stat / Thermal	6	2.11	0.04	1.98-2.24	2.04	6	0.60	0.01	0.59-0.62	0.83	6	2.32	0.05	2.18-2.46	2.03	6	1.02	0.01	0.98-1.06	1.18	6	0.56	0.02	0.50-0.62	3.39
SG: International Abbott i-Stat Instruments / Thermal	23	2.12	0.03	2.03-2.21	1.46	11	0.60	0.01	0.59-0.62	0.83	11	2.32	0.04	2.20-2.44	1.77	11	1.02	0.01	0.99-1.05	1.08	11	0.56	0.01	0.52-0.60	2.50
PG: Abbott i-Stat (Waived) / Thermal	12	2.11	0.03	2.03-2.19	1.28																				
SG: Select Abbott i-Stat Instruments / Thermal	18	2.11	0.03	2.01-2.21	1.52	6	0.60	0.01	0.59-0.62	0.83	6	2.32	0.05	2.18-2.46	2.03	6	1.02	0.01	0.98-1.06	1.18	6	0.56	0.02	0.50-0.62	3.39
<b>Potassium (K+)</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>
PG: Abbott i-Stat / Thermal	13	2.72	0.04	2.20-3.20	1.48	13	6.62	0.04	6.10-7.10	0.61	13	3.22	0.04	2.70-3.70	1.25	13	4.51	0.03	4.00-5.00	0.67	13	2.03	0.05	1.50-2.50	2.50
SG: International Abbott i-Stat Instruments / Thermal	47	2.73	0.05	2.20-3.20	1.85	18	6.63	0.05	6.10-7.10	0.76	18	3.22	0.04	2.70-3.70	1.25	18	4.52	0.04	4.00-5.00	0.89	18	2.04	0.05	1.50-2.50	2.50
PG: Abbott i-Stat (Waived) / Thermal	29	2.73	0.05	2.20-3.20	1.85																				
SG: Select Abbott i-Stat Instruments / Thermal	42	2.73	0.04	2.20-3.20	1.85	13	6.62	0.04	6.10-7.10	0.61	13	3.22	0.04	2.70-3.70	1.25	13	4.51	0.03	4.00-5.00	0.67	13	2.03	0.05	1.50-2.50	2.50
<b>Sodium (NA+)</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>
PG: Abbott i-Stat / Thermal	10	125.40	0.70	121.40-129.40	0.56	10	167.70	1.06	164.00-172.00	0.65	10	122.50	0.53	119.00-127.00	0.43	10	153.80	0.79	150.00-158.00	0.52	10	112.80	0.63	109.00-117.00	0.56
SG: International Abbott i-Stat Instruments / Thermal	44	125.44	0.66	121.40-129.40	0.56	15	167.73	0.88	164.00-172.00	0.54	15	122.53	0.52	119.00-127.00	0.42	15	153.87	0.74	150.00-158.00	0.48	15	112.67	0.62	109.00-117.00	0.55
PG: Abbott i-Stat (Waived) / Thermal	29	125.50	0.68	121.50-129.50	0.56																				
SG: Select Abbott i-Stat Instruments / Thermal	39	125.47	0.68	121.50-129.50	0.56	10	167.70	1.06	164.00-172.00	0.65	10	122.50	0.53	119.00-127.00	0.43	10	153.80	0.79	150.00-158.00	0.52	10	112.80	0.63	109.00-117.00	0.56
<b>Urea Nitrogen (BUN)</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>
PG: Abbott i-Stat / Thermal	9	67.56	1.51	61.50-73.70	2.23	9	46.89	0.93	42.70-51.10	1.98	9	6.56	0.53	4.60-8.60	8.03	9	58.11	1.27	52.90-63.30	2.19	9	8.56	0.53	6.60-10.60	6.16
SG: International Abbott i-Stat Instruments / Thermal	43	67.09	1.56	61.10-73.10	2.32	14	47.21	0.88	43.00-51.40	1.86	14	6.48	0.49	4.50-8.50	7.54	14	58.09	1.06	52.90-63.30	1.82	14	8.52	0.42	6.50-10.50	4.94
PG: Abbott i-Stat (Waived) / Thermal	29	66.77	1.59	60.80-72.80	2.38																				
SG: Select Abbott i-Stat Instruments / Thermal	38	66.95	1.59	60.90-72.90	2.38	9	46.89	0.93	42.70-51.10	1.98	9	6.56	0.53	4.60-8.60	8.03	9	58.11	1.27	52.90-63.30	2.19	9	8.56	0.53	6.60-10.60	6.16
<b>HCO3</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>
PG: Abbott i-Stat	5	21.90	0.00	21.90-21.90	0.00	5	21.10	0.00	21.10-21.10	0.00	5	14.60	0.00	14.60-14.60	0.00	5	20.80	0.00	20.80-20.80	0.00	5	18.70	0.00	18.70-18.70	0.00
PG: Intl Abbott i-Stat	5	21.96	1.02	18.90-25.10	4.64	5	21.00	0.47	19.60-22.40	2.24	5	15.72	0.50	14.20-17.20	3.18	5	21.20	0.47	19.80-22.60	2.22	5	17.94	0.53	16.30-19.50	2.96
<b>Lactate</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>	<b>Range</b>	<b>CV, %</b>	<b>Labs</b>	<b>Mean</b>	<b>SD</b>		













American Academy of Family Physicians  
 11400 Tomahawk Creek Parkway  
 Leawood, KS 66211-2672  
 1-800-274-7911  
 www.aafp.org/pt pt@aafp.org

SG: Select True Track/TRUE Balance WBG Instruments	23	523.17	14.34	480.00-566.00	2.73																				
PG: Nipro TRUEresult	9	137.67	12.82	100.00-176.00	9.28																				
PG: Roche AccuChek Performa	89	198.18	7.03	177.00-219.00	3.54	8	76.13	2.53	69.00-84.00	3.29															
SG: Select TrueResult Meters	18	130.72	18.20	76.00-186.00	13.89																				
AG: All Group	607	195.79	36.28	87.00-305.00	18.52	103	72.83	10.35	42.00-104.00	14.25	50	328.50	65.37	133.00-525.00	19.88	50	110.84	13.27	71.00-151.00	11.98	50	94.66	9.84	66.00-124.00	10.32



789 - Bacterial Antigen Detection	Labs	Response	Number	Percent
<b>C. difficile Toxin Detect</b>				
<b>AD-6</b>				
* Denotes Correct Response				
AG: All Methods	3			
		*Negative	3	100.00%
Cepheid GeneXpert	1	*Negative	1	100.00%
Alere C diff Quik Chek Complete	2	*Negative	2	100.00%
<b>AD-7</b>				
* Denotes Correct Response				
AG: All Methods	3			
		*Positive	3	100.00%
Cepheid GeneXpert	1	*Positive	1	100.00%
Alere C diff Quik Chek Complete	2	*Positive	2	100.00%
<b>AD-8</b>				
* Denotes Correct Response				
AG: All Methods	3			
		*Negative	3	100.00%
Cepheid GeneXpert	1	*Negative	1	100.00%
Alere C diff Quik Chek Complete	2	*Negative	2	100.00%
<b>AD-9</b>				
* Denotes Correct Response				
AG: All Methods	3			
		*Positive	3	100.00%
Cepheid GeneXpert	1	*Positive	1	100.00%
Alere C diff Quik Chek Complete	2	*Positive	2	100.00%
<b>AD-10</b>				
* Denotes Correct Response				
AG: All Methods	3			
		*Positive	3	100.00%
Cepheid GeneXpert	1	*Positive	1	100.00%
Alere C diff Quik Chek Complete	2	*Positive	2	100.00%
<b>Strep B Ag Detect</b>				
<b>AD-6</b>				
* Denotes Correct Response				
AG: All Methods	1			
		*Positive	1	100.00%
Cepheid GeneXpert	1	*Positive	1	100.00%
<b>AD-7</b>				
* Denotes Correct Response				
AG: All Methods	1			
		*Negative	1	100.00%
Cepheid GeneXpert	1	*Negative	1	100.00%
<b>AD-8</b>				
* Denotes Correct Response				
AG: All Methods	1			
		*Positive	1	100.00%
Cepheid GeneXpert	1	*Positive	1	100.00%
<b>AD-9</b>				
* Denotes Correct Response				
AG: All Methods	1			
		*Negative	1	100.00%
Cepheid GeneXpert	1	*Negative	1	100.00%
<b>AD-10</b>				
* Denotes Correct Response				
AG: All Methods	1			
		*Positive	1	100.00%
Cepheid GeneXpert	1	*Positive	1	100.00%
<b>643 - ANA (Latex);760 - ANA (ELISA);757 - Special Immunology</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
<b>ANA (ELISA) (International)</b>				
<b>AE-6</b>				
* Denotes Correct Response				
PG: Dynex DS2	1			
		*Positive	1	100.00%
<b>AE-7</b>				
* Denotes Correct Response				
PG: Dynex DS2	1			
		*Positive	1	100.00%
<b>AE-8</b>				
* Denotes Correct Response				
PG: Dynex DS2	1			
		*Negative	1	100.00%
<b>AE-9</b>				
* Denotes Correct Response				
PG: Dynex DS2	1			
		*Negative	1	100.00%
<b>AE-10</b>				
* Denotes Correct Response				
PG: Dynex DS2	2			
		*Positive	1	50.00%
		Negative	1	50.00%



671 - Total IgE;674 - Diagnostic Allergy;765 - Allergen Testing (1 specimen)	Labs	Response	Number	Percent
<b>Aspergillus fumigatus Alrqn</b>				
* Denotes Correct Response				
AL-6(Q)				
AG: All Methods	7			
		*1	4	57.14%
		*1/0	2	28.57%
		3	1	14.29%
Hitachi CLA-1	6	*1	3	50.00%
Hycor Hytec 288	1	*1	1	100.00%
Hitachi CLA-1	6	*1/0	2	33.33%
Hitachi CLA-1		3	1	16.67%
<b>Bermuda Grass Alrqn</b>				
* Denotes Correct Response				
AL-6(Q)				
AG: All Methods	10			
		*2	5	50.00%
		*3	4	40.00%
		4	1	10.00%
Hitachi CLA-1	8	*2	3	37.50%
Hycor Hytec 288	1	*2	1	100.00%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	*2	1	100.00%
Hitachi CLA-1	8	*3	4	50.00%
Hitachi CLA-1		4	1	12.50%
<b>Cat Epithelium Alrqn</b>				
* Denotes Correct Response				
AL-6(Q)				
AG: All Methods	8			
		*3	2	25.00%
		*4	5	62.50%
		2	1	12.50%
Hitachi CLA-1	6	*3	1	16.67%
Hycor Hytec 288	1	*3	1	100.00%
Hitachi CLA-1	6	*4	5	83.33%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	2	1	100.00%
<b>Common Ragweed Alrqn</b>				
* Denotes Correct Response				
AL-6(Q)				
AG: All Methods	2			
		*2	2	100.00%
Hitachi CLA-1	1	*2	1	100.00%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	*2	1	100.00%
<b>Dog Dander Alrqn</b>				
* Denotes Correct Response				
AL-6(Q)				
AG: All Methods	8			
		*2	2	25.00%
		*3	2	25.00%
		*4	3	37.50%
		0	1	12.50%
Hitachi CLA-1	6	*2	1	16.67%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	*2	1	100.00%
Hitachi CLA-1	6	*3	2	33.33%
Hitachi CLA-1		*4	3	50.00%
Hycor Hytec 288	1	0	1	100.00%
<b>Dog Epithelium Alrqn</b>				
* Denotes Correct Response				
AL-6(Q)				
AG: All Methods	3			
		*2	1	33.33%
		*3	1	33.33%
		*4	1	33.33%
Hitachi CLA-1	3	*2	1	33.33%
Hitachi CLA-1		*3	1	33.33%
Hitachi CLA-1		*4	1	33.33%
<b>English Plantain Alrqn</b>				
* Denotes Correct Response				
AL-6(Q)				
AG: All Methods	5			
		*1	1	20.00%
		*2	3	60.00%
		4	1	20.00%
Hitachi CLA-1	5	*1	1	20.00%
Hitachi CLA-1		*2	3	60.00%



Hitachi CLA-1		4	1	20.00%
<b>House Dust Mite Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	8			
		*2	4	50.00%
		*3	2	25.00%
		*4	1	12.50%
		1	1	12.50%
Hitachi CLA-1	7	*2	3	42.86%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	*2	1	100.00%
Hitachi CLA-1	7	*3	2	28.57%
Hitachi CLA-1		*4	1	14.29%
Hitachi CLA-1		1	1	14.29%
<b>Box Elder, Maple Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	6			
		*1	2	33.33%
		*1/0	2	33.33%
		*2	1	16.67%
		3	1	16.67%
Hitachi CLA-1	5	*1	2	40.00%
Hitachi CLA-1		*1/0	2	40.00%
Hycor Hytec 288	1	*2	1	100.00%
Hitachi CLA-1	5	3	1	20.00%
<b>Oak Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	7			
		*2	5	71.43%
		*3	2	28.57%
Hitachi CLA-1	5	*2	3	60.00%
Hycor Hytec 288	1	*2	1	100.00%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	*2	1	100.00%
Hitachi CLA-1	5	*3	2	40.00%
<b>Peanut (Arachis hyogaea) Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	8			
		*3	4	50.00%
		*4	3	37.50%
		2	1	12.50%
Hitachi CLA-1	6	*3	3	50.00%
Hycor Hytec 288	1	*3	1	100.00%
Hitachi CLA-1	6	*4	3	50.00%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	2	1	100.00%
<b>Russian Thistle Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	2			
		*2	2	100.00%
Hycor Hytec 288	1	*2	1	100.00%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	*2	1	100.00%
<b>Soybean Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	8			
		*1	3	37.50%
		*2	5	62.50%
Hitachi CLA-1	6	*1	2	33.33%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	*1	1	100.00%
Hitachi CLA-1	6	*2	4	66.67%
Hycor Hytec 288	1	*2	1	100.00%
<b>Timothy Grass Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	8			
		*3	1	12.50%
		*4	7	87.50%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	*3	1	100.00%
Hitachi CLA-1	7	*4	7	100.00%
<b>Alternaria alternata Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	10			



		*1	8	80.00%
		*2	1	10.00%
		4	1	10.00%
Hitachi CLA-1	8	*1	6	75.00%
Hycor Hytec 288	1	*1	1	100.00%
Phadia ImmunoCAP 100/250/1000-kUA/L	1	*1	1	100.00%
Hitachi CLA-1	8	*2	1	12.50%
Hitachi CLA-1		4	1	12.50%
<b>Almond Alrgn</b>				
<b>AL-6(Q)</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*1	3	75.00%
		*2	1	25.00%
Hitachi CLA-1	4	*1	3	75.00%
Hitachi CLA-1		*2	1	25.00%
<b>Apple Alrgn</b>				
<b>AL-6(Q)</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*0	2	50.00%
		*1	2	50.00%
Hitachi CLA-1	4	*0	2	50.00%
Hitachi CLA-1		*1	2	50.00%
<b>Ash - White Alrgn</b>				
<b>AL-6(Q)</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*0	1	16.67%
		*1/0	3	50.00%
		*2	1	16.67%
		3	1	16.67%
Hitachi CLA-1	5	*0	1	20.00%
Hitachi CLA-1		*1/0	3	60.00%
Hycor Hytec 288	1	*2	1	100.00%
Hitachi CLA-1	5	3	1	20.00%
<b>Barley Alrgn</b>				
<b>AL-6(Q)</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			
		*0	2	40.00%
		*1	2	40.00%
		2	1	20.00%
Hitachi CLA-1	4	*0	2	50.00%
Hitachi CLA-1		*1	2	50.00%
Hycor Hytec 288	1	2	1	100.00%
<b>Elm - White Alrgn</b>				
<b>AL-6(Q)</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*1	2	33.33%
		*1/0	3	50.00%
		4	1	16.67%
Hitachi CLA-1	6	*1	2	33.33%
Hitachi CLA-1		*1/0	3	50.00%
Hitachi CLA-1		4	1	16.67%
<b>Beef Alrgn</b>				
<b>AL-6(Q)</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*0	2	50.00%
		*1	2	50.00%
Hitachi CLA-1	4	*0	2	50.00%
Hitachi CLA-1		*1	2	50.00%
<b>Birch/Alder Mix Alrgn</b>				
<b>AL-6(Q)</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*1	5	83.33%
		4	1	16.67%
Hitachi CLA-1	6	*1	5	83.33%
Hitachi CLA-1		4	1	16.67%
<b>Cedar - Mountain Alrgn</b>				
<b>AL-6(Q)</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			





		*1	1	20.00%
		*1/0	3	60.00%
		3	1	20.00%
Hitachi CLA-1	5	*1	1	20.00%
Hitachi CLA-1		*1/0	3	60.00%
Hitachi CLA-1		3	1	20.00%
<b>Chicken Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	4			
		*0	3	75.00%
		*1/0	1	25.00%
Hitachi CLA-1	4	*0	3	75.00%
Hitachi CLA-1		*1/0	1	25.00%
<b>Chocolate Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	4			
		*0	3	75.00%
		*1/0	1	25.00%
Hitachi CLA-1	4	*0	3	75.00%
Hitachi CLA-1		*1/0	1	25.00%
<b>Cladosporium Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	7			
		*0	1	14.29%
		*1	3	42.86%
		*1/0	2	28.57%
		3	1	14.29%
Hycor Hytec 288	1	*0	1	100.00%
Hitachi CLA-1	6	*1	3	50.00%
Hitachi CLA-1		*1/0	2	33.33%
Hitachi CLA-1		3	1	16.67%
<b>Cocklebur Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	6			
		*1	3	50.00%
		*1/0	2	33.33%
		3	1	16.67%
Hitachi CLA-1	6	*1	3	50.00%
Hitachi CLA-1		*1/0	2	33.33%
Hitachi CLA-1		3	1	16.67%
<b>Oat Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	4			
		*0	1	25.00%
		*1	2	50.00%
		*1/0	1	25.00%
Hitachi CLA-1	4	*0	1	25.00%
Hitachi CLA-1		*1	2	50.00%
Hitachi CLA-1		*1/0	1	25.00%
<b>Corn Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	6			
		*0	1	16.67%
		*1	4	66.67%
		*2	1	16.67%
Hitachi CLA-1	5	*0	1	20.00%
Hitachi CLA-1		*1	4	80.00%
Hycor Hytec 288	1	*2	1	100.00%
<b>Egg - whole Alrgn</b>				
<b>AL-6(Q)</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	6			
		*2	2	33.33%
		*3	3	50.00%
		1	1	16.67%
Hitachi CLA-1	5	*2	1	20.00%
Hycor Hytec 288	1	*2	1	100.00%
Hitachi CLA-1	5	*3	3	60.00%
Hitachi CLA-1		1	1	20.00%



AL-6(Q)		Garlic Alrgn		
AG: All Methods		* Denotes Correct Response		
	4			
		*1	2	50.00%
		*1/0	1	25.00%
		*2	1	25.00%
Hitachi CLA-1	4	*1	2	50.00%
Hitachi CLA-1		*1/0	1	25.00%
Hitachi CLA-1		*2	1	25.00%
AL-6(Q)		Lambs Quarters Alrgn		
AG: All Methods		* Denotes Correct Response		
	7			
		*1	2	28.57%
		*2	3	42.86%
		*3	2	28.57%
Hitachi CLA-1	6	*1	2	33.33%
Hitachi CLA-1		*2	3	50.00%
Hitachi CLA-1		*3	1	16.67%
Hycor Hytec 288	1	*3	1	100.00%
AL-6(Q)		Marshelder - Rough Alrgn		
AG: All Methods		* Denotes Correct Response		
	6			
		*1	3	50.00%
		*2	2	33.33%
		4	1	16.67%
Hitachi CLA-1	5	*1	3	60.00%
Hitachi CLA-1		*2	1	20.00%
Hycor Hytec 288	1	*2	1	100.00%
Hitachi CLA-1	5	4	1	20.00%
AL-6(Q)		Milk Alrgn		
AG: All Methods		* Denotes Correct Response		
	5			
		*1	2	40.00%
		*2	3	60.00%
Hitachi CLA-1	5	*1	2	40.00%
Hitachi CLA-1		*2	3	60.00%
AL-6(Q)		Mite D Farinae Alrgn		
AG: All Methods		* Denotes Correct Response		
	7			
		*4	7	100.00%
Hitachi CLA-1	7	*4	7	100.00%
AL-6(Q)		Mulberry Mix Alrgn		
AG: All Methods		* Denotes Correct Response		
	6			
		*0	3	50.00%
		*1	1	16.67%
		*1/0	1	16.67%
		3	1	16.67%
Hitachi CLA-1	6	*0	3	50.00%
Hitachi CLA-1		*1	1	16.67%
Hitachi CLA-1		*1/0	1	16.67%
Hitachi CLA-1		3	1	16.67%
AL-6(Q)		Onion Mix Alrgn		
AG: All Methods		* Denotes Correct Response		
	4			
		*0	2	50.00%
		*1/0	2	50.00%
Hitachi CLA-1	4	*0	2	50.00%
Hitachi CLA-1		*1/0	2	50.00%
AL-6(Q)		Orange Alrgn		
AG: All Methods		* Denotes Correct Response		
	6			
		*1	3	50.00%
		*2	3	50.00%
Hitachi CLA-1	5	*1	3	60.00%
Hitachi CLA-1		*2	2	40.00%
Hycor Hytec 288	1	*2	1	100.00%
AL-6(Q)		Pigweed Alrgn		



AL-6(Q)		* Denotes Correct Response		
AG: All Methods	6			
		*1	3	50.00%
		*1/0	2	33.33%
		*2	1	16.67%
Hitachi CLA-1	6	*1	3	50.00%
Hitachi CLA-1		*1/0	2	33.33%
Hitachi CLA-1		*2	1	16.67%
AL-6(Q)		Pine Mix Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	6			
		*0	1	16.67%
		*1	1	16.67%
		*1/0	3	50.00%
		3	1	16.67%
Hitachi CLA-1	6	*0	1	16.67%
Hitachi CLA-1		*1	1	16.67%
Hitachi CLA-1		*1/0	3	50.00%
Hitachi CLA-1		3	1	16.67%
AL-6(Q)		Pork Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	5			
		*1	4	80.00%
		*2	1	20.00%
Hitachi CLA-1	4	*1	3	75.00%
Hycor Hytec 288	1	*1	1	100.00%
Hitachi CLA-1	4	*2	1	25.00%
AL-6(Q)		Potato Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	4			
		*1	2	50.00%
		*2	2	50.00%
Hitachi CLA-1	4	*1	2	50.00%
Hitachi CLA-1		*2	2	50.00%
AL-6(Q)		Privet Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	6			
		*0	1	16.67%
		*1	1	16.67%
		*1/0	3	50.00%
		2	1	16.67%
Hitachi CLA-1	6	*0	1	16.67%
Hitachi CLA-1		*1	1	16.67%
Hitachi CLA-1		*1/0	3	50.00%
Hitachi CLA-1		2	1	16.67%
AL-6(Q)		Ragweed - Short Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	7			
		*2	3	42.86%
		*3	3	42.86%
		4	1	14.29%
Hitachi CLA-1	6	*2	3	50.00%
Hitachi CLA-1		*3	2	33.33%
Hycor Hytec 288	1	*3	1	100.00%
Hitachi CLA-1	6	4	1	16.67%
AL-6(Q)		Rice Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	6			
		*1	2	33.33%
		*2	2	33.33%
		*3	1	16.67%
		1/0	1	16.67%
Hitachi CLA-1	5	*1	2	40.00%
Hitachi CLA-1		*2	1	20.00%
Hycor Hytec 288	1	*2	1	100.00%
Hitachi CLA-1	5	*3	1	20.00%
Hitachi CLA-1		1/0	1	20.00%
AL-6(Q)		Sheep Sorrel Alrqn		



AL-6(Q)		* Denotes Correct Response		
AG: All Methods	6			
		*2	1	16.67%
		*3	4	66.67%
		*4	1	16.67%
Hitachi CLA-1	6	*2	1	16.67%
Hitachi CLA-1		*3	4	66.67%
Hitachi CLA-1		*4	1	16.67%
AL-6(Q)		Shellfish Mix Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	5			
		*2	2	40.00%
		*3	2	40.00%
		*4	1	20.00%
Hitachi CLA-1	5	*2	2	40.00%
Hitachi CLA-1		*3	2	40.00%
Hitachi CLA-1		*4	1	20.00%
AL-6(Q)		Sycamore - American Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	6			
		*0	3	50.00%
		*1/0	2	33.33%
		2	1	16.67%
Hitachi CLA-1	6	*0	3	50.00%
Hitachi CLA-1		*1/0	2	33.33%
Hitachi CLA-1		2	1	16.67%
AL-6(Q)		Tomato Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	6			
		*1	1	16.67%
		*2	5	83.33%
Hitachi CLA-1	5	*1	1	20.00%
Hitachi CLA-1		*2	4	80.00%
Hycor Hytec 288	1	*2	1	100.00%
AL-6(Q)		Tuna Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	4			
		*0	1	25.00%
		*1/0	3	75.00%
Hitachi CLA-1	4	*0	1	25.00%
Hitachi CLA-1		*1/0	3	75.00%
AL-6(Q)		Vegetable Mix Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	4			
		*1	4	100.00%
Hitachi CLA-1	4	*1	4	100.00%
AL-6(Q)		Walnut/Hickory/Pecan Mix Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	6			
		*1	3	50.00%
		*1/0	2	33.33%
		4	1	16.67%
Hitachi CLA-1	6	*1	3	50.00%
Hitachi CLA-1		*1/0	2	33.33%
Hitachi CLA-1		4	1	16.67%
AL-6(Q)		Waterhemp Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	4			
		*3	3	75.00%
		*4	1	25.00%
Hitachi CLA-1	4	*3	3	75.00%
Hitachi CLA-1		*4	1	25.00%
AL-6(Q)		Wheat Alrqn		
AL-6(Q)		* Denotes Correct Response		
AG: All Methods	5			
		*1	3	60.00%
		*2	2	40.00%
Hitachi CLA-1	4	*1	3	75.00%



Hitachi CLA-1		*2	1	25.00%
Hycor HYTEC 288	1	*2	1	100.00%
<b>Yeast - Bakers Alrgn</b>				
AL-6(Q) * Denotes Correct Response				
AG: All Methods	5			
		*0	4	80.00%
		*1/0	1	20.00%
Hitachi CLA-1	5	*0	4	80.00%
Hitachi CLA-1		*1/0	1	20.00%
<b>Acacia Alrgn</b>				
AL-6(Q) * Denotes Correct Response				
AG: All Methods	2			
		*1/0	1	50.00%
		*2	1	50.00%
Hitachi CLA-1	2	*1/0	1	50.00%
Hitachi CLA-1		*2	1	50.00%
<b>Bahia Grass Alrgn</b>				
AL-6(Q) * Denotes Correct Response				
AG: All Methods	2			
		*3	1	50.00%
		*4	1	50.00%
Hitachi CLA-1	2	*3	1	50.00%
Hitachi CLA-1		*4	1	50.00%
<b>Candida Alrgn</b>				
AL-6(Q) * Denotes Correct Response				
AG: All Methods	2			
		*1/0	1	50.00%
		*2	1	50.00%
Hitachi CLA-1	2	*1/0	1	50.00%
Hitachi CLA-1		*2	1	50.00%
<b>Cat Dander Alrgn</b>				
AL-6(Q) * Denotes Correct Response				
AG: All Methods	2			
		*4	2	100.00%
Hitachi CLA-1	2	*4	2	100.00%
<b>683 - ASO/CRP;759 - Complete Immunology;729 - AFC Immunology</b>				
Labs Response Number Percent				
ASO (Qual) (International)				
AS-6 * Denotes Correct Response				
PG: Wampole ColorCard ASO	1			
		*Negative	1	100.00%
AS-7 * Denotes Correct Response				
PG: Wampole ColorCard ASO	1			
		*Negative	1	100.00%
AS-8 * Denotes Correct Response				
PG: Wampole ColorCard ASO	1			
		*Positive	1	100.00%
AS-9 * Denotes Correct Response				
PG: Wampole ColorCard ASO	1			
		*Positive	1	100.00%
AS-10 * Denotes Correct Response				
PG: Wampole ColorCard ASO	1			
		*Positive	1	100.00%
ASO (Semi-Quant)				
AS-6 * Denotes Correct Response				
PG: Fisher HC Sure-Vue ASO	1			
AS-7 * Denotes Correct Response				
PG: Fisher HC Sure-Vue ASO	1			
AS-8 * Denotes Correct Response				
PG: Fisher HC Sure-Vue ASO	1			
AS-9 * Denotes Correct Response				
PG: Fisher HC Sure-Vue ASO	1			
AS-10 * Denotes Correct Response				
PG: Fisher HC Sure-Vue ASO	1			
ASO (Qual)				
AS-6 * Denotes Correct Response				
PG: Fisher HC Sure-Vue ASO	1			



		*Negative	1	100.00%
<b>AS-7</b>		<b>* Denotes Correct Response</b>		
PG: Fisher HC Sure-Vue ASO	1			
		*Negative	1	100.00%
<b>AS-8</b>		<b>* Denotes Correct Response</b>		
PG: Fisher HC Sure-Vue ASO	1			
		*Positive	1	100.00%
<b>AS-9</b>		<b>* Denotes Correct Response</b>		
PG: Fisher HC Sure-Vue ASO	1			
		*Positive	1	100.00%
<b>AS-10</b>		<b>* Denotes Correct Response</b>		
PG: Fisher HC Sure-Vue ASO	1			
		*Positive	1	100.00%
<b>782 - Complete Bacteriology</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Ear Culture</b>		
<b>BA-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Moraxella catarrhalis (Branhamella)	1	100.00%
		Staphylococcus, coagulase negative	1	100.00%
Cultures	1	*Moraxella catarrhalis (Branhamella)	1	100.00%
Cultures		Staphylococcus, coagulase negative	1	100.00%
		<b>CSF Culture</b>		
<b>BA-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Haemophilus species	1	100.00%
Cultures	1	*Haemophilus species	1	100.00%
		<b>Wound Culture</b>		
<b>BA-5</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Staphylococcus aureus	1	50.00%
		*Staphylococcus, coagulase positive	1	50.00%
Cultures	2	*Staphylococcus aureus	1	50.00%
Cultures		*Staphylococcus, coagulase positive	1	50.00%
<b>650 - Blood Bank; 736 - ABO/Rh Only</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>ABO Group</b>		
<b>BB-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Group B	1	100.00%
Blood Bank Testing	1	*Group B	1	100.00%
<b>BB-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Group O	1	100.00%
Blood Bank Testing	1	*Group O	1	100.00%
<b>BB-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Group A	1	100.00%
Blood Bank Testing	1	*Group A	1	100.00%
<b>BB-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Group B	1	100.00%
Blood Bank Testing	1	*Group B	1	100.00%
<b>BB-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Group A	1	100.00%
Blood Bank Testing	1	*Group A	1	100.00%
		<b>Rh Type</b>		
<b>BB-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			
		*Rh Positive	9	100.00%
Blood Bank Testing	9	*Rh Positive	9	100.00%
<b>BB-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			
		*Rh Negative	9	100.00%
Blood Bank Testing	9	*Rh Negative	9	100.00%
<b>BB-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			
		*Rh Positive	9	100.00%



Blood Bank Testing	9	*Rh Positive	9	100.00%
<b>BB-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			
		*Rh Positive	9	100.00%
Blood Bank Testing	9	*Rh Positive	9	100.00%
<b>BB-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			
		*Rh Negative	9	100.00%
Blood Bank Testing	9	*Rh Negative	9	100.00%
661 - Urine Colony Count;784 - Presump ID/Colony Count - Urine;785 - Presump ID/Colony Count-Urine & Strep Combo;775 - Urine Culture;778 - Urine & Throat Cultures;779 - Urine & Genital Cultures;781 - Urine, Throat & Genital Cultures;782 - Complete Bacteri	Labs	Response	Number	Percent
		Colony Count		
<b>CC-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	31			
		*Greater than 100,000	25	80.65%
		10,000 - 100,000	5	16.13%
		No growth	1	3.23%
Calibrated Loop - Manual	8	*Greater than 100,000	7	87.50%
Uri-Chek (Troy Bio)	2	*Greater than 100,000	1	50.00%
Uricult (Orion)	19	*Greater than 100,000	15	78.95%
Uri-Three (Culture Kits)	1	*Greater than 100,000	1	100.00%
Uricult (Lifesign)	1	*Greater than 100,000	1	100.00%
Calibrated Loop - Manual	8	10,000 - 100,000	1	12.50%
Uri-Chek (Troy Bio)	2	10,000 - 100,000	1	50.00%
Uricult (Orion)	19	10,000 - 100,000	3	15.79%
Uricult (Orion)		No growth	1	5.26%
784 - Presump ID/Colony Count - Urine;785 - Presump ID/Colony Count-Urine & Strep Combo	Labs	Response	Number	Percent
		Colony Count		
<b>CC-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	31			
		*Greater than 100,000	25	80.65%
		10,000 - 100,000	5	16.13%
		No growth	1	3.23%
Calibrated Loop - Manual	8	*Greater than 100,000	7	87.50%
Uri-Chek (Troy Bio)	2	*Greater than 100,000	1	50.00%
Uricult (Orion)	19	*Greater than 100,000	15	78.95%
Uri-Three (Culture Kits)	1	*Greater than 100,000	1	100.00%
Uricult (Lifesign)	1	*Greater than 100,000	1	100.00%
Calibrated Loop - Manual	8	10,000 - 100,000	1	12.50%
Uri-Chek (Troy Bio)	2	10,000 - 100,000	1	50.00%
Uricult (Orion)	19	10,000 - 100,000	3	15.79%
Uricult (Orion)		No growth	1	5.26%
<b>CC-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*10,000 - 100,000	2	33.33%
		*Greater than 100,000	3	50.00%
		Less than 10,000	1	16.67%
Uri-Chek (Troy Bio)	1	*10,000 - 100,000	1	100.00%
Uricult (Orion)	2	*10,000 - 100,000	1	50.00%
Calibrated Loop - Manual	3	*Greater than 100,000	2	66.67%
Uricult (Orion)	2	*Greater than 100,000	1	50.00%
Calibrated Loop - Manual	3	Less than 10,000	1	33.33%
<b>CC-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*10,000 - 100,000	2	33.33%
		*Greater than 100,000	2	33.33%
		Less than 10,000	1	16.67%
		No growth	1	16.67%
Calibrated Loop - Manual	3	*10,000 - 100,000	1	33.33%
Uricult (Orion)	2	*10,000 - 100,000	1	50.00%
Calibrated Loop - Manual	3	*Greater than 100,000	1	33.33%
Uricult (Orion)	2	*Greater than 100,000	1	50.00%
Uri-Chek (Troy Bio)	1	Less than 10,000	1	100.00%
Calibrated Loop - Manual	3	No growth	1	33.33%
<b>CC-9</b>		<b>* Denotes Correct Response</b>		



AG: All Methods	6			
		*Greater than 100,000	6	100.00%
Calibrated Loop - Manual	3	*Greater than 100,000	3	100.00%
Uri-Chek (Troy Bio)	1	*Greater than 100,000	1	100.00%
Uricult (Orion)	2	*Greater than 100,000	2	100.00%
<b>CC-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*10,000 - 100,000	4	66.67%
		*Greater than 100,000	2	33.33%
Calibrated Loop - Manual	3	*10,000 - 100,000	2	66.67%
Uri-Chek (Troy Bio)	1	*10,000 - 100,000	1	100.00%
Uricult (Orion)	2	*10,000 - 100,000	1	50.00%
Calibrated Loop - Manual	3	*Greater than 100,000	1	33.33%
Uricult (Orion)	2	*Greater than 100,000	1	50.00%
		<b>Urine Presump Id</b>		
<b>CC-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Presumptive Klebsiella sp.	2	66.67%
		Presumptive E. Coli	1	33.33%
Calibrated Loop - Manual	2	*Presumptive Klebsiella sp.	2	100.00%
Uricult (Orion)	1	Presumptive E. Coli	1	100.00%
<b>CC-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Gram Positive Organism	1	33.33%
		*Presumptive Enterococcus sp.	1	33.33%
		Presumptive Proteus sp.	1	33.33%
Uricult (Orion)	1	*Gram Positive Organism	1	100.00%
Calibrated Loop - Manual	2	*Presumptive Enterococcus sp.	1	50.00%
Calibrated Loop - Manual		Presumptive Proteus sp.	1	50.00%
<b>CC-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Gram Negative Organsim	1	33.33%
		*Presumptive Proteus sp.	2	66.67%
Uricult (Orion)	1	*Gram Negative Organsim	1	100.00%
Calibrated Loop - Manual	2	*Presumptive Proteus sp.	2	100.00%
<b>CC-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Presumptive E. Coli	3	100.00%
Calibrated Loop - Manual	2	*Presumptive E. Coli	2	100.00%
Uricult (Orion)	1	*Presumptive E. Coli	1	100.00%
<b>CC-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Gram Negative Organsim	1	33.33%
		*Presumptive Enterobacter sp.	1	33.33%
		*Presumptive Klebsiella sp.	1	33.33%
Uricult (Orion)	1	*Gram Negative Organsim	1	100.00%
Calibrated Loop - Manual	2	*Presumptive Enterobacter sp.	1	50.00%
Calibrated Loop - Manual		*Presumptive Klebsiella sp.	1	50.00%
		<b>Susceptibility Amikacin</b>		
<b>CC-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
		<b>Susceptibility Amox/Clavulanate</b>		
<b>CC-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%
		<b>Susceptibility Ampicillin</b>		
<b>CC-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	8			
		*Resistant	7	87.50%
		Sensitive	1	12.50%
Susceptibility	8	*Resistant	7	87.50%
Susceptibility		Sensitive	1	12.50%
		<b>Susceptibility Ampicillin/Sulbactam</b>		
<b>CC-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			





		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
		<b>Susceptibility Aztreonam</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
		<b>Susceptibility Cefazolin</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	3			
		*Sensitive	3	100.00%
Susceptibility	3	*Sensitive	3	100.00%
		<b>Susceptibility Cefepime</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
		<b>Susceptibility Cefotaxime</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
		<b>Susceptibility Cefpodoxime</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
		<b>Susceptibility Ceftazidime</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	3			
		*Sensitive	3	100.00%
Susceptibility	3	*Sensitive	3	100.00%
		<b>Susceptibility Ceftriaxone</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	6			
		*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%
		<b>Susceptibility Cefuroxime</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	4			
		*Sensitive	4	100.00%
Susceptibility	4	*Sensitive	4	100.00%
		<b>Susceptibility Cephalothin</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	6			
		*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%
		<b>Susceptibility Ciprofloxacin</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	10			
		*Sensitive	10	100.00%
Susceptibility	10	*Sensitive	10	100.00%
		<b>Susceptibility Gentamicin</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	6			
		*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%
		<b>Susceptibility Imipenem</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	3			
		*Sensitive	3	100.00%
Susceptibility	3	*Sensitive	3	100.00%
		<b>Susceptibility Levofloxacin</b>		
CC-6		* Denotes Correct Response		
AG: All Methods	6			
		*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%



CC-6		Susceptibility Meropenem		
AG: All Methods		* Denotes Correct Response		
	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
CC-6		Susceptibility Minocycline		
AG: All Methods		* Denotes Correct Response		
	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
CC-6		Susceptibility Nitrofurantoin		
AG: All Methods		* Denotes Correct Response		
	9			
		*Intermediate	4	44.44%
		*Sensitive	5	55.56%
Susceptibility	9	*Intermediate	4	44.44%
Susceptibility		*Sensitive	5	55.56%
CC-6		Susceptibility Norfloxacin/Noroxin		
AG: All Methods		* Denotes Correct Response		
	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
CC-6		Susceptibility Piperacillin/Tazobactam		
AG: All Methods		* Denotes Correct Response		
	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
CC-6		Susceptibility Sulfamethoxazole		
AG: All Methods		* Denotes Correct Response		
	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
CC-6		Susceptibility Tetracycline		
AG: All Methods		* Denotes Correct Response		
	6			
		*Sensitive	5	83.33%
		Resistant	1	16.67%
Susceptibility	6	*Sensitive	5	83.33%
Susceptibility		Resistant	1	16.67%
CC-6		Susceptibility Ticarcillin/Clavulanate		
AG: All Methods		* Denotes Correct Response		
	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
CC-6		Susceptibility Tobramycin		
AG: All Methods		* Denotes Correct Response		
	3			
		*Sensitive	3	100.00%
Susceptibility	3	*Sensitive	3	100.00%
CC-6		Susceptibility Trimethoprim		
AG: All Methods		* Denotes Correct Response		
	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
CC-6		Susceptibility Trimeth./Sulfameth.		
AG: All Methods		* Denotes Correct Response		
	8			
		*Sensitive	8	100.00%
Susceptibility	8	*Sensitive	8	100.00%
CC-6		Susceptibility Ertapenem		
AG: All Methods		* Denotes Correct Response		
	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
714 - Complete Cardiac Markers;715 - Basic Cardiac Markers;720 - Cardiac Markers I	Labs	Response	Number	Percent
		Myoglobin (Qualitative)		



CDM-6		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	1	50.00%
		Negative	1	50.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	1	50.00%
Princeton Biomedical Corp. Lifesign MI		Negative	1	50.00%
CDM-7		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
CDM-8		* Denotes Correct Response		
AG: All Methods	2			
		*Negative	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Negative	2	100.00%
CDM-9		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	1	50.00%
		Negative	1	50.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	1	50.00%
Princeton Biomedical Corp. Lifesign MI		Negative	1	50.00%
CDM-10		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
CK-MB (Qualitative)				
CDM-6		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
CDM-7		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
CDM-8		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
CDM-9		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
CDM-10		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
Troponin I (Qualitative)				
CDM-6		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
CDM-7		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
CDM-8		* Denotes Correct Response		
AG: All Methods	2			
		*Negative	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Negative	2	100.00%
CDM-9		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%
CDM-10		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Princeton Biomedical Corp. Lifesign MI	2	*Positive	2	100.00%



639 - Complete Urinalysis Package;638 - Urine Sediment;641 - Clinical Microscopy;601 - Waived/PPM Tests II;609 - Waived/PPM Tests I;646 - Clinical Microscopy Extra;628 - AFC Waived/PPM	Labs	Response	Number	Percent
<b>Urine Sediment Id</b>				
<b>CM-10</b>				
* Denotes Correct Response				
AG: All Methods	820			
		*Ammonium magnesium phosphate (Triple phosphate)	700	85.37%
		Ammonium biurate crystal	2	0.24%
		Amorphous urates/phosphates	16	1.95%
		Calcium oxalate crystal	17	2.07%
		Calcium phosphate crystal	34	4.15%
		Cholesterol crystal	4	0.49%
		Granular cast	1	0.12%
		Hippuric acid	8	0.98%
		Hyaline cast	2	0.24%
		Leucine crystal	1	0.12%
		Red blood cell (RBC) (Erythrocyte)	2	0.24%
		RTE with fat globules (oval fat bodies)	1	0.12%
		Sulfonamide crystal	1	0.12%
		Uric acid crystal	30	3.66%
		Waxy cast	1	0.12%
Microscopy	820	*Ammonium magnesium phosphate (Triple phosphate)	700	85.37%
Microscopy		Ammonium biurate crystal	2	0.24%
Microscopy		Amorphous urates/phosphates	16	1.95%
Microscopy		Calcium oxalate crystal	17	2.07%
Microscopy		Calcium phosphate crystal	34	4.15%
Microscopy		Cholesterol crystal	4	0.49%
Microscopy		Granular cast	1	0.12%
Microscopy		Hippuric acid	8	0.98%
Microscopy		Hyaline cast	2	0.24%
Microscopy		Leucine crystal	1	0.12%
Microscopy		Red blood cell (RBC) (Erythrocyte)	2	0.24%
Microscopy		RTE with fat globules (oval fat bodies)	1	0.12%
Microscopy		Sulfonamide crystal	1	0.12%
Microscopy		Uric acid crystal	30	3.66%
Microscopy		Waxy cast	1	0.12%
<b>CM-11</b>				
* Denotes Correct Response				
AG: All Methods	818			
		*Amorphous urates/phosphates	601	73.47%
		*Ident Unknown - Referred	43	5.26%
		Ammonium biurate crystal	9	1.10%
		Ammonium magnesium phosphate (Triple phosphate)	19	2.32%
		Bacteria	47	5.75%
		Bilirubin crystal	1	0.12%
		Calcium carbonate	11	1.34%
		Calcium oxalate crystal	2	0.24%
		Cellular (WBC) cast	1	0.12%
		Fat droplets or globules	4	0.49%
		Fiber (exogenous)/fecal contamination	12	1.47%
		Granular cast	1	0.12%
		Hippuric acid	1	0.12%
		Mucous strands	3	0.37%
		Pollen grain	2	0.24%
		RBC/Blood/Hgb cast	1	0.12%
		Red blood cell (RBC) (Erythrocyte)	12	1.47%
		Red Blood Cell (RBC) (Erythrocyte)	1	0.12%
		Renal tubular epithelial (RTE)	6	0.73%
		RTE with fat globules (oval fat bodies)	1	0.12%
		Squamous epithelial cell	5	0.61%
		Starch granules	5	0.61%
		Transitional epithelial cell (urothelial)	8	0.98%
		Uric acid crystal	2	0.24%
		White blood cell (WBC) (Leukocyte)	17	2.08%
		Yeast/fungi	3	0.37%
Microscopy	818	*Amorphous urates/phosphates	601	73.47%
Microscopy		*Ident Unknown - Referred	43	5.26%
Microscopy		Ammonium biurate crystal	9	1.10%
Microscopy		Ammonium magnesium phosphate (Triple phosphate)	19	2.32%



Microscopy		Bacteria	47	5.75%
Microscopy		Bilirubin crystal	1	0.12%
Microscopy		Calcium carbonate	11	1.34%
Microscopy		Calcium oxalate crystal	2	0.24%
Microscopy		Cellular (WBC) cast	1	0.12%
Microscopy		Fat droplets or globules	4	0.49%
Microscopy		Fiber (exogenous)/fecal contamination	12	1.47%
Microscopy		Granular cast	1	0.12%
Microscopy		Hippuric acid	1	0.12%
Microscopy		Mucous strands	3	0.37%
Microscopy		Pollen grain	2	0.24%
Microscopy		RBC/Blood/Hgb cast	1	0.12%
Microscopy		Red blood cell (RBC) (Erythrocyte)	12	1.47%
Microscopy		Red Blood Cell (RBC) (Erythrocyte)	1	0.12%
Microscopy		Renal tubular epithelial (RTE)	6	0.73%
Microscopy		RTE with fat globules (oval fat bodies)	1	0.12%
Microscopy		Squamous epithelial cell	5	0.61%
Microscopy		Starch granules	5	0.61%
Microscopy		Transitional epithelial cell (urothelial)	8	0.98%
Microscopy		Uric acid crystal	2	0.24%
Microscopy		White blood cell (WBC) (Leukocyte)	17	2.08%
Microscopy		Yeast/fungi	3	0.37%
<b>CM-12</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	818			
		*Starch granule	1	0.12%
		*Starch granules	558	68.22%
		Ammonium biurate crystal	2	0.24%
		Ammonium magnesium phosphate (Triple phosphate)	1	0.12%
		Amorphous urates/phosphates	2	0.24%
		Calcium carbonate	3	0.37%
		Calcium oxalate crystal	133	16.26%
		Cellular (RTE) cast	1	0.12%
		Cholesterol crystal	8	0.98%
		Cystine crystal	15	1.83%
		Fat droplets or globules	15	1.83%
		Granular cast	2	0.24%
		Hippuric acid	3	0.37%
		Hyaline cast	2	0.24%
		Ident Unknown - Referred	5	0.61%
		Leucine crystal	10	1.22%
		Mucous strands	1	0.12%
		Red blood cell (RBC) (Erythrocyte)	2	0.24%
		Red Blood Cell (RBC) (Erythrocyte)	1	0.12%
		Renal tubular epithelial (RTE)	2	0.24%
		RTE with fat globules (oval fat bodies)	13	1.59%
		Squamous epithelial cell	14	1.71%
		Squamous epithelial cell	1	0.12%
		Transitional epithelial cell (urothelial)	1	0.12%
		Uric acid crystal	20	2.44%
		White blood cell (WBC) (Leukocyte)	2	0.24%
Microscopy	818	*Starch granule	1	0.12%
Microscopy		*Starch granules	558	68.22%
Microscopy		Ammonium biurate crystal	2	0.24%
Microscopy		Ammonium magnesium phosphate (Triple phosphate)	1	0.12%
Microscopy		Amorphous urates/phosphates	2	0.24%
Microscopy		Calcium carbonate	3	0.37%
Microscopy		Calcium oxalate crystal	133	16.26%
Microscopy		Cellular (RTE) cast	1	0.12%
Microscopy		Cholesterol crystal	8	0.98%
Microscopy		Cystine crystal	15	1.83%
Microscopy		Fat droplets or globules	15	1.83%
Microscopy		Granular cast	2	0.24%
Microscopy		Hippuric acid	3	0.37%
Microscopy		Hyaline cast	2	0.24%
Microscopy		Ident Unknown - Referred	5	0.61%
Microscopy		Leucine crystal	10	1.22%
Microscopy		Mucous strands	1	0.12%
Microscopy		Red blood cell (RBC) (Erythrocyte)	2	0.24%
Microscopy		Red Blood Cell (RBC) (Erythrocyte)	1	0.12%



Microscopy		Renal tubular epithelial (RTE)	2	0.24%
Microscopy		RTE with fat globules (oval fat bodies)	13	1.59%
Microscopy		Squamous epithelial cell	14	1.71%
Microscopy		Squamous epithelial cell	1	0.12%
Microscopy		Transitional epithelial cell (urothelial)	1	0.12%
Microscopy		Uric acid crystal	20	2.44%
Microscopy		White blood cell (WBC) (Leukocyte)	2	0.24%
<b>CM-13</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	818			
		*Squamous epithelial cell	770	94.13%
		Calcium oxalate crystal	4	0.49%
		Cholesterol crystal	1	0.12%
		Clue cell	3	0.37%
		Ident Unknown - Referred	1	0.12%
		Pollen grain	1	0.12%
		Renal tubular epithelial (RTE)	4	0.49%
		RTE with fat globules (oval fat bodies)	1	0.12%
		Squamous epithelial cell	1	0.12%
		Starch granules	11	1.34%
		Transitional epithelial cell (urothelial)	16	1.96%
		Trichomonas vaginalis	1	0.12%
		Uric acid crystal	1	0.12%
		White blood cell (WBC) (Leukocyte)	3	0.37%
Microscopy	818	*Squamous epithelial cell	770	94.13%
Microscopy		Calcium oxalate crystal	4	0.49%
Microscopy		Cholesterol crystal	1	0.12%
Microscopy		Clue cell	3	0.37%
Microscopy		Ident Unknown - Referred	1	0.12%
Microscopy		Pollen grain	1	0.12%
Microscopy		Renal tubular epithelial (RTE)	4	0.49%
Microscopy		RTE with fat globules (oval fat bodies)	1	0.12%
Microscopy		Squamous epithelial cell	1	0.12%
Microscopy		Starch granules	11	1.34%
Microscopy		Transitional epithelial cell (urothelial)	16	1.96%
Microscopy		Trichomonas vaginalis	1	0.12%
Microscopy		Uric acid crystal	1	0.12%
Microscopy		White blood cell (WBC) (Leukocyte)	3	0.37%
		<b>Vaginal Wet Prep</b>		
<b>CM-14</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1055			
		*Trichomonas vaginalis	1021	96.78%
		Bacteria present	1	0.09%
		Clue cell	2	0.19%
		Spermatozoa present	23	2.18%
		Squamous epithelial cell	1	0.09%
		Starch granule	1	0.09%
		Transitional epithelial cell (urothelial)	1	0.09%
		White Blood Cell (WBC) (Leukocyte)	5	0.47%
Microscopy	1055	*Trichomonas vaginalis	1021	96.78%
Microscopy		Bacteria present	1	0.09%
Microscopy		Clue cell	2	0.19%
Microscopy		Spermatozoa present	23	2.18%
Microscopy		Squamous epithelial cell	1	0.09%
Microscopy		Starch granule	1	0.09%
Microscopy		Transitional epithelial cell (urothelial)	1	0.09%
Microscopy		White Blood Cell (WBC) (Leukocyte)	5	0.47%
<b>CM-15</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1053			
		*Red Blood Cell (RBC) (Erythrocyte)	293	27.83%
		Bacteria present	5	0.47%
		Clue cell	19	1.80%
		Leucine crystal	1	0.09%
		Pollen grain	2	0.19%
		Red blood cell (RBC) (Erythrocyte)	1	0.09%
		Spermatozoa absent	2	0.19%
		Squamous epithelial cell	1	0.09%
		Squamous epithelial cell	8	0.76%
		Starch granule	1	0.09%
		Trichomonas vaginalis	8	0.76%



		White Blood Cell (WBC) (Leukocyte)	695	66.00%
		Yeast/fungi present	17	1.61%
Microscopy	1053	*Red Blood Cell (RBC) (Erythrocyte)	293	27.83%
Microscopy		Bacteria present	5	0.47%
Microscopy		Clue cell	19	1.80%
Microscopy		Leucine crystal	1	0.09%
Microscopy		Pollen grain	2	0.19%
Microscopy		Red blood cell (RBC) (Erythrocyte)	1	0.09%
Microscopy		Spermatozoa absent	2	0.19%
Microscopy		Squamous epithelial cell	1	0.09%
Microscopy		Squamous epithelial cell	8	0.76%
Microscopy		Starch granule	1	0.09%
Microscopy		Trichomonas vaginalis	8	0.76%
Microscopy		White Blood Cell (WBC) (Leukocyte)	695	66.00%
Microscopy		Yeast/fungi present	17	1.61%
		<b>Skin Scraping</b>		
<b>CM-16</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	634			
		*No scabies present	6	0.95%
		*Yeast/fungi present	622	98.11%
		Positive Fern Test	1	0.16%
		Yeast/fungi absent	5	0.79%
Microscopy	634	*No scabies present	6	0.95%
Microscopy		*Yeast/fungi present	622	98.11%
Microscopy		Positive Fern Test	1	0.16%
Microscopy		Yeast/fungi absent	5	0.79%
		<b>Fecal Leukocytes</b>		
<b>CM-18</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	256			
		*No neutrophils are present	214	83.59%
		Eosinophils are present	1	0.39%
		Neutrophils are present	41	16.02%
Microscopy	256	*No neutrophils are present	214	83.59%
Microscopy		Eosinophils are present	1	0.39%
Microscopy		Neutrophils are present	41	16.02%
		<b>Nasal Smear</b>		
<b>CM-17</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	251			
		*Eosinophils are present	223	88.84%
		No eosinophils are present	28	11.16%
Microscopy	251	*Eosinophils are present	223	88.84%
Microscopy		No eosinophils are present	28	11.16%
<b>683 - ASO/CRP;684 - CRP (Quant &amp; Qual)</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>CRP Qualitative</b>		
<b>774 - GenProbe GC/Chlamydia;794 - GC &amp; Chlamydia Antigen Detection (5 specimens);795 - GC &amp; Chlamydia Antigen Detection (2 specimens)</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Chlamydia - Non Culture Tech</b>		
<b>CY-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	8			
		*Positive	8	100.00%
BD Probe Tec ET	1	*Positive	1	100.00%
Gen-Probe	1	*Positive	1	100.00%
Quidel QuickVue Chlamydia	3	*Positive	3	100.00%
Cepheid GeneXpert	2	*Positive	2	100.00%
Hologic Aptima Combo 2	1	*Positive	1	100.00%
<b>CY-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	8			
		*Negative	6	75.00%
		Positive	2	25.00%
BD Probe Tec ET	1	*Negative	1	100.00%
Quidel QuickVue Chlamydia	3	*Negative	3	100.00%
Cepheid GeneXpert	2	*Negative	2	100.00%
Gen-Probe	1	Positive	1	100.00%
Hologic Aptima Combo 2	1	Positive	1	100.00%
<b>CY-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	8			
		*Positive	8	100.00%



BD Probe Tec ET	1	*Positive	1	100.00%
Gen-Probe	1	*Positive	1	100.00%
Quidel QuickVue Chlamydia	3	*Positive	3	100.00%
Cepheid GeneXpert	2	*Positive	2	100.00%
Hologic Aptima Combo 2	1	*Positive	1	100.00%
<b>CY-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	7			
		*Negative	7	100.00%
BD Probe Tec ET	1	*Negative	1	100.00%
Gen-Probe	1	*Negative	1	100.00%
Quidel QuickVue Chlamydia	3	*Negative	3	100.00%
Cepheid GeneXpert	1	*Negative	1	100.00%
Hologic Aptima Combo 2	1	*Negative	1	100.00%
<b>CY-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	8			
		*Negative	6	75.00%
		Positive	2	25.00%
BD Probe Tec ET	1	*Negative	1	100.00%
Quidel QuickVue Chlamydia	3	*Negative	3	100.00%
Cepheid GeneXpert	2	*Negative	2	100.00%
Gen-Probe	1	Positive	1	100.00%
Hologic Aptima Combo 2	1	Positive	1	100.00%
		<b>GC - Non Culture Tech</b>		
<b>CY-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			
		*Negative	5	100.00%
BD Probe Tec ET	1	*Negative	1	100.00%
Gen-Probe	1	*Negative	1	100.00%
Cepheid GeneXpert	2	*Negative	2	100.00%
Hologic Aptima Combo 2	1	*Negative	1	100.00%
<b>CY-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			
		*Positive	5	100.00%
BD Probe Tec ET	1	*Positive	1	100.00%
Gen-Probe	1	*Positive	1	100.00%
Cepheid GeneXpert	2	*Positive	2	100.00%
Hologic Aptima Combo 2	1	*Positive	1	100.00%
<b>CY-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			
		*Negative	5	100.00%
BD Probe Tec ET	1	*Negative	1	100.00%
Gen-Probe	1	*Negative	1	100.00%
Cepheid GeneXpert	2	*Negative	2	100.00%
Hologic Aptima Combo 2	1	*Negative	1	100.00%
<b>CY-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*Negative	4	100.00%
BD Probe Tec ET	1	*Negative	1	100.00%
Gen-Probe	1	*Negative	1	100.00%
Cepheid GeneXpert	1	*Negative	1	100.00%
Hologic Aptima Combo 2	1	*Negative	1	100.00%
<b>CY-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			
		*Positive	5	100.00%
BD Probe Tec ET	1	*Positive	1	100.00%
Gen-Probe	1	*Positive	1	100.00%
Cepheid GeneXpert	2	*Positive	2	100.00%
Hologic Aptima Combo 2	1	*Positive	1	100.00%
<b>772 - Dermatophyte Screen/Culture</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Dermatophyte Culture</b>		
<b>DM-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Positive, Dermatophytes Present	2	100.00%
Dermatophytes	2	*Positive, Dermatophytes Present	2	100.00%
<b>DM-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Negative, No Dermatophytes Present	2	100.00%
Dermatophytes	2	*Negative, No Dermatophytes Present	2	100.00%





DM-8		* Denotes Correct Response		
AG: All Methods	2			
		*Positive, Dermatophytes Present	1	50.00%
		Negative, No Dermatophytes Present	1	50.00%
Dermatophytes	2			
		*Positive, Dermatophytes Present	1	50.00%
Dermatophytes		Negative, No Dermatophytes Present	1	50.00%
DM-9		* Denotes Correct Response		
AG: All Methods	2			
		*Positive, Dermatophytes Present	2	100.00%
Dermatophytes	2			
		*Positive, Dermatophytes Present	2	100.00%
DM-10		* Denotes Correct Response		
AG: All Methods	3			
		*Microsporum species	1	33.33%
		*Positive, Dermatophytes Present	1	33.33%
		Negative, No Dermatophytes Present	1	33.33%
Dermatophytes	3			
		*Microsporum species	1	33.33%
Dermatophytes		*Positive, Dermatophytes Present	1	33.33%
Dermatophytes		Negative, No Dermatophytes Present	1	33.33%
Dermatophyte Screen				
DM-6		* Denotes Correct Response		
AG: All Methods	9			
		*Positive, Dermatophytes Present	6	66.67%
		Negative, No Dermatophytes Present	3	33.33%
Dermatophytes	9			
		*Positive, Dermatophytes Present	6	66.67%
Dermatophytes		Negative, No Dermatophytes Present	3	33.33%
DM-7		* Denotes Correct Response		
AG: All Methods	9			
		*Negative, No Dermatophytes Present	8	88.89%
		Positive, Dermatophytes Present	1	11.11%
Dermatophytes	9			
		*Negative, No Dermatophytes Present	8	88.89%
Dermatophytes		Positive, Dermatophytes Present	1	11.11%
DM-8		* Denotes Correct Response		
AG: All Methods	9			
		*Positive, Dermatophytes Present	3	33.33%
		Negative, No Dermatophytes Present	6	66.67%
Dermatophytes	9			
		*Positive, Dermatophytes Present	3	33.33%
Dermatophytes		Negative, No Dermatophytes Present	6	66.67%
DM-9		* Denotes Correct Response		
AG: All Methods	9			
		*Positive, Dermatophytes Present	6	66.67%
		Negative, No Dermatophytes Present	3	33.33%
Dermatophytes	9			
		*Positive, Dermatophytes Present	6	66.67%
Dermatophytes		Negative, No Dermatophytes Present	3	33.33%
DM-10		* Denotes Correct Response		
AG: All Methods	9			
		*Positive, Dermatophytes Present	9	100.00%
Dermatophytes	9			
		*Positive, Dermatophytes Present	9	100.00%
777 - Genital Culture:796 - Genital Culture (2 specimens)				
Labs	Response	Number	Percent	
Genital Culture				
GC-6		* Denotes Correct Response		
AG: All Methods	3			
		*Presumptive positive for GC, GR(-) diplococci, oxidase positive organism	2	66.67%
		*Presumptive positive for GC, growth referred for ID/confirmation	1	33.33%
Cultures	3			
		*Presumptive positive for GC, GR(-) diplococci, oxidase positive organism	2	66.67%
Cultures		*Presumptive positive for GC, growth referred for ID/confirmation	1	33.33%
GC-7		* Denotes Correct Response		
AG: All Methods	3			
		*Negative for GC	2	66.67%
		*No Gram Negative diplococci present	1	33.33%
Cultures	3			
		*Negative for GC	2	66.67%
Cultures		*No Gram Negative diplococci present	1	33.33%
GC-8		* Denotes Correct Response		
AG: All Methods	3			
		*Negative for GC	2	66.67%
		*No Gram Negative diplococci present	1	33.33%



Cultures	3	*Negative for GC	2	66.67%
Cultures		*No Gram Negative diplococci present	1	33.33%
<b>GC-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*Group B Streptococcus present	1	16.67%
		*Negative for GC	1	16.67%
		*No growth, GC selective media	3	50.00%
		*Streptococcus, Group B	1	16.67%
Cultures	6	*Group B Streptococcus present	1	16.67%
Cultures		*Negative for GC	1	16.67%
Cultures		*No growth, GC selective media	3	50.00%
Cultures		*Streptococcus, Group B	1	16.67%
<b>GC-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*Negative for GC	1	25.00%
		*No growth, GC selective media	3	75.00%
Cultures	4	*Negative for GC	1	25.00%
Cultures		*No growth, GC selective media	3	75.00%
<b>668 - Gram Stain</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Gram Stain</b>		
<b>GS-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	11			
		*Gram Negative	11	100.00%
Gram Stain	10	*Gram Negative	10	100.00%
Intl Gram Stain	1	*Gram Negative	1	100.00%
<b>GS-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	11			
		*Gram Positive	10	90.91%
		Gram Negative	1	9.09%
Gram Stain	10	*Gram Positive	9	90.00%
Intl Gram Stain	1	*Gram Positive	1	100.00%
Gram Stain	10	Gram Negative	1	10.00%
<b>GS-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	11			
		*Gram Negative	10	90.91%
		Gram Positive	1	9.09%
Gram Stain	10	*Gram Negative	9	90.00%
Intl Gram Stain	1	*Gram Negative	1	100.00%
Gram Stain	10	Gram Positive	1	10.00%
<b>GS-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	11			
		*Gram Negative	11	100.00%
Gram Stain	10	*Gram Negative	10	100.00%
Intl Gram Stain	1	*Gram Negative	1	100.00%
<b>GS-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	10			
		*Gram Positive	8	80.00%
		Gram Negative	2	20.00%
Gram Stain	9	*Gram Positive	7	77.78%
Intl Gram Stain	1	*Gram Positive	1	100.00%
Gram Stain	9	Gram Negative	2	22.22%
		<b>Gram Stain Morph</b>		
<b>GS-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			
		*Rods/Bacilli	9	100.00%
Gram Stain	8	*Rods/Bacilli	8	100.00%
Intl Gram Stain	1	*Rods/Bacilli	1	100.00%
<b>GS-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			
		*Cocci	3	33.33%
		*Cocci in Chains	5	55.56%
		*Cocci in Pairs	1	11.11%
Gram Stain	8	*Cocci	2	25.00%
Intl Gram Stain	1	*Cocci	1	100.00%
Gram Stain	8	*Cocci in Chains	5	62.50%
Gram Stain		*Cocci in Pairs	1	12.50%
<b>GS-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			



		*Rods/Bacilli	9	100.00%
Gram Stain	8	*Rods/Bacilli	8	100.00%
Intl Gram Stain	1	*Rods/Bacilli	1	100.00%
<b>GS-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			
		*Rods/Bacilli	9	100.00%
Gram Stain	8	*Rods/Bacilli	8	100.00%
Intl Gram Stain	1	*Rods/Bacilli	1	100.00%
<b>GS-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	9			
		*Rods/Bacilli	9	100.00%
Gram Stain	8	*Rods/Bacilli	8	100.00%
Intl Gram Stain	1	*Rods/Bacilli	1	100.00%
<b>678 - Serum hCG;759 - Complete Immunology;729 - AFC Immunology</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>HCG - Qual Serum</b>		
<b>HCG-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	100			
		*Positive	100	100.00%
Beck Coulter ICON 25	11	*Positive	11	100.00%
Fisher HC Sure-Vue hCG STAT	2	*Positive	2	100.00%
Sekisui Diagnostics OSOM	2	*Positive	2	100.00%
Henry Schein One Step + (hCG)	5	*Positive	5	100.00%
Immunostics Immuno/hCG	2	*Positive	2	100.00%
Inverness Signify HCG	2	*Positive	2	100.00%
LifeSign Status hCG	2	*Positive	2	100.00%
McKesson Medi-Lab hCG - Urine	1	*Positive	1	100.00%
Quidel QuickVue + hCG	1	*Positive	1	100.00%
Quidel QuickVue One-Step hCG Combo (U/S)	36	*Positive	36	100.00%
Select Diag hCG Combo	4	*Positive	4	100.00%
SP Brand (Cardinal) HCG Combo	12	*Positive	12	100.00%
Polymedco Poly stat hCG Serum	1	*Positive	1	100.00%
Stanbio True 20 Plus	1	*Positive	1	100.00%
Consult Diag hCG Combo Cassette	14	*Positive	14	100.00%
Alere hCG Combo Cassette (25 mIU/mL)	1	*Positive	1	100.00%
Medline Pregnancy Combo (serum)	2	*Positive	2	100.00%
Alere hCG Combo Cassette (20/10 mIU/mL)	1	*Positive	1	100.00%
<b>HCG-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	100			
		*Positive	100	100.00%
Beck Coulter ICON 25	11	*Positive	11	100.00%
Fisher HC Sure-Vue hCG STAT	2	*Positive	2	100.00%
Sekisui Diagnostics OSOM	2	*Positive	2	100.00%
Henry Schein One Step + (hCG)	5	*Positive	5	100.00%
Immunostics Immuno/hCG	2	*Positive	2	100.00%
Inverness Signify HCG	2	*Positive	2	100.00%
LifeSign Status hCG	2	*Positive	2	100.00%
McKesson Medi-Lab hCG - Urine	1	*Positive	1	100.00%
Quidel QuickVue + hCG	1	*Positive	1	100.00%
Quidel QuickVue One-Step hCG Combo (U/S)	36	*Positive	36	100.00%
Select Diag hCG Combo	4	*Positive	4	100.00%
SP Brand (Cardinal) HCG Combo	12	*Positive	12	100.00%
Polymedco Poly stat hCG Serum	1	*Positive	1	100.00%
Stanbio True 20 Plus	1	*Positive	1	100.00%
Consult Diag hCG Combo Cassette	14	*Positive	14	100.00%
Alere hCG Combo Cassette (25 mIU/mL)	1	*Positive	1	100.00%
Medline Pregnancy Combo (serum)	2	*Positive	2	100.00%
Alere hCG Combo Cassette (20/10 mIU/mL)	1	*Positive	1	100.00%
<b>HCG-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	100			
		*Negative	100	100.00%
Beck Coulter ICON 25	11	*Negative	11	100.00%
Fisher HC Sure-Vue hCG STAT	2	*Negative	2	100.00%
Sekisui Diagnostics OSOM	2	*Negative	2	100.00%
Henry Schein One Step + (hCG)	5	*Negative	5	100.00%
Immunostics Immuno/hCG	2	*Negative	2	100.00%
Inverness Signify HCG	2	*Negative	2	100.00%
LifeSign Status hCG	2	*Negative	2	100.00%
McKesson Medi-Lab hCG - Urine	1	*Negative	1	100.00%



Quidel QuickVue + hCG	1	*Negative	1	100.00%
Quidel QuickVue One-Step hCG Combo (U/S)	36	*Negative	36	100.00%
Select Diag hCG Combo	4	*Negative	4	100.00%
SP Brand (Cardinal) HCG Combo	12	*Negative	12	100.00%
Polymedco Poly stat hCG Serum	1	*Negative	1	100.00%
Stanbio True 20 Plus	1	*Negative	1	100.00%
Consult Diag hCG Combo Cassette	14	*Negative	14	100.00%
Alere hCG Combo Cassette (25 mIU/mL)	1	*Negative	1	100.00%
Medline Pregnancy Combo (serum)	2	*Negative	2	100.00%
Alere hCG Combo Cassette (20/10 mIU/mL)	1	*Negative	1	100.00%
<b>HCG-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	100			
		*Positive	100	100.00%
Beck Coulter ICON 25	11	*Positive	11	100.00%
Fisher HC Sure-Vue hCG STAT	2	*Positive	2	100.00%
Sekisui Diagnostics OSOM	2	*Positive	2	100.00%
Henry Schein One Step + (hCG)	5	*Positive	5	100.00%
Immunostics Immuno/hCG	2	*Positive	2	100.00%
Inverness Signify HCG	2	*Positive	2	100.00%
LifeSign Status hCG	2	*Positive	2	100.00%
McKesson Medi-Lab hCG - Urine	1	*Positive	1	100.00%
Quidel QuickVue + hCG	1	*Positive	1	100.00%
Quidel QuickVue One-Step hCG Combo (U/S)	36	*Positive	36	100.00%
Select Diag hCG Combo	4	*Positive	4	100.00%
SP Brand (Cardinal) HCG Combo	12	*Positive	12	100.00%
Polymedco Poly stat hCG Serum	1	*Positive	1	100.00%
Stanbio True 20 Plus	1	*Positive	1	100.00%
Consult Diag hCG Combo Cassette	14	*Positive	14	100.00%
Alere hCG Combo Cassette (25 mIU/mL)	1	*Positive	1	100.00%
Medline Pregnancy Combo (serum)	2	*Positive	2	100.00%
Alere hCG Combo Cassette (20/10 mIU/mL)	1	*Positive	1	100.00%
<b>HCG-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	100			
		*Positive	99	99.00%
		Negative	1	1.00%
Beck Coulter ICON 25	11	*Positive	11	100.00%
Fisher HC Sure-Vue hCG STAT	2	*Positive	2	100.00%
Sekisui Diagnostics OSOM	2	*Positive	2	100.00%
Henry Schein One Step + (hCG)	5	*Positive	5	100.00%
Immunostics Immuno/hCG	2	*Positive	2	100.00%
Inverness Signify HCG	2	*Positive	2	100.00%
LifeSign Status hCG	2	*Positive	2	100.00%
McKesson Medi-Lab hCG - Urine	1	*Positive	1	100.00%
Quidel QuickVue + hCG	1	*Positive	1	100.00%
Quidel QuickVue One-Step hCG Combo (U/S)	36	*Positive	36	100.00%
Select Diag hCG Combo	4	*Positive	3	75.00%
SP Brand (Cardinal) HCG Combo	12	*Positive	12	100.00%
Polymedco Poly stat hCG Serum	1	*Positive	1	100.00%
Stanbio True 20 Plus	1	*Positive	1	100.00%
Consult Diag hCG Combo Cassette	14	*Positive	14	100.00%
Alere hCG Combo Cassette (25 mIU/mL)	1	*Positive	1	100.00%
Medline Pregnancy Combo (serum)	2	*Positive	2	100.00%
Alere hCG Combo Cassette (20/10 mIU/mL)	1	*Positive	1	100.00%
Select Diag hCG Combo	4	Negative	1	25.00%
<b>HCG-6</b>		<b>HCG - Qual Serum (International)</b>		
		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Henry Schein One Step + (hCG)	1	*Positive	1	100.00%
SAS Ultra HCG	2	*Positive	2	100.00%
<b>HCG-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Henry Schein One Step + (hCG)	1	*Positive	1	100.00%
SAS Ultra HCG	2	*Positive	2	100.00%
<b>HCG-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Henry Schein One Step + (hCG)	1	*Negative	1	100.00%



SAS Ultra HCG	2	*Negative	2	100.00%
<b>HCG-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Henry Schein One Step + (hCG)	1	*Positive	1	100.00%
SAS Ultra HCG	2	*Positive	2	100.00%
<b>HCG-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Henry Schein One Step + (hCG)	1	*Positive	1	100.00%
SAS Ultra HCG	2	*Positive	2	100.00%
<b>762 - HIV Antibody (Waived);766 - Anti-HIV (5 specimens);750 - Viral Markers</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
<b>HIV-6</b>		<b>HIV Antibody (Waived)</b>		
		<b>* Denotes Correct Response</b>		
AG: All Methods	78			
		*Negative	64	82.05%
		Positive	14	17.95%
Alere Clearview Complete HIV 1/2 (mod)	11	*Negative	9	81.82%
Alere Clearview HIV 1/2 STAT PAK (WB)	39	*Negative	36	92.31%
Orasure OraQuick Anti-HIV	12	*Negative	12	100.00%
Trinity Biotech Uni-Gold Recombigen HIV	2	*Negative	2	100.00%
Alere Determine HIV Ag/Ab	10	*Negative	1	10.00%
Chembio HIV 1/2 STAT-PAK Cassette	4	*Negative	4	100.00%
Alere Clearview Complete HIV 1/2 (mod)	11	Positive	2	18.18%
Alere Clearview HIV 1/2 STAT PAK (WB)	39	Positive	3	7.69%
Alere Determine HIV Ag/Ab	10	Positive	9	90.00%
		<b>HIV Antibody (International)</b>		
<b>HIV-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*Negative	4	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Negative	3	100.00%
Intl Chembio HIV 1/2 STAT-PAK Dipstick	1	*Negative	1	100.00%
		<b>HIV Antibody</b>		
<b>HIV-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	1	33.33%
		Positive	2	66.67%
Alere Clearview Complete HIV 1/2 (mod)	2	*Negative	1	50.00%
Alere Clearview Complete HIV 1/2 (mod)		Positive	1	50.00%
Abbott Architect i1000 SR	1	Positive	1	100.00%
<b>766 - Anti-HIV (5 specimens);750 - Viral Markers</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
<b>HIV-6</b>		<b>HIV Antibody</b>		
		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	1	33.33%
		Positive	2	66.67%
Alere Clearview Complete HIV 1/2 (mod)	2	*Negative	1	50.00%
Alere Clearview Complete HIV 1/2 (mod)		Positive	1	50.00%
Abbott Architect i1000 SR	1	Positive	1	100.00%
<b>HIV-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Positive	2	100.00%
Alere Clearview Complete HIV 1/2 (mod)	1	*Positive	1	100.00%
Abbott Architect i1000 SR	1	*Positive	1	100.00%
<b>HIV-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Positive	2	100.00%
Alere Clearview Complete HIV 1/2 (mod)	1	*Positive	1	100.00%
Abbott Architect i1000 SR	1	*Positive	1	100.00%
<b>HIV-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Negative	2	100.00%
Alere Clearview Complete HIV 1/2 (mod)	1	*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
<b>HIV-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Negative	2	100.00%



Alere Clearview Complete HIV 1/2 (mod)	1	*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
<b>HIV Antibody (Waived)</b>				
<b>HIV-6</b>				
* Denotes Correct Response				
AG: All Methods	78			
		*Negative	64	82.05%
		Positive	14	17.95%
Alere Clearview Complete HIV 1/2 (mod)	11	*Negative	9	81.82%
Alere Clearview HIV 1/2 STAT PAK (WB)	39	*Negative	36	92.31%
Orasure OraQuick Anti-HIV	12	*Negative	12	100.00%
Trinity Biotech Uni-Gold Recombigen HIV	2	*Negative	2	100.00%
Alere Determine HIV Ag/Ab	10	*Negative	1	10.00%
Chembio HIV 1/2 STAT-PAK Cassette	4	*Negative	4	100.00%
Alere Clearview Complete HIV 1/2 (mod)	11	Positive	2	18.18%
Alere Clearview HIV 1/2 STAT PAK (WB)	39	Positive	3	7.69%
Alere Determine HIV Ag/Ab	10	Positive	9	90.00%
<b>HIV-7</b>				
* Denotes Correct Response				
AG: All Methods	6			
		*Positive	6	100.00%
Alere Clearview HIV 1/2 STAT PAK (WB)	4	*Positive	4	100.00%
Orasure OraQuick Anti-HIV	1	*Positive	1	100.00%
Trinity Biotech Uni-Gold Recombigen HIV	1	*Positive	1	100.00%
<b>HIV-8</b>				
* Denotes Correct Response				
AG: All Methods	6			
		*Positive	6	100.00%
Alere Clearview HIV 1/2 STAT PAK (WB)	4	*Positive	4	100.00%
Orasure OraQuick Anti-HIV	1	*Positive	1	100.00%
Trinity Biotech Uni-Gold Recombigen HIV	1	*Positive	1	100.00%
<b>HIV-9</b>				
* Denotes Correct Response				
AG: All Methods	6			
		*Negative	6	100.00%
Alere Clearview HIV 1/2 STAT PAK (WB)	4	*Negative	4	100.00%
Orasure OraQuick Anti-HIV	1	*Negative	1	100.00%
Trinity Biotech Uni-Gold Recombigen HIV	1	*Negative	1	100.00%
<b>HIV-10</b>				
* Denotes Correct Response				
AG: All Methods	6			
		*Negative	6	100.00%
Alere Clearview HIV 1/2 STAT PAK (WB)	4	*Negative	4	100.00%
Orasure OraQuick Anti-HIV	1	*Negative	1	100.00%
Trinity Biotech Uni-Gold Recombigen HIV	1	*Negative	1	100.00%
<b>HIV Antibody (International)</b>				
<b>HIV-6</b>				
* Denotes Correct Response				
AG: All Methods	4			
		*Negative	4	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Negative	3	100.00%
Intl Chembio HIV 1/2 STAT-PAK Dipstick	1	*Negative	1	100.00%
<b>HIV-7</b>				
* Denotes Correct Response				
AG: All Methods	3			
		*Positive	3	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Positive	3	100.00%
<b>HIV-8</b>				
* Denotes Correct Response				
AG: All Methods	3			
		*Positive	3	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Positive	3	100.00%
<b>HIV-9</b>				
* Denotes Correct Response				
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Negative	3	100.00%
<b>HIV-10</b>				
* Denotes Correct Response				
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Negative	3	100.00%
644 - H. pylori:628 - AFC Waived/PPM	Labs	Response	Number	Percent
<b>H. pylori Ab Detect</b>				
<b>HP-2</b>				
* Denotes Correct Response				
AG: All Methods	96			
		*Positive	89	92.71%
		Negative	7	7.29%



Beck Coulter FlexSure	3	*Positive	3	100.00%
Beck Coulter ICON HP	3	*Positive	3	100.00%
DiagTest Group Clarity H. pylori	2	*Positive	2	100.00%
Instant Technologies i-Screen	2	*Positive	2	100.00%
McKesson Medi-Lab Perf H. pylori	6	*Positive	6	100.00%
Polymedco Poly stat (WB - Waived)	3	*Positive	3	100.00%
Henry Schein One Step+ (H. pylori)	12	*Positive	11	91.67%
Select Diag H. pylori Cassette	4	*Positive	4	100.00%
Quidel QuickVue H. pylori gII (S/P)	7	*Positive	7	100.00%
Quidel QuickVue H. pylori gII (WB)	14	*Positive	13	92.86%
SP Brand (Cardinal) HP Rapid Test	10	*Positive	10	100.00%
Alere Clearview II S/P (mod)	4	*Positive	4	100.00%
Alere Clearview II WB (waived)	4	*Positive	3	75.00%
LifeSign Status H. pylori	2	*Positive	2	100.00%
Instant-View H. pylori	1	*Positive	1	100.00%
Consult Diag (PSS) H pylori	18	*Positive	14	77.78%
Jant Accutest H pylori	1	*Positive	1	100.00%
Henry Schein One Step+ (H. pylori)	12	Negative	1	8.33%
Quidel QuickVue H. pylori gII (WB)	14	Negative	1	7.14%
Alere Clearview II WB (waived)	4	Negative	1	25.00%
Consult Diag (PSS) H pylori	18	Negative	4	22.22%
933 - HIV Antibody/Antigen Combo (2 specimens);934 - HIV Antibody/Antigen Combo (5 specimens)	Labs	Response	Number	Percent
HVAA-6		HIV Antibody (Waived)		
		* Denotes Correct Response		
AG: All Methods	2			
		*Negative	1	50.00%
		Positive	1	50.00%
Alere Determine HIV Ag/Ab	2	*Negative	1	50.00%
Alere Determine HIV Ag/Ab		Positive	1	50.00%
HVAA-7		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Alere Determine HIV Ag/Ab	2	*Positive	2	100.00%
HVAA-6		HIV Antigen (p24) (Waived)		
		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	1	50.00%
		Negative	1	50.00%
Alere Determine HIV Ag/Ab	2	*Positive	1	50.00%
Alere Determine HIV Ag/Ab		Negative	1	50.00%
HVAA-7		* Denotes Correct Response		
AG: All Methods	2			
		*Negative	2	100.00%
Alere Determine HIV Ag/Ab	2	*Negative	2	100.00%
603 - Blood Cell Identification;610 - Regular Hematology;749 - Auto Diff II w-Blood Cell Identification	Labs	Response	Number	Percent
ID-7		Blood Cell Identification		
		* Denotes Correct Response		
AG: All Methods	75			
		*Eosinophil, any stage	75	100.00%
Blood Cell Microscopy	75	*Eosinophil, any stage	75	100.00%
ID-8		* Denotes Correct Response		
AG: All Methods	75			
		*Monocyte	71	94.67%
		Lymphocyte	1	1.33%
		Lymphocyte, reactive (atypical, variant, Downey)	2	2.67%
		Promonocyte	1	1.33%
Blood Cell Microscopy	75	*Monocyte	71	94.67%
Blood Cell Microscopy		Lymphocyte	1	1.33%
Blood Cell Microscopy		Lymphocyte, reactive (atypical, variant, Downey)	2	2.67%
Blood Cell Microscopy		Promonocyte	1	1.33%
ID-9		* Denotes Correct Response		
AG: All Methods	75			
		*Lymphocyte	75	100.00%
Blood Cell Microscopy	75	*Lymphocyte	75	100.00%
ID-10		* Denotes Correct Response		
AG: All Methods	75			



		*Platelet, normal	74	98.67%
		Other, not listed	1	1.33%
Blood Cell Microscopy	75	*Platelet, normal	74	98.67%
Blood Cell Microscopy		Other, not listed	1	1.33%
<b>ID-11</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	75			
		*Segmented or band neutrophil	69	92.00%
		Hypersegmented neutrophil	4	5.33%
		Seg/band neutrophil with vacuoles	2	2.67%
Blood Cell Microscopy	75	*Segmented or band neutrophil	69	92.00%
Blood Cell Microscopy		Hypersegmented neutrophil	4	5.33%
Blood Cell Microscopy		Seg/band neutrophil with vacuoles	2	2.67%
<b>ID-12</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	75			
		*Red Blood Cell, normal (RBC) (Erythrocyte)	74	98.67%
		Microcyte	1	1.33%
Blood Cell Microscopy	75	*Red Blood Cell, normal (RBC) (Erythrocyte)	74	98.67%
Blood Cell Microscopy		Microcyte	1	1.33%
<b>Blood Cell Identification (International)</b>				
<b>ID-7</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	1			
		*Eosinophil, any stage	1	100.00%
Intl Blood Cell Microscopy	1	*Eosinophil, any stage	1	100.00%
<b>ID-8</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	1			
		*Monocyte	1	100.00%
Intl Blood Cell Microscopy	1	*Monocyte	1	100.00%
<b>ID-9</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	1			
		*Lymphocyte	1	100.00%
Intl Blood Cell Microscopy	1	*Lymphocyte	1	100.00%
<b>ID-10</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	1			
		*Platelet, normal	1	100.00%
Intl Blood Cell Microscopy	1	*Platelet, normal	1	100.00%
<b>ID-11</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	1			
		*Segmented or band neutrophil	1	100.00%
Intl Blood Cell Microscopy	1	*Segmented or band neutrophil	1	100.00%
<b>ID-12</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	1			
		*Red Blood Cell, normal (RBC) (Erythrocyte)	1	100.00%
Intl Blood Cell Microscopy	1	*Red Blood Cell, normal (RBC) (Erythrocyte)	1	100.00%
<b>609 - Waived/PPM Tests 1;675 - Infectious Mononucleosis;753 - Infectious Mononucleosis (Waived) (1 specimen);754 - Infectious Mono/RF Combo;759 - Complete Immunology;628 - AFC Waived/PPM;729 - AFC Immunology</b>				
	Labs	Response	Number	Percent
<b>IM-6</b>				
<b>* Denotes Correct Response</b>				
AG: All Methods	487			
		*Positive	474	97.33%
		Negative	13	2.67%
Beck Coulter ICON (WB)	1	*Positive	1	100.00%
Alere Acceava (S)	2	*Positive	2	100.00%
Alere Acceava (WB)	52	*Positive	51	98.08%
Sekisui Diagnostics OSOM Mono (WB)	193	*Positive	190	98.45%
Henry Schein One-Step+ Mono	34	*Positive	33	97.06%
Instant Technologies i-Screen (WB)	2	*Positive	2	100.00%
Inverness Signify Mono	4	*Positive	4	100.00%
LifeSign Status Inf Mono	34	*Positive	33	97.06%
McKesson Medi-Lab Perf - Inf Mono	20	*Positive	19	95.00%
Polymedco Poly stat Mono - (WB)	7	*Positive	7	100.00%
Quidel QuickVue+ (WB)	25	*Positive	22	88.00%
Remel A.R.C. Mono Test	1	*Positive	1	100.00%
SP Brand (Cardinal) Rapid Test	7	*Positive	7	100.00%
Alere Clearview Mono Cassette	32	*Positive	30	93.75%
Pulse Scientific	1	*Positive	1	100.00%
Diag Test Group Clarity Mono	4	*Positive	4	100.00%





Fisher HC Sure-View Mono	2	*Positive	2	100.00%
Immunostics Inc. ImmunoDetector Mono (WB)	1	*Positive	1	100.00%
Meridian Immunocard STAT! Mono (WB)	5	*Positive	5	100.00%
NDC ProAdvantage Mono	2	*Positive	2	100.00%
Consult Diag Mono Cassette	52	*Positive	51	98.08%
Alere Acceava (WB) Mono Cassette	5	*Positive	5	100.00%
Medline Mono Cassette (WB)	1	*Positive	1	100.00%
Alere Acceava (WB)	52	Negative	1	1.92%
Sekisui Diagnostics OSOM Mono (WB)	193	Negative	3	1.55%
Henry Schein One-Step+ Mono	34	Negative	1	2.94%
LifeSign Status Inf Mono	34	Negative	1	2.94%
McKesson Medi-Lab Perf - Inf Mono	20	Negative	1	5.00%
Quidel QuickVue+ (WB)	25	Negative	3	12.00%
Alere Clearview Mono Cassette	32	Negative	2	6.25%
Consult Diag Mono Cassette	52	Negative	1	1.92%
<b>Infectious Mononucleosis</b>				
<b>IM-6</b>				
* Denotes Correct Response				
AG: All Methods	78			
		*Positive	78	100.00%
Beck Coulter ICON (WB)	1	*Positive	1	100.00%
Alere Acceava (WB)	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM Mono (WB)	33	*Positive	33	100.00%
LifeSign Status Inf Mono	2	*Positive	2	100.00%
Lifesign Unistep	1	*Positive	1	100.00%
McKesson Medi-Lab Perf - Inf Mono	3	*Positive	3	100.00%
Polymedco Poly stat Mono - (WB)	2	*Positive	2	100.00%
Polymedco Poly stat Mono (S/P)	2	*Positive	2	100.00%
Quidel QuickVue+ (S/P)	2	*Positive	2	100.00%
Quidel QuickVue+ (WB)	8	*Positive	8	100.00%
Seradyn Color Slide II	6	*Positive	6	100.00%
Alere Clearview Mono Cassette	10	*Positive	10	100.00%
Sekisui Diagnostics OSOM Mono Non-Waived	2	*Positive	2	100.00%
NDC ProAdvantage Mono	1	*Positive	1	100.00%
Consult Diag Mono Cassette	4	*Positive	4	100.00%
675 - Infectious Mononucleosis;754 - Infectious Mono/RF Combo;759 - Complete Immunology;628 - AFC Waived/PPM;729 - AFC Immunology	Labs	Response	Number	Percent
<b>Infectious Mononucleosis</b>				
<b>IM-6</b>				
* Denotes Correct Response				
AG: All Methods	78			
		*Positive	78	100.00%
Beck Coulter ICON (WB)	1	*Positive	1	100.00%
Alere Acceava (WB)	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM Mono (WB)	33	*Positive	33	100.00%
LifeSign Status Inf Mono	2	*Positive	2	100.00%
Lifesign Unistep	1	*Positive	1	100.00%
McKesson Medi-Lab Perf - Inf Mono	3	*Positive	3	100.00%
Polymedco Poly stat Mono - (WB)	2	*Positive	2	100.00%
Polymedco Poly stat Mono (S/P)	2	*Positive	2	100.00%
Quidel QuickVue+ (S/P)	2	*Positive	2	100.00%
Quidel QuickVue+ (WB)	8	*Positive	8	100.00%
Seradyn Color Slide II	6	*Positive	6	100.00%
Alere Clearview Mono Cassette	10	*Positive	10	100.00%
Sekisui Diagnostics OSOM Mono Non-Waived	2	*Positive	2	100.00%
NDC ProAdvantage Mono	1	*Positive	1	100.00%
Consult Diag Mono Cassette	4	*Positive	4	100.00%
<b>IM-7</b>				
* Denotes Correct Response				
AG: All Methods	78			
		*Negative	78	100.00%
Beck Coulter ICON (WB)	1	*Negative	1	100.00%
Alere Acceava (WB)	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM Mono (WB)	33	*Negative	33	100.00%
LifeSign Status Inf Mono	2	*Negative	2	100.00%
Lifesign Unistep	1	*Negative	1	100.00%
McKesson Medi-Lab Perf - Inf Mono	3	*Negative	3	100.00%
Polymedco Poly stat Mono - (WB)	2	*Negative	2	100.00%
Polymedco Poly stat Mono (S/P)	2	*Negative	2	100.00%
Quidel QuickVue+ (S/P)	2	*Negative	2	100.00%
Quidel QuickVue+ (WB)	8	*Negative	8	100.00%



Seradyn Color Slide II	6	*Negative	6	100.00%
Alere Clearview Mono Cassette	10	*Negative	10	100.00%
Sekisui Diagnostics OSOM Mono Non-Waived	2	*Negative	2	100.00%
NDC ProAdvantage Mono	1	*Negative	1	100.00%
Consult Diag Mono Cassette	4	*Negative	4	100.00%
<b>IM-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	78			
		*Positive	78	100.00%
Beck Coulter ICON (WB)	1	*Positive	1	100.00%
Alere Acceava (WB)	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM Mono (WB)	33	*Positive	33	100.00%
LifeSign Status Inf Mono	2	*Positive	2	100.00%
Lifesign Unistep	1	*Positive	1	100.00%
McKesson Medi-Lab Perf - Inf Mono	3	*Positive	3	100.00%
Polymedco Poly stat Mono - (WB)	2	*Positive	2	100.00%
Polymedco Poly stat Mono (S/P)	2	*Positive	2	100.00%
Quidel QuickVue+ (S/P)	2	*Positive	2	100.00%
Quidel QuickVue+ (WB)	8	*Positive	8	100.00%
Seradyn Color Slide II	6	*Positive	6	100.00%
Alere Clearview Mono Cassette	10	*Positive	10	100.00%
Sekisui Diagnostics OSOM Mono Non-Waived	2	*Positive	2	100.00%
NDC ProAdvantage Mono	1	*Positive	1	100.00%
Consult Diag Mono Cassette	4	*Positive	4	100.00%
<b>IM-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	78			
		*Negative	78	100.00%
Beck Coulter ICON (WB)	1	*Negative	1	100.00%
Alere Acceava (WB)	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM Mono (WB)	33	*Negative	33	100.00%
LifeSign Status Inf Mono	2	*Negative	2	100.00%
Lifesign Unistep	1	*Negative	1	100.00%
McKesson Medi-Lab Perf - Inf Mono	3	*Negative	3	100.00%
Polymedco Poly stat Mono - (WB)	2	*Negative	2	100.00%
Polymedco Poly stat Mono (S/P)	2	*Negative	2	100.00%
Quidel QuickVue+ (S/P)	2	*Negative	2	100.00%
Quidel QuickVue+ (WB)	8	*Negative	8	100.00%
Seradyn Color Slide II	6	*Negative	6	100.00%
Alere Clearview Mono Cassette	10	*Negative	10	100.00%
Sekisui Diagnostics OSOM Mono Non-Waived	2	*Negative	2	100.00%
NDC ProAdvantage Mono	1	*Negative	1	100.00%
Consult Diag Mono Cassette	4	*Negative	4	100.00%
<b>IM-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	77			
		*Positive	76	98.70%
		Negative	1	1.30%
Beck Coulter ICON (WB)	1	*Positive	1	100.00%
Alere Acceava (WB)	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM Mono (WB)	33	*Positive	33	100.00%
LifeSign Status Inf Mono	2	*Positive	2	100.00%
Lifesign Unistep	1	*Positive	1	100.00%
McKesson Medi-Lab Perf - Inf Mono	3	*Positive	3	100.00%
Polymedco Poly stat Mono - (WB)	2	*Positive	2	100.00%
Polymedco Poly stat Mono (S/P)	2	*Positive	2	100.00%
Quidel QuickVue+ (S/P)	2	*Positive	2	100.00%
Quidel QuickVue+ (WB)	8	*Positive	8	100.00%
Seradyn Color Slide II	5	*Positive	5	100.00%
Alere Clearview Mono Cassette	10	*Positive	9	90.00%
Sekisui Diagnostics OSOM Mono Non-Waived	2	*Positive	2	100.00%
NDC ProAdvantage Mono	1	*Positive	1	100.00%
Consult Diag Mono Cassette	4	*Positive	4	100.00%
Alere Clearview Mono Cassette	10	Negative	1	10.00%
		<b>Infectious Mono (Waived)</b>		
<b>IM-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	487			
		*Positive	474	97.33%
		Negative	13	2.67%
Beck Coulter ICON (WB)	1	*Positive	1	100.00%
Alere Acceava (S)	2	*Positive	2	100.00%
Alere Acceava (WB)	52	*Positive	51	98.08%



Sekisui Diagnostics OSOM Mono (WB)	193	*Positive	190	98.45%
Henry Schein One-Step+ Mono	34	*Positive	33	97.06%
Instant Technologies i-Screen (WB)	2	*Positive	2	100.00%
Inverness Signify Mono	4	*Positive	4	100.00%
LifeSign Status Inf Mono	34	*Positive	33	97.06%
McKesson Medi-Lab Perf - Inf Mono	20	*Positive	19	95.00%
Polymedco Poly stat Mono - (WB)	7	*Positive	7	100.00%
Quidel QuickVue+ (WB)	25	*Positive	22	88.00%
Remel A.R.C. Mono Test	1	*Positive	1	100.00%
SP Brand (Cardinal) Rapid Test	7	*Positive	7	100.00%
Alere Clearview Mono Cassette	32	*Positive	30	93.75%
Pulse Scientific	1	*Positive	1	100.00%
Diag Test Group Clarity Mono	4	*Positive	4	100.00%
Fisher HC Sure-View Mono	2	*Positive	2	100.00%
Immunostics Inc. ImmunoDetector Mono (WB)	1	*Positive	1	100.00%
Meridian Immunocard STAT! Mono (WB)	5	*Positive	5	100.00%
NDC ProAdvantage Mono	2	*Positive	2	100.00%
Consult Diag Mono Cassette	52	*Positive	51	98.08%
Alere Acceava (WB) Mono Cassette	5	*Positive	5	100.00%
Medline Mono Cassette (WB)	1	*Positive	1	100.00%
Alere Acceava (WB)	52	Negative	1	1.92%
Sekisui Diagnostics OSOM Mono (WB)	193	Negative	3	1.55%
Henry Schein One-Step+ Mono	34	Negative	1	2.94%
LifeSign Status Inf Mono	34	Negative	1	2.94%
McKesson Medi-Lab Perf - Inf Mono	20	Negative	1	5.00%
Quidel QuickVue+ (WB)	25	Negative	3	12.00%
Alere Clearview Mono Cassette	32	Negative	2	6.25%
Consult Diag Mono Cassette	52	Negative	1	1.92%
<b>IM-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Diag Test Group Clarity Mono	1	*Negative	1	100.00%
<b>IM-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Positive	1	100.00%
Diag Test Group Clarity Mono	1	*Positive	1	100.00%
<b>IM-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		Negative	1	100.00%
Diag Test Group Clarity Mono	1	Negative	1	100.00%
<b>IM-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Positive	1	100.00%
Diag Test Group Clarity Mono	1	*Positive	1	100.00%
		<b>Infectious Mononucleosis (International)</b>		
<b>IM-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Alere Clearview Mono Cassette	1	*Positive	1	100.00%
Intl Oxoid Infectious Mono	1	*Positive	1	100.00%
Fisher HC Sure-View Mono	1	*Positive	1	100.00%
<b>IM-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Alere Clearview Mono Cassette	1	*Negative	1	100.00%
Intl Oxoid Infectious Mono	1	*Negative	1	100.00%
Fisher HC Sure-View Mono	1	*Negative	1	100.00%
<b>IM-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Alere Clearview Mono Cassette	1	*Positive	1	100.00%
Intl Oxoid Infectious Mono	1	*Positive	1	100.00%
Fisher HC Sure-View Mono	1	*Positive	1	100.00%
<b>IM-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Alere Clearview Mono Cassette	1	*Negative	1	100.00%
Intl Oxoid Infectious Mono	1	*Negative	1	100.00%



Test Name	Labs	Response	Number	Percent
Fisher HC Sure-Vue Mono	1	*Negative	1	100.00%
<b>IM-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Alere Clearview Mono Cassette	1	*Positive	1	100.00%
Intl Oxoid Infectious Mono	1	*Positive	1	100.00%
Fisher HC Sure-Vue Mono	1	*Positive	1	100.00%
<b>637 - KOH - Glass Slides (Skin Hair Nail)</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>KOH Preparation</b>		
<b>KOH-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	23			
		*No fungal elements/yeast observed	23	100.00%
KOH Glass Slide	23	*No fungal elements/yeast observed	23	100.00%
<b>KOH-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	23			
		*Fungal elements/yeast observed	23	100.00%
KOH Glass Slide	23	*Fungal elements/yeast observed	23	100.00%
<b>654 - Lyme Serology</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Lyme Serology</b>		
<b>LY-2</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Positive	1	100.00%
bioMerieux Mini Vidas	1	*Positive	1	100.00%
<b>758 - Mycoplasma Antibody</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Mycoplasma Antibody</b>		
<b>MY-2</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	68			
		*Positive	67	98.53%
		Negative	1	1.47%
Meridian ImmunoCard	68	*Positive	67	98.53%
Meridian ImmunoCard		Negative	1	1.47%
<b>791 - Fecal Occult Blood Add-On;601 - Waived/PPM Tests II;609 - Waived/PPM Tests I;647 - Mini-Waived Package;628 - AFC Waived/PPM</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Fecal Occult Blood</b>		
<b>OC-2</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	854			
		*Negative	817	95.67%
		Positive	37	4.33%
Occult Blood	854	*Negative	817	95.67%
Occult Blood		Positive	37	4.33%
<b>962 - S. pneumoniae Antigen (2 specimens);974 - S. pneumoniae Antigen (5 specimens)</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Streptococcus pneumoniae Antigen Detection</b>		
<b>PNU-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	64			
		*Positive	64	100.00%
Alere BinaxNOW Strep pneumoniae Antigen Card	64	*Positive	64	100.00%
<b>PNU-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	64			
		*Negative	64	100.00%
Alere BinaxNOW Strep pneumoniae Antigen Card	64	*Negative	64	100.00%
<b>974 - S. pneumoniae Antigen (5 specimens)</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Streptococcus pneumoniae Antigen Detection</b>		
<b>PNU-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	64			
		*Positive	64	100.00%
Alere BinaxNOW Strep pneumoniae Antigen Card	64	*Positive	64	100.00%
<b>PNU-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	64			
		*Negative	64	100.00%
Alere BinaxNOW Strep pneumoniae Antigen Card	64	*Negative	64	100.00%
<b>PNU-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	64			
		*Positive	64	100.00%
Alere BinaxNOW Strep pneumoniae Antigen Card	64	*Positive	64	100.00%
<b>PNU-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	64			



		*Negative	62	96.88%
		Positive	2	3.13%
Alere BinaxNOW Strep pneumoniae Antigen Card	64	*Negative	62	96.88%
Alere BinaxNOW Strep pneumoniae Antigen Card		Positive	2	3.13%
<b>PNU-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	64			
		*Positive	62	96.88%
		Negative	2	3.13%
Alere BinaxNOW Strep pneumoniae Antigen Card	64	*Positive	62	96.88%
Alere BinaxNOW Strep pneumoniae Antigen Card		Negative	2	3.13%
<b>950 - Post Vasectomy Sperm Analysis</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Sperm Count (Post Vasectomy)</b>		
<b>PVAS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	16			
		*Positive for Sperm	15	93.75%
		Negative for Sperm	1	6.25%
Hemocytometer	4	*Positive for Sperm	4	100.00%
Post Vasectomy Microscopy	12	*Positive for Sperm	11	91.67%
Post Vasectomy Microscopy		Negative for Sperm	1	8.33%
<b>PVAS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	16			
		*Positive for Sperm	16	100.00%
Hemocytometer	4	*Positive for Sperm	4	100.00%
Post Vasectomy Microscopy	12	*Positive for Sperm	12	100.00%
<b>754 - Infectious Mono/RF Combo;653 - Rheumatoid Factor;759 - Complete Immunology</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Rheumatoid Factor</b>		
<b>RF-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	12			
		*N/A (Negative)	12	100.00%
ASI	1	*N/A (Negative)	1	100.00%
Siemens RapiTex	2	*N/A (Negative)	2	100.00%
Seradyn Color Slide	2	*N/A (Negative)	2	100.00%
Wampole ColorCard RF	2	*N/A (Negative)	2	100.00%
Wampole Rheumatex	2	*N/A (Negative)	2	100.00%
Wampole Rheumaton	1	*N/A (Negative)	1	100.00%
Biokit Rhemajet RF	1	*N/A (Negative)	1	100.00%
Remel SeraTest RF-Latex	1	*N/A (Negative)	1	100.00%
<b>RF-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	12			
		*N/A (Negative)	12	100.00%
ASI	1	*N/A (Negative)	1	100.00%
Siemens RapiTex	2	*N/A (Negative)	2	100.00%
Seradyn Color Slide	2	*N/A (Negative)	2	100.00%
Wampole ColorCard RF	2	*N/A (Negative)	2	100.00%
Wampole Rheumatex	2	*N/A (Negative)	2	100.00%
Wampole Rheumaton	1	*N/A (Negative)	1	100.00%
Biokit Rhemajet RF	1	*N/A (Negative)	1	100.00%
Remel SeraTest RF-Latex	1	*N/A (Negative)	1	100.00%
<b>RF-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	12			
		*Positive	11	91.67%
		N/A (Negative)	1	8.33%
ASI	1	*Positive	1	100.00%
Siemens RapiTex	2	*Positive	2	100.00%
Seradyn Color Slide	2	*Positive	2	100.00%
Wampole ColorCard RF	2	*Positive	2	100.00%
Wampole Rheumatex	2	*Positive	2	100.00%
Biokit Rhemajet RF	1	*Positive	1	100.00%
Remel SeraTest RF-Latex	1	*Positive	1	100.00%
Wampole Rheumaton	1	N/A (Negative)	1	100.00%
<b>RF-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	12			
		*Positive	11	91.67%
		N/A (Negative)	1	8.33%
ASI	1	*Positive	1	100.00%
Siemens RapiTex	2	*Positive	2	100.00%
Seradyn Color Slide	2	*Positive	2	100.00%



Wampole ColorCard RF	2	*Positive	2	100.00%
Wampole Rheumatex	2	*Positive	2	100.00%
Biokit Rhemajet RF	1	*Positive	1	100.00%
Remel SeraTest RF-Latex	1	*Positive	1	100.00%
Wampole Rheumaton	1	N/A (Negative)	1	100.00%
<b>RF-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	12			
		*N/A (Negative)	12	100.00%
ASI	1	*N/A (Negative)	1	100.00%
Siemens RapiTex	2	*N/A (Negative)	2	100.00%
Seradyn Color Slide	2	*N/A (Negative)	2	100.00%
Wampole ColorCard RF	2	*N/A (Negative)	2	100.00%
Wampole Rheumatex	2	*N/A (Negative)	2	100.00%
Wampole Rheumaton	1	*N/A (Negative)	1	100.00%
Biokit Rhemajet RF	1	*N/A (Negative)	1	100.00%
Remel SeraTest RF-Latex	1	*N/A (Negative)	1	100.00%
		<b>Rheumatoid Factor (International)</b>		
<b>RF-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Wampole ColorCard RF	1	*Negative	1	100.00%
Fisher HC Sure-Vue RF	1	*Negative	1	100.00%
Immunostics Rhuemacol/LEX	1	*Negative	1	100.00%
<b>RF-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Wampole ColorCard RF	1	*Negative	1	100.00%
Fisher HC Sure-Vue RF	1	*Negative	1	100.00%
Immunostics Rhuemacol/LEX	1	*Negative	1	100.00%
<b>RF-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Wampole ColorCard RF	1	*Positive	1	100.00%
Fisher HC Sure-Vue RF	1	*Positive	1	100.00%
Immunostics Rhuemacol/LEX	1	*Positive	1	100.00%
<b>RF-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Wampole ColorCard RF	1	*Positive	1	100.00%
Fisher HC Sure-Vue RF	1	*Positive	1	100.00%
Immunostics Rhuemacol/LEX	1	*Positive	1	100.00%
<b>RF-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Wampole ColorCard RF	1	*Negative	1	100.00%
Fisher HC Sure-Vue RF	1	*Negative	1	100.00%
Immunostics Rhuemacol/LEX	1	*Negative	1	100.00%
		<b>Rheumatoid Factor (Semi Quant)</b>		
<b>RF-6</b>		<b>* Denotes Correct Response</b>		
PG: Fisher HC Sure-Vue RF (Semi Quant)	1			
		*Negative	1	100.00%
<b>RF-7</b>		<b>* Denotes Correct Response</b>		
PG: Fisher HC Sure-Vue RF (Semi Quant)	1			
		*Negative	1	100.00%
<b>RF-8</b>		<b>* Denotes Correct Response</b>		
PG: Fisher HC Sure-Vue RF (Semi Quant)	1			
		*80 IU/mL	1	100.00%
<b>RF-9</b>		<b>* Denotes Correct Response</b>		
PG: Fisher HC Sure-Vue RF (Semi Quant)	1			
		*80 IU/mL	1	100.00%
<b>RF-10</b>		<b>* Denotes Correct Response</b>		
PG: Fisher HC Sure-Vue RF (Semi Quant)	1			
		*Negative	1	100.00%
<b>645 - Fetal Membrane Rupture</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Fetal Membranes Rupture PAMG-1</b>		
<b>ROM-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	16			
		*Positive	15	93.75%



		Negative	1	6.25%
AmniSure ROM Test	16	*Positive	15	93.75%
AmniSure ROM Test		Negative	1	6.25%
<b>ROM-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	16			
		*Negative	16	100.00%
AmniSure ROM Test	16	*Negative	16	100.00%
601 - Waived/PPM Tests II;609 - Waived/PPM Tests I;785 - Presump ID/Colony Count-Urine & Strep Combo;691 - Group A Strep Antigen (5 specimens);699 - Group A Strep Antigen (1 specimen);783 - Group A Strep Antigen/Add-on (2 specimens);665 - Group A Strep An	Labs	Response	Number	Percent
		Strep A Ag Det. (Waived)		
<b>RS-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	865			
		*Negative	853	98.61%
		Positive	12	1.39%
Abbott Signify Strep A - Waived	8	*Negative	8	100.00%
Beck Coulter ICON DS Strep	1	*Negative	1	100.00%
Beck Coulter ICON SC Strep	2	*Negative	2	100.00%
Alere Acceava Strep A Dipstick	93	*Negative	93	100.00%
Diag Test Group Clarity - Strip Strep Ag	1	*Negative	1	100.00%
Fisher HC Sure-Vue Strep A (Waived)	11	*Negative	11	100.00%
Sekisui Diagnostics OSOM	44	*Negative	44	100.00%
Sekisui Diagnostics OSOM Ultra Strep	54	*Negative	53	98.15%
Henry Schein OneStep + Rapid Cass	4	*Negative	4	100.00%
Henry Schein OneStep+ Rapid Dip	65	*Negative	64	98.46%
Immunostics Immuno/Strep A Det	1	*Negative	1	100.00%
Innovacon One Step Strep Ag	1	*Negative	1	100.00%
Instant Technologies i Strep	2	*Negative	2	100.00%
Inverness Signify Strep A Dipstick	7	*Negative	7	100.00%
McKesson Strep A Cas	4	*Negative	4	100.00%
McKesson Strep A Dip	39	*Negative	37	94.87%
McKesson Strep A Test - Twist	2	*Negative	2	100.00%
Permaxim Rediscreen Strep A Rapid	1	*Negative	1	100.00%
Polymedco Poly Stat Strep A (W)	3	*Negative	3	100.00%
PSS Rapid Test Strip Strep A	2	*Negative	2	100.00%
Quidel QuickVue Dipstick Strep	95	*Negative	94	98.95%
Quidel QuickVue In-Line - 25 Test	94	*Negative	88	93.62%
Quidel QuickVue+ Strep A	39	*Negative	38	97.44%
Select Diag Strep A Dip	4	*Negative	4	100.00%
SP (Cardinal) Rapid Strep Cassette	5	*Negative	5	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	72	*Negative	72	100.00%
Stanbio QuStick Strep A	1	*Negative	1	100.00%
Alere Clearview Exact II Cas	1	*Negative	1	100.00%
Alere Clearview Exact II Dip	38	*Negative	38	100.00%
Sekisui Diagnostics OSOM Ultra	5	*Negative	5	100.00%
Consult Diag (PSS) Strep A Dipstick	115	*Negative	115	100.00%
Consult Diag (PSS) Strep A Twist	4	*Negative	4	100.00%
MooreBrand Strep A Dipstick	5	*Negative	5	100.00%
NDC ProAdvantage Strep Strips	1	*Negative	1	100.00%
Jant Accutest Accustrip Strep A	3	*Negative	3	100.00%
Meridian ImmunoCard STAT Strep A	1	*Negative	1	100.00%
LifeSign Bio Strep A Test STRip	2	*Negative	2	100.00%
Quidel Sofia Strep A FIA	3	*Negative	3	100.00%
BD Veritor Strep A	14	*Negative	14	100.00%
Alere Acceava Strep A Dipstick	12	*Negative	12	100.00%
Alere i Strep A	3	*Negative	3	100.00%
Medline Strep A Dipstick	2	*Negative	2	100.00%
Sekisui Diagnostics OSOM Ultra Strep	54	Positive	1	1.85%
Henry Schein OneStep+ Rapid Dip	65	Positive	1	1.54%
McKesson Strep A Dip	39	Positive	2	5.13%
Quidel QuickVue Dipstick Strep	95	Positive	1	1.05%
Quidel QuickVue In-Line - 25 Test	94	Positive	6	6.38%
Quidel QuickVue+ Strep A	39	Positive	1	2.56%
<b>RS-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	70			
		*Positive	68	97.14%
		Negative	2	2.86%
Sekisui Diagnostics OSOM	3	*Positive	3	100.00%



Sekisui Diagnostics OSOM Ultra Strep	2	*Positive	2	100.00%
Innovacon One Step Strep Ag	1	*Positive	1	100.00%
Instant Technologies i Strep	1	*Positive	1	100.00%
Quidel QuickVue Dipstick Strep	31	*Positive	31	100.00%
Quidel QuickVue In-Line - 25 Test	4	*Positive	3	75.00%
Quidel QuickVue+ Strep A	7	*Positive	7	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	5	*Positive	5	100.00%
Consult Diag (PSS) Strep A Dipstick	8	*Positive	8	100.00%
Consult Diag (PSS) Strep A Twist	1	*Positive	1	100.00%
Jant Accutest Accustrip Strep A	3	*Positive	3	100.00%
BD Veritor Strep A	1	*Positive	1	100.00%
Alere Acceava Strep A Dipstick	1	*Positive	1	100.00%
Alere i Strep A	1	*Positive	1	100.00%
McKesson Strep A Dip	1	Negative	1	100.00%
Quidel QuickVue In-Line - 25 Test	4	Negative	1	25.00%
		<b>Strep A Aq Det.</b>		
<b>RS-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	208			
		*Negative	206	99.04%
		Positive	2	0.96%
Abbott Signify Strep A - Waived	2	*Negative	2	100.00%
BD Check Strep A (Dip)	2	*Negative	2	100.00%
Beck Coulter ICON DS Strep	2	*Negative	2	100.00%
Alere Acceava Strep A Dipstick	17	*Negative	17	100.00%
Diag Test Group Clarity - Strip Strep Aq	1	*Negative	1	100.00%
Fisher HC Sure-Vue Select Strep Aq	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM	23	*Negative	23	100.00%
Sekisui Diagnostics OSOM Ultra Strep	28	*Negative	28	100.00%
Henry Schein OneStep+ Rapid Dip	6	*Negative	6	100.00%
Immunostics Immuno/Strep A Det	2	*Negative	2	100.00%
Inverness Signify Strep A Dipstick	1	*Negative	1	100.00%
McKesson Strep A Cas	2	*Negative	2	100.00%
McKesson Strep A Dip	11	*Negative	11	100.00%
Permaxim Rediscreen Strep A Rapid	1	*Negative	1	100.00%
Quidel QuickVue Dipstick Strep	25	*Negative	25	100.00%
Quidel QuickVue In-Line - 25 Test	14	*Negative	14	100.00%
Quidel QuickVue+ Strep A	40	*Negative	39	97.50%
Select Diag Strep A Dip	1	*Negative	1	100.00%
SP (Cardinal) Rapid Strep Cassette	1	*Negative	1	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	*Negative	3	100.00%
Stanbio QuStick Strep A	2	*Negative	2	100.00%
Alere Clearview Exact II Dip	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM Ultra	1	*Negative	1	100.00%
Consult Diag (PSS) Strep A Dipstick	12	*Negative	12	100.00%
Consult Diag (PSS) Strep A Twist	1	*Negative	1	100.00%
Quidel Sofia Strep A FIA	5	*Negative	5	100.00%
BD Veritor Strep A	2	*Negative	2	100.00%
PSS Rapid Test Strip Strep A	1	Positive	1	100.00%
Quidel QuickVue+ Strep A	40	Positive	1	2.50%
<b>RS-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	203			
		*Positive	194	95.57%
		Negative	9	4.43%
Abbott Signify Strep A - Waived	2	*Positive	2	100.00%
BD Check Strep A (Dip)	2	*Positive	2	100.00%
Beck Coulter ICON DS Strep	2	*Positive	1	50.00%
Alere Acceava Strep A Dipstick	16	*Positive	14	87.50%
Diag Test Group Clarity - Strip Strep Aq	1	*Positive	1	100.00%
Fisher HC Sure-Vue Select Strep Aq	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM	23	*Positive	23	100.00%
Sekisui Diagnostics OSOM Ultra Strep	27	*Positive	26	96.30%
Henry Schein OneStep+ Rapid Dip	6	*Positive	6	100.00%
Immunostics Immuno/Strep A Det	2	*Positive	1	50.00%
Inverness Signify Strep A Dipstick	1	*Positive	1	100.00%
McKesson Strep A Cas	2	*Positive	2	100.00%
McKesson Strep A Dip	11	*Positive	11	100.00%
Permaxim Rediscreen Strep A Rapid	1	*Positive	1	100.00%
Quidel QuickVue Dipstick Strep	25	*Positive	24	96.00%
Quidel QuickVue In-Line - 25 Test	14	*Positive	14	100.00%





Quidel QuickVue+ Strep A	38	*Positive	37	97.37%
Select Diag Strep A Dip	1	*Positive	1	100.00%
SP (Cardinal) Rapid Strep Cassette	1	*Positive	1	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	*Positive	2	66.67%
Stanbio QuStick Strep A	2	*Positive	2	100.00%
Alere Clearview Exact II Dip	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM Ultra	1	*Positive	1	100.00%
Consult Diag (PSS) Strep A Dipstick	12	*Positive	12	100.00%
Consult Diag (PSS) Strep A Twist	1	*Positive	1	100.00%
Quidel Sofia Strep A FIA	4	*Positive	4	100.00%
BD Veritor Strep A	2	*Positive	2	100.00%
Beck Coulter ICON DS Strep	2	Negative	1	50.00%
Alere Aceava Strep A Dipstick	16	Negative	2	12.50%
Sekisui Diagnostics OSOM Ultra Strep	27	Negative	1	3.70%
Immunostics Immuno/Strep A Det	2	Negative	1	50.00%
PSS Rapid Test Strip Strep A	1	Negative	1	100.00%
Quidel QuickVue Dipstick Strep	25	Negative	1	4.00%
Quidel QuickVue+ Strep A	38	Negative	1	2.63%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	Negative	1	33.33%
		<b>Strep A Ag Det. (International)</b>		
<b>RS-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Alere Clearview Exact II Cas	1	*Negative	1	100.00%
		<b>RS-7</b>		
		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Positive	1	100.00%
Alere Clearview Exact II Cas	1	*Positive	1	100.00%
<b>691 - Group A Strep Antigen (5 specimens)</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Strep A Ag Det.</b>		
<b>RS-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	208			
		*Negative	206	99.04%
		Positive	2	0.96%
Abbott Signify Strep A - Waived	2	*Negative	2	100.00%
BD Check Strep A (Dip)	2	*Negative	2	100.00%
Beck Coulter ICON DS Strep	2	*Negative	2	100.00%
Alere Aceava Strep A Dipstick	17	*Negative	17	100.00%
Diag Test Group Clarity - Strip Strep Ag	1	*Negative	1	100.00%
Fisher HC Sure-Vue Select Strep Ag	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM	23	*Negative	23	100.00%
Sekisui Diagnostics OSOM Ultra Strep	28	*Negative	28	100.00%
Henry Schein OneStep+ Rapid Dip	6	*Negative	6	100.00%
Immunostics Immuno/Strep A Det	2	*Negative	2	100.00%
Inverness Signify Strep A Dipstick	1	*Negative	1	100.00%
McKesson Strep A Cas	2	*Negative	2	100.00%
McKesson Strep A Dip	11	*Negative	11	100.00%
Permaxim Rediscreen Strep A Rapid	1	*Negative	1	100.00%
Quidel QuickVue Dipstick Strep	25	*Negative	25	100.00%
Quidel QuickVue In-Line - 25 Test	14	*Negative	14	100.00%
Quidel QuickVue+ Strep A	40	*Negative	39	97.50%
Select Diag Strep A Dip	1	*Negative	1	100.00%
SP (Cardinal) Rapid Strep Cassette	1	*Negative	1	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	*Negative	3	100.00%
Stanbio QuStick Strep A	2	*Negative	2	100.00%
Alere Clearview Exact II Dip	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM Ultra	1	*Negative	1	100.00%
Consult Diag (PSS) Strep A Dipstick	12	*Negative	12	100.00%
Consult Diag (PSS) Strep A Twist	1	*Negative	1	100.00%
Quidel Sofia Strep A FIA	5	*Negative	5	100.00%
BD Veritor Strep A	2	*Negative	2	100.00%
PSS Rapid Test Strip Strep A	1	Positive	1	100.00%
Quidel QuickVue+ Strep A	40	Positive	1	2.50%
		<b>RS-7</b>		
		<b>* Denotes Correct Response</b>		
AG: All Methods	203			
		*Positive	194	95.57%
		Negative	9	4.43%
Abbott Signify Strep A - Waived	2	*Positive	2	100.00%
BD Check Strep A (Dip)	2	*Positive	2	100.00%



Beck Coulter ICON DS Strep	2	*Positive	1	50.00%
Alere Acceava Strep A Dipstick	16	*Positive	14	87.50%
Diag Test Group Clarity - Strip Strep Ag	1	*Positive	1	100.00%
Fisher HC Sure-Vue Select Strep Ag	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM	23	*Positive	23	100.00%
Sekisui Diagnostics OSOM Ultra Strep	27	*Positive	26	96.30%
Henry Schein OneStep+ Rapid Dip	6	*Positive	6	100.00%
Immunostics Immuno/Strep A Det	2	*Positive	1	50.00%
Inverness Signify Strep A Dipstick	1	*Positive	1	100.00%
McKesson Strep A Cas	2	*Positive	2	100.00%
McKesson Strep A Dip	11	*Positive	11	100.00%
Permaxim Rediscreen Strep A Rapid	1	*Positive	1	100.00%
Quidel QuickVue Dipstick Strep	25	*Positive	24	96.00%
Quidel QuickVue In-Line - 25 Test	14	*Positive	14	100.00%
Quidel QuickVue+ Strep A	38	*Positive	37	97.37%
Select Diag Strep A Dip	1	*Positive	1	100.00%
SP (Cardinal) Rapid Strep Cassette	1	*Positive	1	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	*Positive	2	66.67%
Stanbio QuStick Strep A	2	*Positive	2	100.00%
Alere Clearview Exact II Dip	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM Ultra	1	*Positive	1	100.00%
Consult Diag (PSS) Strep A Dipstick	12	*Positive	12	100.00%
Consult Diag (PSS) Strep A Twist	1	*Positive	1	100.00%
Quidel Sofia Strep A FIA	4	*Positive	4	100.00%
BD Veritor Strep A	2	*Positive	2	100.00%
Beck Coulter ICON DS Strep	2	Negative	1	50.00%
Alere Acceava Strep A Dipstick	16	Negative	2	12.50%
Sekisui Diagnostics OSOM Ultra Strep	27	Negative	1	3.70%
Immunostics Immuno/Strep A Det	2	Negative	1	50.00%
PSS Rapid Test Strip Strep A	1	Negative	1	100.00%
Quidel QuickVue Dipstick Strep	25	Negative	1	4.00%
Quidel QuickVue+ Strep A	38	Negative	1	2.63%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	Negative	1	33.33%
<b>RS-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	174			
		*Negative	170	97.70%
		Positive	4	2.30%
Abbott Signify Strep A - Waived	2	*Negative	2	100.00%
BD Check Strep A (Dip)	2	*Negative	2	100.00%
Beck Coulter ICON DS Strep	2	*Negative	2	100.00%
Alere Acceava Strep A Dipstick	17	*Negative	16	94.12%
Diag Test Group Clarity - Strip Strep Ag	1	*Negative	1	100.00%
Fisher HC Sure-Vue Select Strep Ag	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM	23	*Negative	23	100.00%
Sekisui Diagnostics OSOM Ultra Strep	23	*Negative	23	100.00%
Henry Schein OneStep+ Rapid Dip	6	*Negative	6	100.00%
Immunostics Immuno/Strep A Det	2	*Negative	2	100.00%
Inverness Signify Strep A Dipstick	1	*Negative	1	100.00%
McKesson Strep A Cas	1	*Negative	1	100.00%
McKesson Strep A Dip	5	*Negative	5	100.00%
Permaxim Rediscreen Strep A Rapid	1	*Negative	1	100.00%
Quidel QuickVue Dipstick Strep	19	*Negative	19	100.00%
Quidel QuickVue In-Line - 25 Test	11	*Negative	11	100.00%
Quidel QuickVue+ Strep A	34	*Negative	32	94.12%
SP (Cardinal) Rapid Strep Cassette	1	*Negative	1	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	*Negative	3	100.00%
Stanbio QuStick Strep A	1	*Negative	1	100.00%
Alere Clearview Exact II Dip	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM Ultra	1	*Negative	1	100.00%
Consult Diag (PSS) Strep A Dipstick	10	*Negative	10	100.00%
Consult Diag (PSS) Strep A Twist	1	*Negative	1	100.00%
Quidel Sofia Strep A FIA	3	*Negative	3	100.00%
BD Veritor Strep A	1	*Negative	1	100.00%
Alere Acceava Strep A Dipstick	17	Positive	1	5.88%
PSS Rapid Test Strip Strep A	1	Positive	1	100.00%
Quidel QuickVue+ Strep A	34	Positive	2	5.88%
<b>RS-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	175			
		*Positive	167	95.43%



		Negative	8	4.57%
Abbott Signify Strep A - Waived	2	*Positive	2	100.00%
BD Check Strep A (Dip)	2	*Positive	2	100.00%
Beck Coulter ICON DS Strep	2	*Positive	1	50.00%
Alere Acceava Strep A Dipstick	17	*Positive	16	94.12%
Diag Test Group Clarity - Strip Strep Ag	1	*Positive	1	100.00%
Fisher HC Sure-Vue Select Strep Ag	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM	23	*Positive	23	100.00%
Sekisui Diagnostics OSOM Ultra Strep	23	*Positive	23	100.00%
Henry Schein OneStep+ Rapid Dip	6	*Positive	6	100.00%
Immunostics Immuno/Strep A Det	2	*Positive	1	50.00%
Inverness Signify Strep A Dipstick	1	*Positive	1	100.00%
McKesson Strep A Cas	1	*Positive	1	100.00%
McKesson Strep A Dip	5	*Positive	5	100.00%
Permaxim Rediscreen Strep A Rapid	1	*Positive	1	100.00%
Quidel QuickVue Dipstick Strep	19	*Positive	18	94.74%
Quidel QuickVue In-Line - 25 Test	11	*Positive	11	100.00%
Quidel QuickVue+ Strep A	34	*Positive	32	94.12%
SP (Cardinal) Rapid Strep Cassette	1	*Positive	1	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	*Positive	2	66.67%
Stanbio QuStick Strep A	1	*Positive	1	100.00%
Alere Clearview Exact II Dip	1	*Positive	1	100.00%
Sekisui Diagnostics OSOM Ultra	1	*Positive	1	100.00%
Consult Diag (PSS) Strep A Dipstick	10	*Positive	10	100.00%
Consult Diag (PSS) Strep A Twist	1	*Positive	1	100.00%
Quidel Sofia Strep A FIA	4	*Positive	4	100.00%
BD Veritor Strep A	1	*Positive	1	100.00%
Beck Coulter ICON DS Strep	2	Negative	1	50.00%
Alere Acceava Strep A Dipstick	17	Negative	1	5.88%
Immunostics Immuno/Strep A Det	2	Negative	1	50.00%
PSS Rapid Test Strip Strep A	1	Negative	1	100.00%
Quidel QuickVue Dipstick Strep	19	Negative	1	5.26%
Quidel QuickVue+ Strep A	34	Negative	2	5.88%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	Negative	1	33.33%
<b>RS-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	175			
		*Negative	172	98.29%
		Positive	3	1.71%
Abbott Signify Strep A - Waived	2	*Negative	2	100.00%
BD Check Strep A (Dip)	2	*Negative	2	100.00%
Beck Coulter ICON DS Strep	2	*Negative	2	100.00%
Alere Acceava Strep A Dipstick	17	*Negative	17	100.00%
Diag Test Group Clarity - Strip Strep Ag	1	*Negative	1	100.00%
Fisher HC Sure-Vue Select Strep Ag	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM	23	*Negative	23	100.00%
Sekisui Diagnostics OSOM Ultra Strep	23	*Negative	23	100.00%
Henry Schein OneStep+ Rapid Dip	6	*Negative	6	100.00%
Immunostics Immuno/Strep A Det	2	*Negative	2	100.00%
Inverness Signify Strep A Dipstick	1	*Negative	1	100.00%
McKesson Strep A Cas	1	*Negative	1	100.00%
McKesson Strep A Dip	5	*Negative	5	100.00%
Permaxim Rediscreen Strep A Rapid	1	*Negative	1	100.00%
PSS Rapid Test Strip Strep A	1	*Negative	1	100.00%
Quidel QuickVue Dipstick Strep	19	*Negative	19	100.00%
Quidel QuickVue In-Line - 25 Test	11	*Negative	11	100.00%
Quidel QuickVue+ Strep A	34	*Negative	31	91.18%
SP (Cardinal) Rapid Strep Cassette	1	*Negative	1	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	3	*Negative	3	100.00%
Stanbio QuStick Strep A	1	*Negative	1	100.00%
Alere Clearview Exact II Dip	1	*Negative	1	100.00%
Sekisui Diagnostics OSOM Ultra	1	*Negative	1	100.00%
Consult Diag (PSS) Strep A Dipstick	10	*Negative	10	100.00%
Consult Diag (PSS) Strep A Twist	1	*Negative	1	100.00%
Quidel Sofia Strep A FIA	4	*Negative	4	100.00%
BD Veritor Strep A	1	*Negative	1	100.00%
Quidel QuickVue+ Strep A	34	Positive	3	8.82%
<b>RS-6</b>		<b>Strep A Ag Det. (Waived)</b>		
		<b>* Denotes Correct Response</b>		
AG: All Methods	865			



		*Negative	853	98.61%
		Positive	12	1.39%
Abbott Signify Strep A - Waived	8	*Negative	8	100.00%
Beck Coulter ICON DS Strep	1	*Negative	1	100.00%
Beck Coulter ICON SC Strep	2	*Negative	2	100.00%
Alere Acceava Strep A Dipstick	93	*Negative	93	100.00%
Diag Test Group Clarity - Strip Strep Ag	1	*Negative	1	100.00%
Fisher HC Sure-Vue Strep A (Waived)	11	*Negative	11	100.00%
Sekisui Diagnostics OSOM	44	*Negative	44	100.00%
Sekisui Diagnostics OSOM Ultra Strep	54	*Negative	53	98.15%
Henry Schein OneStep + Rapid Cass	4	*Negative	4	100.00%
Henry Schein OneStep+ Rapid Dip	65	*Negative	64	98.46%
Immunostics Immuno/Strep A Det	1	*Negative	1	100.00%
Innovacon One Step Strep Ag	1	*Negative	1	100.00%
Instant Technologies i Strep	2	*Negative	2	100.00%
Inverness Signify Strep A Dipstick	7	*Negative	7	100.00%
McKesson Strep A Cas	4	*Negative	4	100.00%
McKesson Strep A Dip	39	*Negative	37	94.87%
McKesson Strep A Test - Twist	2	*Negative	2	100.00%
Permaxim Rediscreen Strep A Rapid	1	*Negative	1	100.00%
Polymedco Poly Stat Strep A (W)	3	*Negative	3	100.00%
PSS Rapid Test Strip Strep A	2	*Negative	2	100.00%
Quidel QuickVue Dipstick Strep	95	*Negative	94	98.95%
Quidel QuickVue In-Line - 25 Test	94	*Negative	88	93.62%
Quidel QuickVue+ Strep A	39	*Negative	38	97.44%
Select Diag Strep A Dip	4	*Negative	4	100.00%
SP (Cardinal) Rapid Strep Cassette	5	*Negative	5	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	72	*Negative	72	100.00%
Stanbio QuStick Strep A	1	*Negative	1	100.00%
Alere Clearview Exact II Cas	1	*Negative	1	100.00%
Alere Clearview Exact II Dip	38	*Negative	38	100.00%
Sekisui Diagnostics OSOM Ultra	5	*Negative	5	100.00%
Consult Diag (PSS) Strep A Dipstick	115	*Negative	115	100.00%
Consult Diag (PSS) Strep A Twist	4	*Negative	4	100.00%
MooreBrand Strep A Dipstick	5	*Negative	5	100.00%
NDC ProAdvantage Strep Strips	1	*Negative	1	100.00%
Jant Accutest Accustrip Strep A	3	*Negative	3	100.00%
Meridian ImmunoCard STAT Strep A	1	*Negative	1	100.00%
LifeSign Bio Strep A Test Strip	2	*Negative	2	100.00%
Quidel Sofia Strep A FIA	3	*Negative	3	100.00%
BD Veritor Strep A	14	*Negative	14	100.00%
Alere Acceava Strep A Dipstick	12	*Negative	12	100.00%
Alere i Strep A	3	*Negative	3	100.00%
Medline Strep A Dipstick	2	*Negative	2	100.00%
Sekisui Diagnostics OSOM Ultra Strep	54	Positive	1	1.85%
Henry Schein OneStep+ Rapid Dip	65	Positive	1	1.54%
McKesson Strep A Dip	39	Positive	2	5.13%
Quidel QuickVue Dipstick Strep	95	Positive	1	1.05%
Quidel QuickVue In-Line - 25 Test	94	Positive	6	6.38%
Quidel QuickVue+ Strep A	39	Positive	1	2.56%
<b>RS-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	70			
		*Positive	68	97.14%
		Negative	2	2.86%
Sekisui Diagnostics OSOM	3	*Positive	3	100.00%
Sekisui Diagnostics OSOM Ultra Strep	2	*Positive	2	100.00%
Innovacon One Step Strep Ag	1	*Positive	1	100.00%
Instant Technologies i Strep	1	*Positive	1	100.00%
Quidel QuickVue Dipstick Strep	31	*Positive	31	100.00%
Quidel QuickVue In-Line - 25 Test	4	*Positive	3	75.00%
Quidel QuickVue+ Strep A	7	*Positive	7	100.00%
SP Brand (Cardinal) Rapid Strep A Dipstick	5	*Positive	5	100.00%
Consult Diag (PSS) Strep A Dipstick	8	*Positive	8	100.00%
Consult Diag (PSS) Strep A Twist	1	*Positive	1	100.00%
Jant Accutest Accustrip Strep A	3	*Positive	3	100.00%
BD Veritor Strep A	1	*Positive	1	100.00%
Alere Acceava Strep A Dipstick	1	*Positive	1	100.00%
Alere i Strep A	1	*Positive	1	100.00%
McKesson Strep A Dip	1	Negative	1	100.00%



Quidel QuickVue In-Line - 25 Test	4	Negative	1	25.00%
<b>RS-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Alere i Strep A	1	*Negative	1	100.00%
<b>RS-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Positive	1	100.00%
Alere i Strep A	1	*Positive	1	100.00%
<b>RS-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Alere i Strep A	1	*Negative	1	100.00%
		<b>Strep A Ag Det. (International)</b>		
<b>RS-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Alere Clearview Exact II Cas	1	*Negative	1	100.00%
<b>RS-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Positive	1	100.00%
Alere Clearview Exact II Cas	1	*Positive	1	100.00%
<b>RS-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Alere Clearview Exact II Cas	1	*Negative	1	100.00%
<b>RS-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Positive	1	100.00%
Alere Clearview Exact II Cas	1	*Positive	1	100.00%
<b>RS-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Alere Clearview Exact II Cas	1	*Negative	1	100.00%
<b>997 - CVS Group A Strep - 2 samples</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Strep A Ag Det. (Waived)</b>		
<b>RS-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	38			
		*Negative	37	97.37%
		Positive	1	2.63%
Sekisui Diagnostics OSOM Ultra Strep	38	*Negative	37	97.37%
Sekisui Diagnostics OSOM Ultra Strep		Positive	1	2.63%
<b>RS-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	38			
		*Positive	37	97.37%
		Negative	1	2.63%
Sekisui Diagnostics OSOM Ultra Strep	38	*Positive	37	97.37%
Sekisui Diagnostics OSOM Ultra Strep		Negative	1	2.63%
<b>673 - Rubella:759 - Complete Immunology</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Rubella (Qualitative)</b>		
<b>RU-6</b>		<b>* Denotes Correct Response</b>		
PG: bioMerieux Vidas, Mini	1			
		*Positive	1	100.00%
<b>RU-7</b>		<b>* Denotes Correct Response</b>		
PG: bioMerieux Vidas, Mini	1			
		*Negative	1	100.00%
<b>RU-8</b>		<b>* Denotes Correct Response</b>		
PG: bioMerieux Vidas, Mini	1			
		*Negative	1	100.00%
<b>RU-9</b>		<b>* Denotes Correct Response</b>		
PG: bioMerieux Vidas, Mini	1			
		*Negative	1	100.00%
<b>RU-10</b>		<b>* Denotes Correct Response</b>		
PG: bioMerieux Vidas, Mini	1			
		*Positive	1	100.00%
<b>739 - Sickle Cell Screen</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Sickle Cell Screen</b>		



SS-2		* Denotes Correct Response		
AG: All Methods	9			
		*Negative	9	100.00%
Pacific Hemostasis Sickle Screen	1	*Negative	1	100.00%
Streck SickleDex	8	*Negative	8	100.00%
<b>679 - Syphilis Serology</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		RPR		
SY-6		* Denotes Correct Response		
AG: All Methods	10			
		*Nonreactive	10	100.00%
ASI RPR	2	*Nonreactive	2	100.00%
Becton Dickinson BBL	3	*Nonreactive	3	100.00%
New Horizons	1	*Nonreactive	1	100.00%
Stanbio Quicktest	1	*Nonreactive	1	100.00%
Wampole Impact	1	*Nonreactive	1	100.00%
Diagnostic Direct Syphilis Health Check	1	*Nonreactive	1	100.00%
Intl ASI RPR	1	*Nonreactive	1	100.00%
SY-7		* Denotes Correct Response		
AG: All Methods	10			
		*Reactive	10	100.00%
ASI RPR	2	*Reactive	2	100.00%
Becton Dickinson BBL	3	*Reactive	3	100.00%
New Horizons	1	*Reactive	1	100.00%
Stanbio Quicktest	1	*Reactive	1	100.00%
Wampole Impact	1	*Reactive	1	100.00%
Diagnostic Direct Syphilis Health Check	1	*Reactive	1	100.00%
Intl ASI RPR	1	*Reactive	1	100.00%
SY-8		* Denotes Correct Response		
AG: All Methods	10			
		*Nonreactive	10	100.00%
ASI RPR	2	*Nonreactive	2	100.00%
Becton Dickinson BBL	3	*Nonreactive	3	100.00%
New Horizons	1	*Nonreactive	1	100.00%
Stanbio Quicktest	1	*Nonreactive	1	100.00%
Wampole Impact	1	*Nonreactive	1	100.00%
Diagnostic Direct Syphilis Health Check	1	*Nonreactive	1	100.00%
Intl ASI RPR	1	*Nonreactive	1	100.00%
SY-9		* Denotes Correct Response		
AG: All Methods	10			
		*Reactive	9	90.00%
		Weakly Reactive	1	10.00%
ASI RPR	2	*Reactive	2	100.00%
Becton Dickinson BBL	3	*Reactive	3	100.00%
New Horizons	1	*Reactive	1	100.00%
Stanbio Quicktest	1	*Reactive	1	100.00%
Diagnostic Direct Syphilis Health Check	1	*Reactive	1	100.00%
Intl ASI RPR	1	*Reactive	1	100.00%
Wampole Impact	1	Weakly Reactive	1	100.00%
SY-10		* Denotes Correct Response		
AG: All Methods	10			
		*Reactive	10	100.00%
ASI RPR	2	*Reactive	2	100.00%
Becton Dickinson BBL	3	*Reactive	3	100.00%
New Horizons	1	*Reactive	1	100.00%
Stanbio Quicktest	1	*Reactive	1	100.00%
Wampole Impact	1	*Reactive	1	100.00%
Diagnostic Direct Syphilis Health Check	1	*Reactive	1	100.00%
Intl ASI RPR	1	*Reactive	1	100.00%
		RPR/VDRL (titer)		
SY-6		* Denotes Correct Response		
AG: All Methods	2			
		*N/A (Negative)	1	50.00%
		*Nonreactive	1	50.00%
ASI RPR	1	*N/A (Negative)	1	100.00%
New Horizons	1	*Nonreactive	1	100.00%
SY-7		* Denotes Correct Response		
AG: All Methods	2			
		*1:2	2	100.00%



ASI RPR	1	*1:2	1	100.00%
New Horizons	1	*1:2	1	100.00%
<b>SY-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*N/A (Negative)	1	50.00%
		*Nonreactive	1	50.00%
ASI RPR	1	*N/A (Negative)	1	100.00%
New Horizons	1	*Nonreactive	1	100.00%
<b>SY-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*1:2	2	100.00%
ASI RPR	1	*1:2	1	100.00%
New Horizons	1	*1:2	1	100.00%
<b>SY-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*1:2	1	50.00%
		*1:4	1	50.00%
New Horizons	1	*1:2	1	100.00%
ASI RPR	1	*1:4	1	100.00%
		<b>RPR (International)</b>		
<b>SY-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Nonreactive	3	100.00%
BD Macro-Vue RPR	1	*Nonreactive	1	100.00%
Fisher HC Sure-Vue RPR	1	*Nonreactive	1	100.00%
Wampole Impact	1	*Nonreactive	1	100.00%
<b>SY-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Reactive	3	100.00%
BD Macro-Vue RPR	1	*Reactive	1	100.00%
Fisher HC Sure-Vue RPR	1	*Reactive	1	100.00%
Wampole Impact	1	*Reactive	1	100.00%
<b>SY-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Nonreactive	3	100.00%
BD Macro-Vue RPR	1	*Nonreactive	1	100.00%
Fisher HC Sure-Vue RPR	1	*Nonreactive	1	100.00%
Wampole Impact	1	*Nonreactive	1	100.00%
<b>SY-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Reactive	2	66.67%
		Weakly Reactive	1	33.33%
BD Macro-Vue RPR	1	*Reactive	1	100.00%
Fisher HC Sure-Vue RPR	1	*Reactive	1	100.00%
Wampole Impact	1	Weakly Reactive	1	100.00%
<b>SY-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Reactive	3	100.00%
BD Macro-Vue RPR	1	*Reactive	1	100.00%
Fisher HC Sure-Vue RPR	1	*Reactive	1	100.00%
Wampole Impact	1	*Reactive	1	100.00%
<b>776 - Throat Culture;780 - Throat &amp; Genital Cultures</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
		<b>Throat Culture</b>		
<b>TC-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	82			
		*Beta hemolysis, referred for ID/confirmation	2	2.44%
		*Positive for Group A Streptococcus	42	51.22%
		*Presumptive Positive for Group A Streptococcus	35	42.68%
		*Presumptive Streptococcus species	1	1.22%
		Negative for Group A Streptococcus	2	2.44%
Cultures	82	*Beta hemolysis, referred for ID/confirmation	2	2.44%
Cultures		*Positive for Group A Streptococcus	42	51.22%
Cultures		*Presumptive Positive for Group A Streptococcus	35	42.68%
Cultures		*Presumptive Streptococcus species	1	1.22%
Cultures		Negative for Group A Streptococcus	2	2.44%
<b>TC-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	82			
		*Beta hemolysis, referred for ID/confirmation	2	2.44%



		*Positive for Group A Streptococcus	44	53.66%
		*Presumptive Positive for Group A Streptococcus	35	42.68%
		*Presumptive Streptococcus species	1	1.22%
Cultures	82	*Beta hemolysis, referred for ID/confirmation	2	2.44%
Cultures		*Positive for Group A Streptococcus	44	53.66%
Cultures		*Presumptive Positive for Group A Streptococcus	35	42.68%
Cultures		*Presumptive Streptococcus species	1	1.22%
<b>TC-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	84			
		*Negative for Group A Streptococcus	70	83.33%
		*No beta hemolysis	3	3.57%
		*No Growth - Strep Selective medium	10	11.90%
		Beta hemolysis, referred for ID/confirmation	1	1.19%
Cultures	84	*Negative for Group A Streptococcus	70	83.33%
Cultures		*No beta hemolysis	3	3.57%
Cultures		*No Growth - Strep Selective medium	10	11.90%
Cultures		Beta hemolysis, referred for ID/confirmation	1	1.19%
<b>TC-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	106			
		*Beta hemolysis, referred for ID/confirmation	8	7.55%
		*Growth, referred for identification	2	1.89%
		*Negative for Group A Streptococcus	72	67.92%
		*No Growth - Strep Selective medium	7	6.60%
		*Presumptive Streptococcus species	2	1.89%
		*Streptococcus, beta-hemolytic, not Group A	3	2.83%
		Positive for Group A Streptococcus	7	6.60%
		Presumptive Positive for Group A Streptococcus	5	4.72%
Cultures	106	*Beta hemolysis, referred for ID/confirmation	8	7.55%
Cultures		*Growth, referred for identification	2	1.89%
Cultures		*Negative for Group A Streptococcus	72	67.92%
Cultures		*No Growth - Strep Selective medium	7	6.60%
Cultures		*Presumptive Streptococcus species	2	1.89%
Cultures		*Streptococcus, beta-hemolytic, not Group A	3	2.83%
Cultures		Positive for Group A Streptococcus	7	6.60%
Cultures		Presumptive Positive for Group A Streptococcus	5	4.72%
<b>TC-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	106			
		*Growth, referred for identification	3	2.83%
		*Negative for Group A Streptococcus	80	75.47%
		*No beta hemolysis	4	3.77%
		*No Growth - Strep Selective medium	17	16.04%
		Positive for Group A Streptococcus	2	1.89%
Cultures	106	*Growth, referred for identification	3	2.83%
Cultures		*Negative for Group A Streptococcus	80	75.47%
Cultures		*No beta hemolysis	4	3.77%
Cultures		*No Growth - Strep Selective medium	17	16.04%
Cultures		Positive for Group A Streptococcus	2	1.89%
640 - Urinalysis;642 - Urinalysis/hCG;639 - Complete Urinalysis Package;601 - Waived/PPM Tests II;609 - Waived/PPM Tests I;647 - Mini-Waived Package;628 - AFC Waived/PPM;999 - CVS Complete Urinalysis	Labs	Response	Number	Percent
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	21			
		*1.020	4	19.05%
		*1.025	16	76.19%
		>=1.030	1	4.76%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*1.005	14	45.16%
		*1.010	15	48.39%
		1.015	2	6.45%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
MG: Method Group	1290			
		*1.010	105	8.14%
		*1.015	182	14.11%
		*1.020	284	22.02%
		*1.025	635	49.22%





		1.000	2	0.16%
		1.005	54	4.19%
		1.030	28	2.17%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
MG: Method Group	31			
		*1.005	14	45.16%
		*1.010	15	48.39%
		1.015	2	6.45%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
MG: Plus Sys - Siemens	22			
		*1.020	5	22.73%
		*1.025	16	72.73%
		>=1.030	1	4.55%
		<b>Urine Creatinine (semi-quant)</b>		
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*200 mg/dL	1	16.67%
		*300 mg/dL	5	83.33%
Siemens Clinitek Status	5	*200 mg/dL	1	20.00%
Siemens Clinitek Status		*300 mg/dL	4	80.00%
Siemens Clinitek Advantus	1	*300 mg/dL	1	100.00%
		<b>Urine Bilirubin</b>		
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	21			
		*2+	13	61.90%
		*3+	7	33.33%
		1+	1	4.76%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*3 mg/dL	7	22.58%
		*6 mg/dL	24	77.42%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
MG: Method Group	1278			
		*Large (3+)	560	43.82%
		*Moderate (2+)	600	46.95%
		Negative	20	1.56%
		Trace/Small (1+)	98	7.67%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
MG: Method Group	31			
		*3 mg/dL	7	22.58%
		*6 mg/dL	24	77.42%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
MG: Plus Sys - Siemens	22			
		*2+	14	63.64%
		*3+	7	31.82%
		1+	1	4.55%
		<b>Urine Ketones</b>		
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	21			
		*2+	20	95.24%
		4+	1	4.76%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*15 mg/dL	21	67.74%
		*50 mg/dL	10	32.26%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
MG: Method Group	1301			
		*Large (3+) / 80 mg/dL	119	9.15%
		*Moderate (2+) / 40 mg/dL	1057	81.25%
		*Small (1+) / 15mg/dL	119	9.15%
		>=160 mg/dL	5	0.38%
		Negative	1	0.08%
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
MG: Method Group	31			
		*15 mg/dL	21	67.74%
		*50 mg/dL	10	32.26%



UA-2		* Denotes Correct Response		
MG: Plus Sys - Siemens	22			
		*2+	21	95.45%
		4+	1	4.55%
UA-2		Urine pH		
		* Denotes Correct Response		
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	21			
		*7.0	21	100.00%
UA-2		* Denotes Correct Response		
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*7.0	31	100.00%
UA-2		* Denotes Correct Response		
MG: Method Group	1298			
		*6.5	70	5.39%
		*7.0	1049	80.82%
		*7.5	146	11.25%
		5.0 or less	1	0.08%
		6.0	15	1.16%
		8.0 or greater	17	1.31%
UA-2		* Denotes Correct Response		
MG: Method Group	31			
		*7.0	31	100.00%
UA-2		* Denotes Correct Response		
MG: Plus Sys - Siemens	22			
		*7.0	22	100.00%
UA-2		Urine Blood/Hemoglobin		
		* Denotes Correct Response		
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	21			
		*2+	1	4.76%
		*3+	20	95.24%
UA-2		* Denotes Correct Response		
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*250 Ery/uL	31	100.00%
UA-2		* Denotes Correct Response		
MG: Method Group	1306			
		*Large (3+)	1214	92.96%
		*Moderate (2+)	79	6.05%
		Negative	5	0.38%
		Small (1+)	4	0.31%
		Trace	4	0.31%
UA-2		* Denotes Correct Response		
MG: Method Group	31			
		*250 Ery/uL	31	100.00%
UA-2		* Denotes Correct Response		
MG: Plus Sys - Siemens	22			
		*2+	1	4.55%
		*3+	21	95.45%
UA-2		Urine Glucose (Reducing Sub)		
		* Denotes Correct Response		
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	21			
		*2+	19	90.48%
		*3+	2	9.52%
UA-2		* Denotes Correct Response		
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*>= 1000 mg/dL	30	96.77%
		250 mg/dL	1	3.23%
UA-2		* Denotes Correct Response		
MG: Method Group	1313			
		*>= 1000 mg/dL	332	25.29%
		*250 mg/dL	111	8.45%
		*500 mg/dL	854	65.04%
		<100 mg/dL	5	0.38%
		100 mg/dL	10	0.76%
		Negative	1	0.08%
UA-2		* Denotes Correct Response		



MG: Method Group	31			
		*>= 1000 mg/dL	30	96.77%
		250 mg/dL	1	3.23%
UA-2		* Denotes Correct Response		
MG: Plus Sys - Siemens	22			
		*2+	20	90.91%
		*3+	2	9.09%
UA-2		Urine Protein - Qual		
		* Denotes Correct Response		
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	21			
		*3+	21	100.00%
UA-2		* Denotes Correct Response		
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*100 mg/dL	16	51.61%
		*500 mg/dL	14	45.16%
		30 mg/dL	1	3.23%
UA-2		* Denotes Correct Response		
MG: Method Group	1316			
		*>= 1000 (4+)	70	5.32%
		*100 (2+)	161	12.23%
		*300-500 (3+)	1067	81.08%
		30 (1+)	14	1.06%
		Negative	1	0.08%
		Trace	3	0.23%
UA-2		* Denotes Correct Response		
MG: Method Group	31			
		*100 mg/dL	16	51.61%
		*500 mg/dL	14	45.16%
		30 mg/dL	1	3.23%
UA-2		* Denotes Correct Response		
MG: Plus Sys - Siemens	22			
		*3+	22	100.00%
UA-2		Urine Urobilinogen		
		* Denotes Correct Response		
PG: Siemens Clinitek 50 / Plus Sys - Siemens / Siemens Urine Urobilinogen	3			
		*4.0 EU/dL	2	66.67%
		1.0 EU/dL	1	33.33%
UA-2		* Denotes Correct Response		
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	16			
		*16 umol/L	2	12.50%
		*33 umol/L	5	31.25%
		*66 umol/L	7	43.75%
		131 umol/L	1	6.25%
		3.2 umol/L	1	6.25%
UA-2		* Denotes Correct Response		
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Urobilinogen	4			
		*4.0 EU/dL	4	100.00%
UA-2		* Denotes Correct Response		
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*4.0 mg/dL	30	96.77%
		1 mg/dL	1	3.23%
UA-2		* Denotes Correct Response		
MG: Method Group	1271			
		*>= 8.0 mg/dL	80	6.29%
		*0.2/Normal	85	6.69%
		*1.0 mg/dL	67	5.27%
		*2.0 mg/dL	338	26.59%
		*4.0 mg/dL	701	55.15%
UA-2		* Denotes Correct Response		
MG: Method Group	31			
		*4.0 mg/dL	30	96.77%
		1 mg/dL	1	3.23%
UA-2		* Denotes Correct Response		
MG: Method Group	23			
		*16 umol/L	2	8.70%



		*33 umol/L	5	21.74%
		*4.0 EU/dL	6	26.09%
		*66 umol/L	7	30.43%
		1.0 EU/dL	1	4.35%
		131 umol/L	1	4.35%
		3.2 umol/L	1	4.35%
<b>Urine Leuk Esterase</b>				
<b>UA-2 * Denotes Correct Response</b>				
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	21			
		*1+	14	66.67%
		*2+	6	28.57%
		Trace	1	4.76%
<b>UA-2 * Denotes Correct Response</b>				
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*500 Leu/uL	31	100.00%
<b>UA-2 * Denotes Correct Response</b>				
MG: Method Group	1306			
		*Large (3+)	125	9.57%
		*Moderate (2+)	552	42.27%
		*Small (1+)	580	44.41%
		Negative	10	0.77%
		Trace	39	2.99%
<b>UA-2 * Denotes Correct Response</b>				
MG: Method Group	31			
		*500 Leu/uL	31	100.00%
<b>UA-2 * Denotes Correct Response</b>				
MG: Plus Sys - Siemens	22			
		*1+	15	68.18%
		*2+	6	27.27%
		Trace	1	4.55%
<b>Urine Nitrite</b>				
<b>UA-2 * Denotes Correct Response</b>				
PG: Siemens Clinitek Status / Plus Sys - Siemens / Siemens Urine Dipstick	21			
		*Positive	21	100.00%
<b>UA-2 * Denotes Correct Response</b>				
PG: Roche Urisys / Conventional - Roche / Roche Urine Dipstick	31			
		*Positive	31	100.00%
<b>UA-2 * Denotes Correct Response</b>				
MG: Method Group	1302			
		*Positive	1288	98.92%
		Negative	14	1.08%
<b>UA-2 * Denotes Correct Response</b>				
MG: Method Group	31			
		*Positive	31	100.00%
<b>UA-2 * Denotes Correct Response</b>				
MG: Plus Sys - Siemens	22			
		*Positive	22	100.00%
<b>Urine Microalbumin</b>				
<b>UA-2 * Denotes Correct Response</b>				
AG: All Methods	140			
		*100 mg/L (3+)	58	41.43%
		*150 mg/L	59	42.14%
		*50 mg/L (2+)	15	10.71%
		10 mg/L (Trace)	3	2.14%
		20/30 mg/L (Small)	2	1.43%
		80 mg/L	1	0.71%
		Negative	2	1.43%
Bayer Albustix	1	*100 mg/L (3+)	1	100.00%
Siemens Clinitek Status	43	*100 mg/L (3+)	1	2.33%
Siemens Multistix - Visual	3	*100 mg/L (3+)	3	100.00%
Roche Chemstrip Micral	73	*100 mg/L (3+)	52	71.23%
Roche Chemstrips - Visual	2	*100 mg/L (3+)	1	50.00%
Siemens Clinitek 10 / 100	3	*150 mg/L	3	100.00%
Siemens Clinitek 50	13	*150 mg/L	12	92.31%
Siemens Clinitek Status	43	*150 mg/L	41	95.35%
Roche Chemstrip Micral	73	*150 mg/L	1	1.37%
Hemocue Albumin 201	2	*150 mg/L	2	100.00%



Roche Chemstrip Micral	73	*50 mg/L (2+)	15	20.55%
Siemens Clinitek 50	13	10 mg/L (Trace)	1	7.69%
Siemens Clinitek Status	43	10 mg/L (Trace)	1	2.33%
Roche Chemstrip Micral	73	10 mg/L (Trace)	1	1.37%
Roche Chemstrip Micral		20/30 mg/L (Small)	2	2.74%
Roche Chemstrips - Visual	2	80 mg/L	1	50.00%
Roche Chemstrip Micral	73	Negative	2	2.74%
		<b>Fluid pH</b>		
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
PG: Nitrazine Paper	9			
		*7.0	7	77.78%
		*7.5	1	11.11%
		6.0	1	11.11%
		<b>Urine hCG</b>		
<b>UA-2</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1135			
		*Positive	1112	97.97%
		Negative	23	2.03%
Abbott Signify hCG Combo	1	*Positive	1	100.00%
Abbott Signify hCG Urine Dipstick	1	*Positive	1	100.00%
ASI ProPhase Plus	1	*Positive	1	100.00%
Baby Test (Dollar General)	1	*Positive	1	100.00%
Siemens Clinitek Status	11	*Positive	11	100.00%
Beck Coulter ICON 20 HCG	7	*Positive	7	100.00%
Beck Coulter ICON 25 hCG	91	*Positive	91	100.00%
Alere Acceava HCG Basic II	20	*Positive	20	100.00%
Alere Acceava hCG Combo	5	*Positive	5	100.00%
Alere Acceava hCG-Urine	11	*Positive	11	100.00%
Conception Tech One Step hCG	2	*Positive	2	100.00%
Diag Test Group Clarity hCG Plus Urine Cassettes	6	*Positive	6	100.00%
Fisher HC Sure-Vue hCG STAT	5	*Positive	4	80.00%
Fisher HC Sure-Vue Urine hCG	14	*Positive	13	92.86%
Fisher HC Sure-Vue U/S hCG	4	*Positive	4	100.00%
Sekisui Diagnostics OSOM Urine	17	*Positive	17	100.00%
Sekisui Diagnostics OSOM Card Pregnancy	37	*Positive	36	97.30%
Sekisui Diagnostics OSOM hCG Combo	45	*Positive	44	97.78%
Henry Schein One Step + (hCG)	63	*Positive	59	93.65%
Immunostics Detector Combo	3	*Positive	3	100.00%
Immunostics hCG Detector-urine	3	*Positive	3	100.00%
Instant Tech. i Pregnancy	4	*Positive	4	100.00%
Inverness Clearview Combo II	5	*Positive	5	100.00%
Inv Clearview Urine - Cassette	3	*Positive	3	100.00%
Inverness Signify hCG combo	4	*Positive	4	100.00%
Inverness Signify hCG urine	5	*Positive	5	100.00%
LifeSign Status hCG	1	*Positive	1	100.00%
McKesson Medi-Lab hCG - Urine	46	*Positive	46	100.00%
Meridian Immunocard Stat!	1	*Positive	1	100.00%
Permaxim RediScreen	3	*Positive	3	100.00%
Polymedco Poly stat hCG Urine	1	*Positive	1	100.00%
Quidel QuickVue + hCG	31	*Positive	29	93.55%
Quidel QuickVue One-Step hCG Combo U/S	97	*Positive	94	96.91%
Quidel QuickVue One-Step Urine	192	*Positive	186	96.88%
Quidel RapidVue hCG - Urine	10	*Positive	10	100.00%
SAS Ultra HCG	4	*Positive	4	100.00%
Select Diag hCG Cassette (urine)	24	*Positive	23	95.83%
Select Diag hCG Combo	12	*Positive	12	100.00%
Select Diag hCG Dipstick	7	*Positive	7	100.00%
SP (Cardinal) Brand combo	14	*Positive	13	92.86%
SP (Cardinal ) Brand-cassette	6	*Positive	6	100.00%
SP Brand (Cardinal) HCG Combo	34	*Positive	34	100.00%
Stanbio Qupid	6	*Positive	6	100.00%
Stanbio QuPID Plus	1	*Positive	1	100.00%
Stanbio QuStick	2	*Positive	2	100.00%
Stanbio TRUE hCG	5	*Positive	5	100.00%
MooreBrand hCG Cassette	6	*Positive	6	100.00%
Nova Scientific Century S/U hCG	2	*Positive	2	100.00%
Diag Test Group Clarity hCG Urine Strips	2	*Positive	2	100.00%
Jant AccuTest	8	*Positive	8	100.00%
Becton Dickinson Precise One-Step	1	*Positive	1	100.00%



Consult Diag (PSS) hCG Urine Cassette	133	*Positive	133	100.00%
CLIAwaived Inc Pregnancy Urine Dip-Strip	6	*Positive	5	83.33%
Germaine AIM Step Combo Pregnancy	1	*Positive	1	100.00%
NDC ProAdvantage Urine hCG Cassette	5	*Positive	5	100.00%
NDC ProAdvantage Urine hCG Dipstick	1	*Positive	1	100.00%
Consult Diag (PSS) hCG Urine Dipstick	20	*Positive	20	100.00%
SP (Cardinal ) Brand Dipstick	9	*Positive	9	100.00%
Consult Diag hCG Combo Cassette (Urine)	7	*Positive	7	100.00%
McKesson Medi-Lab Performance hCG Urine Cassette	8	*Positive	7	87.50%
Alere hCG Combo Cassette (25 mIU/mL)	6	*Positive	6	100.00%
Alere hCG Cassette (25 mIU/mL)	3	*Positive	3	100.00%
Alere hCG Combo Cassette (20/10 mIU/mL)	1	*Positive	1	100.00%
Alere hCG Dipstick	5	*Positive	5	100.00%
Medline Pregnancy Urine Dip-Strip	7	*Positive	7	100.00%
Medline Pregnancy Urine Cassette Test	4	*Positive	4	100.00%
McKesson hCG Urine Test Dipstick	7	*Positive	7	100.00%
Medline Pregnancy Combo Cassette (urine)	1	*Positive	1	100.00%
Quidel QuickVue hCG Urine Test	14	*Positive	14	100.00%
MooreBrand hCG Dipstick	4	*Positive	4	100.00%
Good Sense One Step Pregnancy Test	1	*Positive	1	100.00%
Henry Schein One Step + HCG Combo	1	*Positive	1	100.00%
Henry Schein One Step hCG Urine Cassette	3	*Positive	3	100.00%
Medline hCG Test Strip 25 mIU/mL	2	*Positive	2	100.00%
Fisher HC Sure-Vue hCG STAT	5	Negative	1	20.00%
Fisher HC Sure-Vue Urine hCG	14	Negative	1	7.14%
Sekisui Diagnostics OSOM Card Pregnancy	37	Negative	1	2.70%
Sekisui Diagnostics OSOM hCG Combo	45	Negative	1	2.22%
Henry Schein One Step + (hCG)	63	Negative	4	6.35%
Quidel QuickVue + hCG	31	Negative	2	6.45%
Quidel QuickVue One-Step hCG Combo U/S	97	Negative	3	3.09%
Quidel QuickVue One-Step Urine	192	Negative	6	3.13%
Select Diag hCG Cassette (urine)	24	Negative	1	4.17%
SP (Cardinal) Brand combo	14	Negative	1	7.14%
CLIAwaived Inc Pregnancy Urine Dip-Strip	6	Negative	1	16.67%
McKesson Medi-Lab Performance hCG Urine Cassette	8	Negative	1	12.50%
		Urine hCG (non-waived)		
UA-2		* Denotes Correct Response		
PG: Quidel Sofia hCG FIA (urine)	1			
		*Positive	1	100.00%
661 - Urine Colony Count;784 - Presump ID/Colony Count - Urine;785 - Presump ID/Colony Count-Urine & Strep Combo;775 - Urine Culture;778 - Urine & Throat Cultures;779 - Urine & Genital Cultures;781 - Urine, Throat & Genital Cultures;782 - Complete Bacteri	Labs	Response	Number	Percent
		Susceptibility Cefazolin		
UC-6		* Denotes Correct Response		
AG: All Methods	3			
		*Sensitive	3	100.00%
Susceptibility	3	*Sensitive	3	100.00%
		Susceptibility Cefepime		
UC-6		* Denotes Correct Response		
AG: All Methods	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
		Susceptibility Cefotaxime		
UC-6		* Denotes Correct Response		
AG: All Methods	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
		Urine Culture		
UC-6		* Denotes Correct Response		
AG: All Methods	32			
		*Gram Negative organism	4	12.50%
		*Growth, referred for identification	17	53.13%
		*Klebsiella pneumoniae	4	12.50%
		*Presumptive Klebsiella species	2	6.25%
		*Uricult - Growth (Positive)	5	15.63%
Cultures	32	*Gram Negative organism	4	12.50%
Cultures		*Growth, referred for identification	17	53.13%



Cultures		*Klebsiella pneumoniae	4	12.50%
Cultures		*Presumptive Klebsiella species	2	6.25%
Cultures		*Uricult - Growth (Positive)	5	15.63%
<b>UC-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	32			
		*Enterococcus faecalis	2	6.25%
		*Enterococcus species, NOS	1	3.13%
		*Gram Positive organism	3	9.38%
		*Growth, referred for identification	19	59.38%
		*Presumptive Enterococcus species	1	3.13%
		*Uricult - Growth (Positive)	4	12.50%
		Staphylococcus species, NOS	1	3.13%
		Uricult - No Growth (Negative)	1	3.13%
Cultures	32	*Enterococcus faecalis	2	6.25%
Cultures		*Enterococcus species, NOS	1	3.13%
Cultures		*Gram Positive organism	3	9.38%
Cultures		*Growth, referred for identification	19	59.38%
Cultures		*Presumptive Enterococcus species	1	3.13%
Cultures		*Uricult - Growth (Positive)	4	12.50%
Cultures		Staphylococcus species, NOS	1	3.13%
Cultures		Uricult - No Growth (Negative)	1	3.13%
<b>UC-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	30			
		*Gram Negative organism	3	10.00%
		*Growth, referred for identification	18	60.00%
		*Presumptive Proteus species	1	3.33%
		*Proteus mirabilis	2	6.67%
		*Uricult - Growth (Positive)	5	16.67%
		No Growth	1	3.33%
Cultures	30	*Gram Negative organism	3	10.00%
Cultures		*Growth, referred for identification	18	60.00%
Cultures		*Presumptive Proteus species	1	3.33%
Cultures		*Proteus mirabilis	2	6.67%
Cultures		*Uricult - Growth (Positive)	5	16.67%
Cultures		No Growth	1	3.33%
<b>UC-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			
		*Escherichia coli	1	20.00%
		*Gram Negative organism	1	20.00%
		*Presumptive E. coli	1	20.00%
		*Uricult - Growth (Positive)	2	40.00%
Cultures	5	*Escherichia coli	1	20.00%
Cultures		*Gram Negative organism	1	20.00%
Cultures		*Presumptive E. coli	1	20.00%
Cultures		*Uricult - Growth (Positive)	2	40.00%
<b>UC-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			
		*Gram Negative organism	2	40.00%
		*Uricult - Growth (Positive)	2	40.00%
		Enterobacter species, NOS	1	20.00%
Cultures	5	*Gram Negative organism	2	40.00%
Cultures		*Uricult - Growth (Positive)	2	40.00%
Cultures		Enterobacter species, NOS	1	20.00%
<b>Susceptibility Cefpodoxime</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
<b>Susceptibility Cefazidime</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Sensitive	3	100.00%
Susceptibility	3	*Sensitive	3	100.00%
<b>Susceptibility Ceftriaxone</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	6			
		*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%



UC-6		Susceptibility Cefuroxime		
AG: All Methods		* Denotes Correct Response		
	4			
		*Sensitive	4	100.00%
Susceptibility	4	*Sensitive	4	100.00%
UC-6		Susceptibility Cephalothin		
AG: All Methods		* Denotes Correct Response		
	6			
		*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%
UC-6		Susceptibility Ciprofloxacin		
AG: All Methods		* Denotes Correct Response		
	10			
		*Sensitive	10	100.00%
Susceptibility	10	*Sensitive	10	100.00%
UC-6		Susceptibility Gentamicin		
AG: All Methods		* Denotes Correct Response		
	6			
		*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%
UC-6		Susceptibility Imipenem		
AG: All Methods		* Denotes Correct Response		
	3			
		*Sensitive	3	100.00%
Susceptibility	3	*Sensitive	3	100.00%
UC-6		Susceptibility Levofloxacin		
AG: All Methods		* Denotes Correct Response		
	6			
		*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%
UC-6		Susceptibility Meropenem		
AG: All Methods		* Denotes Correct Response		
	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
UC-6		Susceptibility Minocycline		
AG: All Methods		* Denotes Correct Response		
	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
UC-6		Susceptibility Nitrofurantoin		
AG: All Methods		* Denotes Correct Response		
	9			
		*Intermediate	4	44.44%
		*Sensitive	5	55.56%
Susceptibility	9	*Intermediate	4	44.44%
Susceptibility		*Sensitive	5	55.56%
UC-6		Susceptibility Norfloxacin/Noroxin		
AG: All Methods		* Denotes Correct Response		
	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
UC-6		Susceptibility Piperacillin/Tazobactam		
AG: All Methods		* Denotes Correct Response		
	2			
		*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
UC-6		Susceptibility Sulfamethoxazole		
AG: All Methods		* Denotes Correct Response		
	1			
		*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
UC-6		Susceptibility Tetracycline		
AG: All Methods		* Denotes Correct Response		
	6			
		*Sensitive	5	83.33%
		Resistant	1	16.67%





Susceptibility	6	*Sensitive	5	83.33%
Susceptibility		Resistant	1	16.67%
<b>Susceptibility Ticarcillin/Clavulanate</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	1			
Susceptibility	1	*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
<b>Susceptibility Tobramycin</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	3			
Susceptibility	3	*Sensitive	3	100.00%
Susceptibility	3	*Sensitive	3	100.00%
<b>Susceptibility Trimethoprim</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	2			
Susceptibility	2	*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
<b>Susceptibility Trimeth./Sulfameth.</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	8			
Susceptibility	8	*Sensitive	8	100.00%
Susceptibility	8	*Sensitive	8	100.00%
<b>Susceptibility Amikacin</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	2			
Susceptibility	2	*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
<b>Susceptibility Amox/Clavulanate</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	6			
Susceptibility	6	*Sensitive	6	100.00%
Susceptibility	6	*Sensitive	6	100.00%
<b>Susceptibility Ampicillin</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	8			
Susceptibility	8	*Resistant	7	87.50%
Susceptibility	8	Sensitive	1	12.50%
Susceptibility	8	*Resistant	7	87.50%
Susceptibility	8	Sensitive	1	12.50%
<b>Susceptibility Ampicillin/Sulbactam</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	2			
Susceptibility	2	*Sensitive	2	100.00%
Susceptibility	2	*Sensitive	2	100.00%
<b>Susceptibility Aztreonam</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	1			
Susceptibility	1	*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
<b>Susceptibility Ertapenem</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	1			
Susceptibility	1	*Sensitive	1	100.00%
Susceptibility	1	*Sensitive	1	100.00%
<b>703 - Urine Drug Screen; 713 - Urine Drug Screen (50 ml sample volume)</b>				
UDS-3	Labs	Response	Number	Percent
<b>Barbiturates</b>				
UC-6		* Denotes Correct Response		
AG: All Methods	109			
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	1	*Negative	1	100.00%
E-Screen	8	*Negative	8	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	10	*Negative	10	100.00%
Instant Technologies i Screen	4	*Negative	4	100.00%
MedTox Profile II	1	*Negative	1	100.00%



Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Alere iCassette	26	*Negative	26	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	109			
		*Negative	109	100.00%
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	1	*Negative	1	100.00%
E-Screen	8	*Negative	8	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	10	*Negative	10	100.00%
Instant Technologies i Screen	4	*Negative	4	100.00%
MedTox Profile II	1	*Negative	1	100.00%
Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Alere iCassette	26	*Negative	26	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
<b>UDS-3</b>		<b>Benzodiazepines</b>		
AG: All Methods	111	<b>* Denotes Correct Response</b>		
		*Positive	108	97.30%
		Negative	3	2.70%
AlereTriage	3	*Positive	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	1	*Positive	1	100.00%
E-Screen	8	*Positive	8	100.00%
Express Diag. Express Check	1	*Positive	1	100.00%
Alere iCup Drugs of Abuse	11	*Positive	11	100.00%
Instant Technologies i Screen	4	*Positive	4	100.00%
Noble Med Split Specimen Cup	2	*Positive	2	100.00%
Beckman (Olympus) AU	1	*Positive	1	100.00%



Innovacon Multi-Clin	10	*Positive	10	100.00%
Tokyo/Carolina Biolis 24i	1	*Positive	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Positive	5	100.00%
ASC One Screen Drug Test Card	2	*Positive	2	100.00%
MedTox Profile V	3	*Positive	3	100.00%
Branan Med Corp QuickTox	4	*Positive	4	100.00%
Jant Accutest Multi Drug Screen	2	*Positive	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Positive	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Positive	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Positive	4	80.00%
Mindray BS-200	2	*Positive	2	100.00%
Alere iCassette	26	*Positive	26	100.00%
Roche Hitachi 717	1	*Positive	1	100.00%
US Diagnostics UScreen Cup	2	*Positive	2	100.00%
Abbott Architect c4000	1	*Positive	1	100.00%
Discover Drug Test Card	1	*Positive	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Positive	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Positive	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Positive	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Positive	1	100.00%
MedTox Profile II	1	Negative	1	100.00%
MedTox Profile III ER	1	Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	Negative	1	20.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	111			
		*Negative	111	100.00%
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	1	*Negative	1	100.00%
E-Screen	8	*Negative	8	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	11	*Negative	11	100.00%
Instant Technologies i Screen	4	*Negative	4	100.00%
MedTox Profile II	1	*Negative	1	100.00%
Noble Med Split Specimen Cup	2	*Negative	2	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Alere iCassette	26	*Negative	26	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
<b>UDS-3</b>		<b>Amphetamines</b>		
		<b>* Denotes Correct Response</b>		
AG: All Methods	121			
		*Negative	120	99.17%
		Positive	1	0.83%
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	2	*Negative	2	100.00%
E-Screen	10	*Negative	10	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	14	*Negative	14	100.00%
Instant Technologies i Screen	4	*Negative	4	100.00%
MedTox Profile II	2	*Negative	2	100.00%
Noble Med Split Specimen Cup	2	*Negative	2	100.00%



Beckman (Olympus) AU	1	*Negative	1	100.00%
Redwood Biotech Panel Dip	1	*Negative	1	100.00%
Innovacon Multi-Clin	9	*Negative	9	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	4	80.00%
Mindray BS-200	2	*Negative	2	100.00%
Alere iCassette	28	*Negative	28	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immutest Multi-Drug Screen Card	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	Positive	1	20.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	121			
		*Positive	110	90.91%
		Negative	11	9.09%
AlereTriage	3	*Positive	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	2	*Positive	2	100.00%
E-Screen	10	*Positive	3	30.00%
Express Diag. Express Check	1	*Positive	1	100.00%
Alere iCup Drugs of Abuse	14	*Positive	13	92.86%
Instant Technologies i Screen	4	*Positive	4	100.00%
MedTox Profile II	2	*Positive	2	100.00%
Noble Med Split Specimen Cup	2	*Positive	2	100.00%
Beckman (Olympus) AU	1	*Positive	1	100.00%
Redwood Biotech Panel Dip	1	*Positive	1	100.00%
Innovacon Multi-Clin	9	*Positive	9	100.00%
MedTox Profile III ER	1	*Positive	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Positive	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Positive	5	100.00%
ASC One Screen Drug Test Card	2	*Positive	2	100.00%
MedTox Profile V	3	*Positive	3	100.00%
Branan Med Corp QuickTox	4	*Positive	4	100.00%
Jant Accutest Multi Drug Screen	2	*Positive	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Positive	3	75.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Positive	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Positive	5	100.00%
Mindray BS-200	2	*Positive	2	100.00%
Alere iCassette	28	*Positive	27	96.43%
Roche Hitachi 717	1	*Positive	1	100.00%
US Diagnostics UScreen Cup	2	*Positive	2	100.00%
Abbott Architect c4000	1	*Positive	1	100.00%
Discover Drug Test Card	1	*Positive	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Positive	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Positive	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Positive	3	100.00%
E-Screen	10	Negative	7	70.00%
Alere iCup Drugs of Abuse	14	Negative	1	7.14%
Amedica Biotech AmediCheck Instant Test Cup	4	Negative	1	25.00%
Alere iCassette	28	Negative	1	3.57%
Alere Immutest Multi-Drug Screen Card	1	Negative	1	100.00%
<b>UDS-3</b>		<b>Cannabinoids (THC)</b>		
		<b>* Denotes Correct Response</b>		
AG: All Methods	129			
		*Positive	124	96.12%
		Negative	5	3.88%
AlereTriage	3	*Positive	3	100.00%



Siemens Dim/AR/ES/RxL/Xpand	2	*Positive	2	100.00%
E-Screen	16	*Positive	16	100.00%
Express Diag. Express Check	1	*Positive	1	100.00%
Alere iCup Drugs of Abuse	14	*Positive	14	100.00%
Instant Technologies i Screen	5	*Positive	5	100.00%
Integrated E-Z Split Key Cup	1	*Positive	1	100.00%
MedTox Profile II	2	*Positive	2	100.00%
Noble Med Split Specimen Cup	2	*Positive	2	100.00%
Beckman (Olympus) AU	1	*Positive	1	100.00%
Redwood Biotech Panel Dip	1	*Positive	1	100.00%
Innovacon Multi-Clin	10	*Positive	9	90.00%
MedTox Profile III ER	1	*Positive	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Positive	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Positive	4	80.00%
ASC One Screen Drug Test Card	2	*Positive	2	100.00%
MedTox Profile V	3	*Positive	3	100.00%
Branan Med Corp QuickTox	4	*Positive	4	100.00%
Jant Accutest Multi Drug Screen	2	*Positive	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Positive	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Positive	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Positive	4	80.00%
Mindray BS-200	2	*Positive	2	100.00%
Alere iCassette	28	*Positive	26	92.86%
Roche Hitachi 717	1	*Positive	1	100.00%
US Diagnostics UScreen Cup	2	*Positive	2	100.00%
Abbott Architect c4000	1	*Positive	1	100.00%
Discover Drug Test Card	1	*Positive	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Positive	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Positive	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Positive	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Positive	1	100.00%
Innovacon Multi-Clin	10	Negative	1	10.00%
CLIAwaived Inc Rapid Drug Cup	5	Negative	1	20.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	Negative	1	20.00%
Alere iCassette	28	Negative	2	7.14%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	129			
		*Negative	129	100.00%
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	2	*Negative	2	100.00%
E-Screen	16	*Negative	16	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	14	*Negative	14	100.00%
Instant Technologies i Screen	5	*Negative	5	100.00%
Integrated E-Z Split Key Cup	1	*Negative	1	100.00%
MedTox Profile II	2	*Negative	2	100.00%
Noble Med Split Specimen Cup	2	*Negative	2	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Redwood Biotech Panel Dip	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Alere iCassette	28	*Negative	28	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%



AG: All Methods	128	*Negative	128	100.00%
<b>Cocaine Metabolites</b>				
<b>UDS-3</b>				
<b>* Denotes Correct Response</b>				
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	2	*Negative	2	100.00%
E-Screen	16	*Negative	16	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	14	*Negative	14	100.00%
Instant Technologies i Screen	5	*Negative	5	100.00%
Integrated E-Z Split Key Cup	1	*Negative	1	100.00%
MedTox Profile II	2	*Negative	2	100.00%
Noble Med Split Specimen Cup	2	*Negative	2	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Redwood Biotech Panel Dip	1	*Negative	1	100.00%
Innovacon Multi-Clin	9	*Negative	9	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Alere iCassette	28	*Negative	28	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
<b>UDS-4</b>				
<b>* Denotes Correct Response</b>				
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	2	*Negative	2	100.00%
E-Screen	16	*Negative	16	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	14	*Negative	14	100.00%
Instant Technologies i Screen	5	*Negative	5	100.00%
Integrated E-Z Split Key Cup	1	*Negative	1	100.00%
MedTox Profile II	2	*Negative	2	100.00%
Noble Med Split Specimen Cup	2	*Negative	2	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Redwood Biotech Panel Dip	1	*Negative	1	100.00%
Innovacon Multi-Clin	9	*Negative	9	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Alere iCassette	28	*Negative	28	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%



Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
		<b>Ethanol</b>		
<b>UDS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			
		*Positive	5	100.00%
Beckman (Olympus) AU	1	*Positive	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Positive	1	100.00%
Mindray BS-200	2	*Positive	2	100.00%
Roche Hitachi 717	1	*Positive	1	100.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	5			
		*Positive	5	100.00%
Beckman (Olympus) AU	1	*Positive	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Positive	1	100.00%
Mindray BS-200	2	*Positive	2	100.00%
Roche Hitachi 717	1	*Positive	1	100.00%
		<b>MDMA (Ecstasy)</b>		
<b>UDS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	77			
		*Negative	77	100.00%
E-Screen	4	*Negative	4	100.00%
Alere iCup Drugs of Abuse	10	*Negative	10	100.00%
Instant Technologies i Screen	1	*Negative	1	100.00%
Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
CLIAwaived Inc Rapid Drug Cup	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	3	*Negative	3	100.00%
Alere iCassette	26	*Negative	26	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	77			
		*Negative	77	100.00%
E-Screen	4	*Negative	4	100.00%
Alere iCup Drugs of Abuse	10	*Negative	10	100.00%
Instant Technologies i Screen	1	*Negative	1	100.00%
Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
CLIAwaived Inc Rapid Drug Cup	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	3	*Negative	3	100.00%
Alere iCassette	26	*Negative	26	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
		<b>Methadone</b>		
<b>UDS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	71			
		*Negative	71	100.00%
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	1	*Negative	1	100.00%
E-Screen	8	*Negative	8	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	9	*Negative	9	100.00%



Instant Technologies i Screen	3	*Negative	3	100.00%
Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Innovacon Multi-Clin	1	*Negative	1	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	71			
		*Negative	71	100.00%
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	1	*Negative	1	100.00%
E-Screen	8	*Negative	8	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	9	*Negative	9	100.00%
Instant Technologies i Screen	3	*Negative	3	100.00%
Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Innovacon Multi-Clin	1	*Negative	1	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
<b>UDS-3</b>		<b>Methamphetamine</b>		
		<b>* Denotes Correct Response</b>		
AG: All Methods	75			
		*Negative	75	100.00%
AlereTriage	3	*Negative	3	100.00%
E-Screen	10	*Negative	10	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	13	*Negative	13	100.00%
Instant Technologies i Screen	4	*Negative	4	100.00%
Integrated E-Z Split Key Cup	1	*Negative	1	100.00%
MedTox Profile II	1	*Negative	1	100.00%
Noble Med Split Specimen Cup	2	*Negative	2	100.00%
Redwood Biotech Panel Dip	1	*Negative	1	100.00%
Innovacon Multi-Clin	1	*Negative	1	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%





CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	4	*Negative	4	100.00%
Alere iCassette	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immutest Multi-Drug Screen Card	1	*Negative	1	100.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	75			
		*Negative	74	98.67%
		Positive	1	1.33%
AlereTriage	3	*Negative	3	100.00%
E-Screen	10	*Negative	10	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	13	*Negative	13	100.00%
Instant Technologies i Screen	4	*Negative	3	75.00%
Integrated E-Z Split Key Cup	1	*Negative	1	100.00%
MedTox Profile II	1	*Negative	1	100.00%
Noble Med Split Specimen Cup	2	*Negative	2	100.00%
Redwood Biotech Panel Dip	1	*Negative	1	100.00%
Innovacon Multi-Clin	1	*Negative	1	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	4	*Negative	4	100.00%
Alere iCassette	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immutest Multi-Drug Screen Card	1	*Negative	1	100.00%
Instant Technologies i Screen	4	Positive	1	25.00%
		<b>Opiates</b>		
<b>UDS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	127			
		*Negative	127	100.00%
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	2	*Negative	2	100.00%
E-Screen	16	*Negative	16	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	13	*Negative	13	100.00%
Instant Technologies i Screen	5	*Negative	5	100.00%
Integrated E-Z Split Key Cup	1	*Negative	1	100.00%
MedTox Profile II	1	*Negative	1	100.00%
Noble Med Split Specimen Cup	2	*Negative	2	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Redwood Biotech Panel Dip	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%



Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Alere iCassette	28	*Negative	28	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	128			
		*Negative	127	99.22%
		Positive	1	0.78%
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	2	*Negative	2	100.00%
E-Screen	16	*Negative	16	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	14	*Negative	13	92.86%
Instant Technologies i Screen	5	*Negative	5	100.00%
Integrated E-Z Split Key Cup	1	*Negative	1	100.00%
MedTox Profile II	1	*Negative	1	100.00%
Noble Med Split Specimen Cup	2	*Negative	2	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Redwood Biotech Panel Dip	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	5	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Alere iCassette	28	*Negative	28	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	14	Positive	1	7.14%
		<b>Oxycodone</b>		
<b>UDS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	88			
		*Negative	86	97.73%
		Positive	2	2.27%
Alere iCup Drugs of Abuse	10	*Negative	10	100.00%
Instant Technologies i Screen	2	*Negative	2	100.00%
Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Negative	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Negative	4	80.00%
Mindray BS-200	2	*Negative	2	100.00%



Alere iCassette	26	*Negative	25	96.15%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	2	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	2	*Negative	2	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	Positive	1	20.00%
Alere iCassette	26	Positive	1	3.85%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	88			
		*Positive	86	97.73%
		Negative	2	2.27%
Alere iCup Drugs of Abuse	10	*Positive	10	100.00%
Instant Technologies i Screen	2	*Positive	2	100.00%
Noble Med Split Specimen Cup	1	*Positive	1	100.00%
Innovacon Multi-Clin	10	*Positive	10	100.00%
Tokyo/Carolina Biolis 24i	1	*Positive	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Positive	5	100.00%
ASC One Screen Drug Test Card	2	*Positive	2	100.00%
MedTox Profile V	3	*Positive	3	100.00%
Jant Accutest Multi Drug Screen	2	*Positive	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	4	*Positive	4	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Positive	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	5	*Positive	5	100.00%
Mindray BS-200	2	*Positive	2	100.00%
Alere iCassette	26	*Positive	25	96.15%
Roche Hitachi 717	1	*Positive	1	100.00%
US Diagnostics UScreen Cup	2	*Positive	2	100.00%
Discover Drug Test Card	1	*Positive	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	2	*Positive	2	100.00%
Diag Test Group Clarity DOA Screen	3	*Positive	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Positive	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Positive	1	100.00%
MedTox Profile III ER	1	Negative	1	100.00%
Alere iCassette	26	Negative	1	3.85%
		<b>PCP (Phencyclidine)</b>		
<b>UDS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	114			
		*Positive	109	95.61%
		Negative	5	4.39%
AlereTriage	3	*Positive	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	2	*Positive	2	100.00%
E-Screen	16	*Positive	16	100.00%
Express Diag. Express Check	1	*Positive	1	100.00%
Alere iCup Drugs of Abuse	9	*Positive	8	88.89%
Instant Technologies i Screen	3	*Positive	2	66.67%
Integrated E-Z Split Key Cup	1	*Positive	1	100.00%
MedTox Profile II	2	*Positive	2	100.00%
Noble Med Split Specimen Cup	1	*Positive	1	100.00%
Beckman (Olympus) AU	1	*Positive	1	100.00%
Redwood Biotech Panel Dip	1	*Positive	1	100.00%
Innovacon Multi-Clin	10	*Positive	9	90.00%
MedTox Profile III ER	1	*Positive	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Positive	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Positive	5	100.00%
ASC One Screen Drug Test Card	2	*Positive	2	100.00%
MedTox Profile V	3	*Positive	3	100.00%
Branan Med Corp QuickTox	4	*Positive	4	100.00%
Jant Accutest Multi Drug Screen	2	*Positive	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	1	*Positive	1	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Positive	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	4	*Positive	3	75.00%
Mindray BS-200	1	*Positive	1	100.00%
Alere iCassette	27	*Positive	26	96.30%
Roche Hitachi 717	1	*Positive	1	100.00%
US Diagnostics UScreen Cup	2	*Positive	2	100.00%
Abbott Architect c4000	1	*Positive	1	100.00%



Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Positive	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Positive	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Positive	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Positive	1	100.00%
Alere iCup Drugs of Abuse	9	Negative	1	11.11%
Instant Technologies i Screen	3	Negative	1	33.33%
Innovacon Multi-Clin	10	Negative	1	10.00%
American Screening Corp Reveal Multi-Drug Test Cup	4	Negative	1	25.00%
Alere iCassette	27	Negative	1	3.70%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	114			
		*Negative	113	99.12%
		Positive	1	0.88%
AlereTriage	3	*Negative	3	100.00%
Siemens Dim/AR/ES/RxL/Xpand	2	*Negative	2	100.00%
E-Screen	16	*Negative	16	100.00%
Express Diag. Express Check	1	*Negative	1	100.00%
Alere iCup Drugs of Abuse	9	*Negative	9	100.00%
Instant Technologies i Screen	3	*Negative	3	100.00%
Integrated E-Z Split Key Cup	1	*Negative	1	100.00%
MedTox Profile II	2	*Negative	2	100.00%
Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Redwood Biotech Panel Dip	1	*Negative	1	100.00%
Innovacon Multi-Clin	10	*Negative	10	100.00%
MedTox Profile III ER	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	5	*Negative	5	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	1	*Negative	1	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	4	*Negative	4	100.00%
Mindray BS-200	1	*Negative	1	100.00%
Alere iCassette	27	*Negative	27	100.00%
Roche Hitachi 717	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	*Negative	1	50.00%
Abbott Architect c4000	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	1	*Negative	1	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
US Diagnostics UScreen Cup	2	Positive	1	50.00%
		<b>Propoxyphene</b>		
<b>UDS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	55			
		*Negative	55	100.00%
E-Screen	4	*Negative	4	100.00%
Alere iCup Drugs of Abuse	5	*Negative	5	100.00%
MedTox Profile II	1	*Negative	1	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Innovacon Multi-Clin	7	*Negative	7	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	1	*Negative	1	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	1	*Negative	1	100.00%
Alere iCassette	26	*Negative	26	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	55			
		*Negative	55	100.00%
E-Screen	4	*Negative	4	100.00%
Alere iCup Drugs of Abuse	5	*Negative	5	100.00%
MedTox Profile II	1	*Negative	1	100.00%
Beckman (Olympus) AU	1	*Negative	1	100.00%
Innovacon Multi-Clin	7	*Negative	7	100.00%



Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	1	*Negative	1	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Branan Med Corp QuickTox	4	*Negative	4	100.00%
Jant Accutest Multi Drug Screen	1	*Negative	1	100.00%
Alere iCassette	26	*Negative	26	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
		<b>Tricyclic Antidepressants</b>		
<b>UDS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	71			
		*Negative	70	98.59%
		Positive	1	1.41%
AlereTriage	3	*Negative	3	100.00%
Alere iCup Drugs of Abuse	9	*Negative	9	100.00%
Instant Technologies i Screen	2	*Negative	2	100.00%
Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Innovacon Multi-Clin	9	*Negative	9	100.00%
CLIAwaived Inc Rapid Drug Cup	3	*Negative	3	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	1	*Negative	1	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
Alere iCassette	26	*Negative	25	96.15%
US Diagnostics UScreen Cup	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	2	*Negative	2	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
Alere iCassette	26	Positive	1	3.85%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	71			
		*Negative	71	100.00%
AlereTriage	3	*Negative	3	100.00%
Alere iCup Drugs of Abuse	9	*Negative	9	100.00%
Instant Technologies i Screen	2	*Negative	2	100.00%
Noble Med Split Specimen Cup	1	*Negative	1	100.00%
Innovacon Multi-Clin	9	*Negative	9	100.00%
CLIAwaived Inc Rapid Drug Cup	3	*Negative	3	100.00%
MedTox Profile V	3	*Negative	3	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
Amedica Biotech AmediCheck Instant Test Cup	1	*Negative	1	100.00%
Nova Century Scientific Nova Screen DOA Cassette	1	*Negative	1	100.00%
Alere iCassette	26	*Negative	26	100.00%
US Diagnostics UScreen Cup	1	*Negative	1	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Bio-Rad Tox/See Rapid Urine Drug Screen	2	*Negative	2	100.00%
Diag Test Group Clarity DOA Screen	3	*Negative	3	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
Alere Immatest Multi-Drug Screen Card	1	*Negative	1	100.00%
		<b>Buprenorphine</b>		
<b>UDS-3</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	22			
		*Negative	22	100.00%
Alere iCup Drugs of Abuse	5	*Negative	5	100.00%
Innovacon Multi-Clin	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	2	*Negative	2	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	2	*Negative	2	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	1	*Negative	1	100.00%
Mindray BS-200	2	*Negative	2	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
<b>UDS-4</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	22			
		*Negative	22	100.00%
Alere iCup Drugs of Abuse	5	*Negative	5	100.00%



Innovacon Multi-Clin	1	*Negative	1	100.00%
Tokyo/Carolina Biolis 24i	1	*Negative	1	100.00%
CLIAwaived Inc Rapid Drug Cup	2	*Negative	2	100.00%
ASC One Screen Drug Test Card	2	*Negative	2	100.00%
MedTox Profile V	2	*Negative	2	100.00%
Jant Accutest Multi Drug Screen	2	*Negative	2	100.00%
American Screening Corp Reveal Multi-Drug Test Cup	1	*Negative	1	100.00%
Mindrav BS-200	2	*Negative	2	100.00%
Discover Drug Test Card	1	*Negative	1	100.00%
Noble Medical Insta-Screen Test Cup	3	*Negative	3	100.00%
<b>756 - Viral Antibodies</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
<b>VA-2</b>		<b>HSV Ab (Herpes Simplex Virus)</b>		
<b>AG: All Methods</b>	<b>2</b>	<b>* Denotes Correct Response</b>		
		*Negative	2	100.00%
Biokit HSV-II	2	*Negative	2	100.00%
<b>VA-2</b>		<b>Rubella Antibody</b>		
<b>AG: All Methods</b>	<b>1</b>	<b>* Denotes Correct Response</b>		
		*Positive	1	100.00%
bioMerieux Mini Vidas	1	*Positive	1	100.00%
<b>VA-2</b>		<b>Paramyxovirus (mumps) IgG Ab</b>		
<b>AG: All Methods</b>	<b>1</b>	<b>* Denotes Correct Response</b>		
		*Positive	1	100.00%
bioMerieux Mini Vidas	1	*Positive	1	100.00%
<b>770 - Viral Antigen Detection;798 - Viral Antigen Detection (ROT);797 - Viral Antigen Detection II</b>	<b>Labs</b>	<b>Response</b>	<b>Number</b>	<b>Percent</b>
<b>VAD-6</b>		<b>Rotavirus - Ag Detect</b>		
<b>AG: All Methods</b>	<b>9</b>	<b>* Denotes Correct Response</b>		
		*Negative	9	100.00%
Meridian Immunocard Stat! Rotavirus	5	*Negative	5	100.00%
SAS Rota-Test	4	*Negative	4	100.00%
<b>VAD-7</b>		<b>* Denotes Correct Response</b>		
<b>AG: All Methods</b>	<b>9</b>			
		*Negative	9	100.00%
Meridian Immunocard Stat! Rotavirus	5	*Negative	5	100.00%
SAS Rota-Test	4	*Negative	4	100.00%
<b>VAD-8</b>		<b>* Denotes Correct Response</b>		
<b>AG: All Methods</b>	<b>9</b>			
		*Positive	9	100.00%
Meridian Immunocard Stat! Rotavirus	5	*Positive	5	100.00%
SAS Rota-Test	4	*Positive	4	100.00%
<b>VAD-9</b>		<b>* Denotes Correct Response</b>		
<b>AG: All Methods</b>	<b>9</b>			
		*Negative	9	100.00%
Meridian Immunocard Stat! Rotavirus	5	*Negative	5	100.00%
SAS Rota-Test	4	*Negative	4	100.00%
<b>VAD-10</b>		<b>* Denotes Correct Response</b>		
<b>AG: All Methods</b>	<b>9</b>			
		*Negative	9	100.00%
Meridian Immunocard Stat! Rotavirus	5	*Negative	5	100.00%
SAS Rota-Test	4	*Negative	4	100.00%
<b>VAD-6</b>		<b>Influenza A - Ag Detect</b>		
<b>AG: All Methods</b>	<b>53</b>	<b>* Denotes Correct Response</b>		
		*Positive	52	98.11%
		Negative	1	1.89%
Alere BinaxNOW Influenza A+B Card	5	*Positive	5	100.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Positive	15	100.00%
Quidel QuickVue A+B	20	*Positive	20	100.00%
Quidel Sofia Influenza A+B	6	*Positive	6	100.00%
Alere Influenza A & B	3	*Positive	2	66.67%
BD Veritor Flu A+B	2	*Positive	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Positive	2	100.00%
Alere Influenza A & B	3	Negative	1	33.33%
<b>VAD-7</b>		<b>* Denotes Correct Response</b>		



AG: All Methods	53			
		*Positive	53	100.00%
Alere BinaxNOW Influenza A+B Card	5	*Positive	5	100.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Positive	15	100.00%
Quidel QuickVue A+B	20	*Positive	20	100.00%
Quidel Sofia Influenza A+B	6	*Positive	6	100.00%
Alere Influenza A & B	3	*Positive	3	100.00%
BD Veritor Flu A+B	2	*Positive	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Positive	2	100.00%
<b>VAD-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	53			
		*Negative	50	94.34%
		Positive	3	5.66%
Alere BinaxNOW Influenza A+B Card	5	*Negative	5	100.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Negative	15	100.00%
Quidel QuickVue A+B	20	*Negative	17	85.00%
Quidel Sofia Influenza A+B	6	*Negative	6	100.00%
Alere Influenza A & B	3	*Negative	3	100.00%
BD Veritor Flu A+B	2	*Negative	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Negative	2	100.00%
Quidel QuickVue A+B	20	Positive	3	15.00%
<b>VAD-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	53			
		*Negative	53	100.00%
Alere BinaxNOW Influenza A+B Card	5	*Negative	5	100.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Negative	15	100.00%
Quidel QuickVue A+B	20	*Negative	20	100.00%
Quidel Sofia Influenza A+B	6	*Negative	6	100.00%
Alere Influenza A & B	3	*Negative	3	100.00%
BD Veritor Flu A+B	2	*Negative	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Negative	2	100.00%
<b>VAD-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	53			
		*Positive	53	100.00%
Alere BinaxNOW Influenza A+B Card	5	*Positive	5	100.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Positive	15	100.00%
Quidel QuickVue A+B	20	*Positive	20	100.00%
Quidel Sofia Influenza A+B	6	*Positive	6	100.00%
Alere Influenza A & B	3	*Positive	3	100.00%
BD Veritor Flu A+B	2	*Positive	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Positive	2	100.00%
		<b>Influenza A/B - Aq Detect</b>		
<b>VAD-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*Positive	4	100.00%
Quidel QuickVue	4	*Positive	4	100.00%
<b>VAD-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*Positive	4	100.00%
Quidel QuickVue	4	*Positive	4	100.00%
<b>VAD-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*Negative	4	100.00%
Quidel QuickVue	4	*Negative	4	100.00%
<b>VAD-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*Negative	4	100.00%
Quidel QuickVue	4	*Negative	4	100.00%
<b>VAD-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	4			
		*Positive	4	100.00%
Quidel QuickVue	4	*Positive	4	100.00%
		<b>Influenza B - Aq Detect</b>		
<b>VAD-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	53			
		*Negative	53	100.00%
Alere BinaxNOW Influenza A+B Card	5	*Negative	5	100.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Negative	15	100.00%



Quidel QuickVue A+B	20	*Negative	20	100.00%
Quidel Sofia Influenza A+B	6	*Negative	6	100.00%
Alere Influenza A & B	3	*Negative	3	100.00%
BD Veritor Flu A+B	2	*Negative	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Negative	2	100.00%
<b>VAD-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	53			
		*Negative	53	100.00%
Alere BinaxNOW Influenza A+B Card	5	*Negative	5	100.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Negative	15	100.00%
Quidel QuickVue A+B	20	*Negative	20	100.00%
Quidel Sofia Influenza A+B	6	*Negative	6	100.00%
Alere Influenza A & B	3	*Negative	3	100.00%
BD Veritor Flu A+B	2	*Negative	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Negative	2	100.00%
<b>VAD-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	53			
		*Negative	52	98.11%
		Positive	1	1.89%
Alere BinaxNOW Influenza A+B Card	5	*Negative	4	80.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Negative	15	100.00%
Quidel QuickVue A+B	20	*Negative	20	100.00%
Quidel Sofia Influenza A+B	6	*Negative	6	100.00%
Alere Influenza A & B	3	*Negative	3	100.00%
BD Veritor Flu A+B	2	*Negative	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Negative	2	100.00%
Alere BinaxNOW Influenza A+B Card	5	Positive	1	20.00%
<b>VAD-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	53			
		*Negative	53	100.00%
Alere BinaxNOW Influenza A+B Card	5	*Negative	5	100.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Negative	15	100.00%
Quidel QuickVue A+B	20	*Negative	20	100.00%
Quidel Sofia Influenza A+B	6	*Negative	6	100.00%
Alere Influenza A & B	3	*Negative	3	100.00%
BD Veritor Flu A+B	2	*Negative	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Negative	2	100.00%
<b>VAD-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	53			
		*Negative	53	100.00%
Alere BinaxNOW Influenza A+B Card	5	*Negative	5	100.00%
Sekisui Diagnostics OSOM Influenza A & B	15	*Negative	15	100.00%
Quidel QuickVue A+B	20	*Negative	20	100.00%
Quidel Sofia Influenza A+B	6	*Negative	6	100.00%
Alere Influenza A & B	3	*Negative	3	100.00%
BD Veritor Flu A+B	2	*Negative	2	100.00%
Cepheid GeneXpert - Xpert Flu	2	*Negative	2	100.00%
		<b>RSV - Aq Detect</b>		
<b>VAD-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	26			
		*Negative	26	100.00%
BD EZ RSV	1	*Negative	1	100.00%
Alere BinaxNOW RSV	9	*Negative	9	100.00%
Quidel QuickVue RSV	3	*Negative	3	100.00%
Wampole Clearview RSV	4	*Negative	4	100.00%
SAS RSV Alert	1	*Negative	1	100.00%
Quidel QuickVue RSV 10	2	*Negative	2	100.00%
Quidel Sofia RSV	5	*Negative	5	100.00%
Cepheid GeneXpert - Xpert RSV	1	*Negative	1	100.00%
<b>VAD-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	26			
		*Positive	26	100.00%
BD EZ RSV	1	*Positive	1	100.00%
Alere BinaxNOW RSV	9	*Positive	9	100.00%
Quidel QuickVue RSV	3	*Positive	3	100.00%
Wampole Clearview RSV	4	*Positive	4	100.00%
SAS RSV Alert	1	*Positive	1	100.00%
Quidel QuickVue RSV 10	2	*Positive	2	100.00%
Quidel Sofia RSV	5	*Positive	5	100.00%





Cepheid GeneXpert - Xpert RSV	1	*Positive	1	100.00%
<b>VAD-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	26			
		*Negative	26	100.00%
BD EZ RSV	1	*Negative	1	100.00%
Alere BinaxNOW RSV	9	*Negative	9	100.00%
Quidel QuickVue RSV	3	*Negative	3	100.00%
Wampole Clearview RSV	4	*Negative	4	100.00%
SAS RSV Alert	1	*Negative	1	100.00%
Quidel QuickVue RSV 10	2	*Negative	2	100.00%
Quidel Sofia RSV	5	*Negative	5	100.00%
Cepheid GeneXpert - Xpert RSV	1	*Negative	1	100.00%
<b>VAD-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	26			
		*Negative	26	100.00%
BD EZ RSV	1	*Negative	1	100.00%
Alere BinaxNOW RSV	9	*Negative	9	100.00%
Quidel QuickVue RSV	3	*Negative	3	100.00%
Wampole Clearview RSV	4	*Negative	4	100.00%
SAS RSV Alert	1	*Negative	1	100.00%
Quidel QuickVue RSV 10	2	*Negative	2	100.00%
Quidel Sofia RSV	5	*Negative	5	100.00%
Cepheid GeneXpert - Xpert RSV	1	*Negative	1	100.00%
<b>VAD-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	26			
		*Negative	26	100.00%
BD EZ RSV	1	*Negative	1	100.00%
Alere BinaxNOW RSV	9	*Negative	9	100.00%
Quidel QuickVue RSV	3	*Negative	3	100.00%
Wampole Clearview RSV	4	*Negative	4	100.00%
SAS RSV Alert	1	*Negative	1	100.00%
Quidel QuickVue RSV 10	2	*Negative	2	100.00%
Quidel Sofia RSV	5	*Negative	5	100.00%
Cepheid GeneXpert - Xpert RSV	1	*Negative	1	100.00%
<b>Adenovirus</b>				
<b>VAD-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	15			
		*Positive	14	93.33%
		Negative	1	6.67%
SAS Adeno Test	11	*Positive	11	100.00%
RPS AdenoPlus	4	*Positive	3	75.00%
RPS AdenoPlus		Negative	1	25.00%
<b>VAD-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	15			
		*Negative	15	100.00%
SAS Adeno Test	11	*Negative	11	100.00%
RPS AdenoPlus	4	*Negative	4	100.00%
<b>VAD-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	15			
		*Negative	15	100.00%
SAS Adeno Test	11	*Negative	11	100.00%
RPS AdenoPlus	4	*Negative	4	100.00%
<b>VAD-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	15			
		*Negative	14	93.33%
		Positive	1	6.67%
SAS Adeno Test	11	*Negative	10	90.91%
RPS AdenoPlus	4	*Negative	4	100.00%
SAS Adeno Test	11	Positive	1	9.09%
<b>VAD-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	15			
		*Positive	15	100.00%
SAS Adeno Test	11	*Positive	11	100.00%
RPS AdenoPlus	4	*Positive	4	100.00%
932 - Hepatitis C Antibody (Waived);767 - Hepatitis Markers;750 - Viral Markers	Labs	Response	Number	Percent
		HCV (Waived)		
<b>VM-6</b>		<b>* Denotes Correct Response</b>		



AG: All Methods	2			
		*Negative	2	100.00%
OraSure OraQuick HCV Rapid Antibody Test	2	*Negative	2	100.00%
VM-7		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
OraSure OraQuick HCV Rapid Antibody Test	2	*Positive	2	100.00%
VM-6		HBsAg		
		* Denotes Correct Response		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
VM-7		* Denotes Correct Response		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
VM-6		HCV		
		* Denotes Correct Response		
AG: All Methods	2			
		*Negative	2	100.00%
Abbott Architect Ci4100	1	*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
VM-7		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Abbott Architect Ci4100	1	*Positive	1	100.00%
Abbott Architect i1000 SR	1	*Positive	1	100.00%
767 - Hepatitis Markers;750 - Viral Markers	Labs	Response	Number	Percent
		HCV		
VM-6		* Denotes Correct Response		
AG: All Methods	2			
		*Negative	2	100.00%
Abbott Architect Ci4100	1	*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
VM-7		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Abbott Architect Ci4100	1	*Positive	1	100.00%
Abbott Architect i1000 SR	1	*Positive	1	100.00%
VM-8		* Denotes Correct Response		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect Ci4100	1	*Negative	1	100.00%
VM-9		* Denotes Correct Response		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect Ci4100	1	*Negative	1	100.00%
VM-10		* Denotes Correct Response		
AG: All Methods	1			
		*Positive	1	100.00%
Abbott Architect Ci4100	1	*Positive	1	100.00%
VM-6		HAV		
		* Denotes Correct Response		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
VM-7		* Denotes Correct Response		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
VM-6		Anti-HBc (International)		
		* Denotes Correct Response		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Negative	3	100.00%
VM-7		* Denotes Correct Response		
AG: All Methods	3			



		*Negative	2	66.67%
		Positive	1	33.33%
Intl OCD Vitros ECi/ECiQ	3	*Negative	2	66.67%
Intl OCD Vitros ECi/ECiQ		Positive	1	33.33%
<b>VM-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECi/ECiQ	3	*Negative	3	100.00%
<b>VM-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Positive	2	100.00%
Intl OCD Vitros ECi/ECiQ	2	*Positive	2	100.00%
<b>VM-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECi/ECiQ	3	*Negative	3	100.00%
		<b>HBsAb (International)</b>		
<b>VM-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECi/ECiQ	3	*Negative	3	100.00%
<b>VM-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Intl OCD Vitros ECi/ECiQ	3	*Positive	3	100.00%
<b>VM-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECi/ECiQ	3	*Negative	3	100.00%
<b>VM-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECi/ECiQ	3	*Negative	3	100.00%
<b>VM-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Positive	3	100.00%
Intl OCD Vitros ECi/ECiQ	3	*Positive	3	100.00%
		<b>HBsAb</b>		
<b>VM-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect Ci4100	1	*Negative	1	100.00%
<b>VM-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Positive	1	100.00%
Abbott Architect Ci4100	1	*Positive	1	100.00%
<b>VM-8</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect Ci4100	1	*Negative	1	100.00%
<b>VM-9</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect Ci4100	1	*Negative	1	100.00%
<b>VM-10</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	1			
		*Positive	1	100.00%
Abbott Architect Ci4100	1	*Positive	1	100.00%
		<b>HBsAg (International)</b>		
<b>VM-6</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	2			
		*Negative	2	100.00%
Intl OCD Vitros ECi/ECiQ	2	*Negative	2	100.00%
<b>VM-7</b>		<b>* Denotes Correct Response</b>		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECi/ECiQ	3	*Negative	3	100.00%



VM-8		* Denotes Correct Response		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Negative	3	100.00%
VM-9		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Intl OCD Vitros ECI/ECIQ	2	*Positive	2	100.00%
VM-10		* Denotes Correct Response		
AG: All Methods	2			
		*Negative	2	100.00%
Intl OCD Vitros ECI/ECIQ	2	*Negative	2	100.00%
HCV (International)				
VM-6		* Denotes Correct Response		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Negative	3	100.00%
VM-7		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Intl OCD Vitros ECI/ECIQ	2	*Positive	2	100.00%
VM-8		* Denotes Correct Response		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Negative	3	100.00%
VM-9		* Denotes Correct Response		
AG: All Methods	3			
		*Negative	3	100.00%
Intl OCD Vitros ECI/ECIQ	3	*Negative	3	100.00%
VM-10		* Denotes Correct Response		
AG: All Methods	2			
		*Positive	2	100.00%
Intl OCD Vitros ECI/ECIQ	2	*Positive	2	100.00%
HBsAg				
VM-6		* Denotes Correct Response		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
VM-7		* Denotes Correct Response		
AG: All Methods	1			
		*Negative	1	100.00%
Abbott Architect i1000 SR	1	*Negative	1	100.00%
771 - Affirm VP				
Labs	Response	Number	Percent	
Candida sp. - Non Culture				
VP-6		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	36	97.30%
		Positive	1	2.70%
Affirm VP	37	*Negative	36	97.30%
Affirm VP		Positive	1	2.70%
VP-7		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	35	94.59%
		Positive	2	5.41%
Affirm VP	37	*Negative	35	94.59%
Affirm VP		Positive	2	5.41%
VP-8		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	37	100.00%
Affirm VP	37	*Negative	37	100.00%
VP-9		* Denotes Correct Response		
AG: All Methods	37			
		*Positive	35	94.59%
		Negative	2	5.41%
Affirm VP	37	*Positive	35	94.59%
Affirm VP		Negative	2	5.41%
VP-10		* Denotes Correct Response		



AG: All Methods	37			
		*Positive	35	94.59%
		Negative	2	5.41%
Affirm VP	37	*Positive	35	94.59%
Affirm VP		Negative	2	5.41%
<b>VP-6</b>		<b>G. vaginalis - Non Culture Tech</b>		
		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	37	100.00%
Affirm VP	37	*Negative	37	100.00%
<b>VP-7</b>		* Denotes Correct Response		
AG: All Methods	37			
		*Positive	35	94.59%
		Negative	2	5.41%
Affirm VP	37	*Positive	35	94.59%
Affirm VP		Negative	2	5.41%
<b>VP-8</b>		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	36	97.30%
		Positive	1	2.70%
Affirm VP	37	*Negative	36	97.30%
Affirm VP		Positive	1	2.70%
<b>VP-9</b>		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	34	91.89%
		Positive	3	8.11%
Affirm VP	37	*Negative	34	91.89%
Affirm VP		Positive	3	8.11%
<b>VP-10</b>		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	36	97.30%
		Positive	1	2.70%
Affirm VP	37	*Negative	36	97.30%
Affirm VP		Positive	1	2.70%
<b>VP-6</b>		<b>T. vaginalis - Non Culture</b>		
		* Denotes Correct Response		
AG: All Methods	37			
		*Positive	36	97.30%
		Negative	1	2.70%
Affirm VP	37	*Positive	36	97.30%
Affirm VP		Negative	1	2.70%
<b>VP-7</b>		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	36	97.30%
		Positive	1	2.70%
Affirm VP	37	*Negative	36	97.30%
Affirm VP		Positive	1	2.70%
<b>VP-8</b>		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	37	100.00%
Affirm VP	37	*Negative	37	100.00%
<b>VP-9</b>		* Denotes Correct Response		
AG: All Methods	37			
		*Positive	35	94.59%
		Negative	2	5.41%
Affirm VP	37	*Positive	35	94.59%
Affirm VP		Negative	2	5.41%
<b>VP-10</b>		* Denotes Correct Response		
AG: All Methods	37			
		*Negative	36	97.30%
		Positive	1	2.70%
Affirm VP	37	*Negative	36	97.30%
Affirm VP		Positive	1	2.70%