STEPS

New Drug Reviews

Crisaborole (Eucrisa) for Mild to Moderate Atopic Dermatitis

Gregory Castelli, PharmD, BCPS, BC-ADM, and Monica Schaffer, MD

University of Pittsburgh Medical Center St. Margaret, Pittsburgh, Pennsylvania

Crisaborole (Eucrisa) is a topical nonsteroid treatment for mild to moderate atopic dermatitis in children two years and older.¹ It is a phosphodiesterase-4 inhibitor, although its mechanism of action for atopic dermatitis is unknown.

| Drug | Dosage | Dose form | Cost* | |
|--------------------------|--|-------------------------|--------------------------|--|
| Crisaborole (Eucrisa) | Apply ointment in thin layer twice daily to affected areas | 2% crisaborole ointment | \$637 for a 60-g tube | |

*—Estimated retail price of one month's treatment based on information obtained at http://www.goodrx.com (accessed February 23, 2018).

Safety

Studies have shown crisaborole to be safe with few adverse effects. The three most common adverse effects are application site infection (1.2%), burning or stinging with application (2.3%), and worsening dermatitis (3.1%).² A year-long study of 517 children and adults did not report adverse effects commonly associated with topical corticosteroid treatment, such as skin thinning, striae, or adrenal axis suppression.³ Hypersensitivity reactions, such as contact urticaria, rarely occur.¹ There are no available data on the safety of crisaborole in women who are pregnant or breastfeeding, children younger than two years, or adults 65 years and older.

Tolerability

Crisaborole is well tolerated by most patients. Only 1.7% of patients will discontinue treatment because of adverse effects.³

Effectiveness

Crisaborole improves lesion clearing and pruritus in patients with atopic dermatitis to a greater extent than emollient treatment alone.² In two studies with a total of 1,522 patients who had mild to moderate atopic dermatitis, significantly

more patients treated with crisaborole achieved results of "clear" or "almost clear" as evaluated by investigators, compared with treatment using only emollient ointment (32.8% vs. 25.4% in study 1, and 31.4% vs. 18% in study 2).2 These results reflect at least a two-point improvement in lesion clearing on a five-point assessment, which is clinically meaningful. One additional patient will respond for every eight to 14 patients treated with crisaborole compared with emollient ointment alone. Pruritus responds in a few days to use of crisaborole or emollient ointment, but more patients will experience further clearing with crisaborole after about one week of treatment. There are no data on long-term effectiveness because studies have lasted for only 28 days. Crisaborole has not been compared directly with topical corticosteroids or other treatments for atopic dermatitis.

Price

A one-month supply of crisaborole (one 60-g tube) is approximately \$637. This is substantially more expensive than generic topical corticosteroids such as triamcinolone, which costs about \$6

STEPS new drug reviews cover Safety, Tolerability, Effectiveness, Price, and Simplicity. Each independent review is provided by authors who have no financial association with the drug manufacturer.

This series is coordinated by Allen F. Shaughnessy, PharmD, MMedEd, Assistant Medical Editor.

A collection of STEPS published in AFP is available at https://www.aafp.org/afp/steps.

Author disclosure: No relevant financial affiliations.

for a 30-day supply (one 15-g tube). Crisaborole may require prior authorization for insurance coverage, including documented treatment failure with other medications.

Simplicity

Patients should apply a thin layer of crisaborole to the affected area twice daily. The dosing and patient directions are similar to those of already available products, although some topical corticosteroids can be used once daily.

Bottom Line

Crisaborole has been shown to be effective in about one-third of patients who use it, but it is much more expensive than other available products. Although crisaborole is a safe option for patients in whom topical corticosteroids are considered risky (e.g., children at least two years of

age), it should not be routinely considered until long-term effectiveness and safety data become available.

Address correspondence to Gregory Castelli, PharmD, BCPS, BC-ADM, at greg.castelli@gmail.com. Reprints are not available from the authors.

References

- Daily Med. Drug label information. Eucrisa—crisaborole ointment. https://dailymed.nlm.nih.gov/dailymed/drug Info.cfm?setid=609b77de-1ca3-4783-b8f5-01a9c0f1d 77d. Accessed November 12, 2017.
- Paller AS, Tom WL, Lebwohl MG, et al. Efficacy and safety
 of crisaborole ointment, a novel, nonsteroidal phosphodiesterase 4 (PDE4) inhibitor for the topical treatment of
 atopic dermatitis (AD) in children and adults [published
 correction appears in *J Am Acad Dermatol*. 2017;76(4):
 777]. *J Am Acad Dermatol*. 2016;75(3):494-503.e6.
- 3. Eichenfield LF, Call RS, Forsha DW, et al. Long-term safety of crisaborole ointment 2% in children and adults with mild to moderate atopic dermatitis. *J Am Acad Dermatol*. 2017;77(4):641-649.e5. ■

Taking Your Boards This Fall?

AAFP Family Medicine Board Review Self-Study Package-13th Edition

- In-depth review of 14 body systems, population-based care, and patient-based systems
- 175+ case studies
- 500+ Board-style questions



aafp.org/studyyourway (800) 274-2237

M0C18060976